

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

ACURA

Year	Description	Premium	Standard
CL			
03 - 01	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
99 - 97	All Eng. - 26.00 Oz. R-134a; 8.45 Oz. PAG-46	409503	801651
ILX			
19 - 16	4 Cyl 2.4L Eng. - 19.20 Oz. R-1234yf; 4.00 Oz. PAG Oil	409123	801234
19 - 16	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 14.40 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.4L Eng. - 14.40 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
14	4 Cyl 1.5L Eng. - HYBRID; 14.40 Oz. R-134a; 4.30 Oz. POE Oil	409610	--
13	4 Cyl 1.5L Eng. - HYBRID; 15.00 Oz. R-134a; 8.10 Oz. Hybrid Oil	409610	--
13	4 Cyl 2.0L Eng. - 14.10-15.90 Oz. R-134a; 6.90 Oz. PAG-46	409503	801651
13	4 Cyl 2.4L Eng. - 14.10-15.90 Oz. R-134a; 6.90 Oz. PAG-46	409503	801651
INTEGRA			
01 - 94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
LEGEND			
95 - 94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
92 - 91	All Eng. - 6.50 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 30.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 33.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
MDX			
19 - 17	6 Cyl 3.0L Eng. - HYBRID, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
18 - 15	6 Cyl 3.5L Eng. - 4.50 Oz. PAG-46; 22.40 Oz. R-134a	409503	801651
14	6 Cyl 3.5L Eng. - 23.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	409503	801651
13	6 Cyl 3.7L Eng. - 23.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.7L Eng. - w/ Rear AC; 22.00 Oz. R-134a; 8.60 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.7L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 7.60 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/ Rear AC; 22.00 Oz. R-134a; 8.60 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/o Rear AC; 22.00 Oz. R-134a; 7.60 Oz. PAG-46	409503	801651
06 - 02	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01	All Eng. - 27.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
NSX			
05 - 97	All Eng. - 30.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
96 - 93	All Eng. - 30.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
92 - 91	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
RDX			
18	6 Cyl 3.5L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 13	6 Cyl 3.5L Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	409503	801651
12 - 09	4 Cyl 2.3L Eng. - w/ Rear AC; 17.60 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
12 - 09	4 Cyl 2.3L Eng. - w/o Rear AC; 15.90 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
08 - 07	All Eng. - w/ Rear AC; 17.60 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
08 - 07	All Eng. - w/o Rear AC; 15.90 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
RL			
12 - 10	6 Cyl 3.7L Eng. - 15.80-17.60 Oz. R-134a; 8.00-8.50 Oz. PAG-46	409503	801651
09 - 06	All Eng. - 7.00 Oz. PAG-46; 17.50 Oz. R-134a	409503	801651
05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
01 - 96	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
RSX			
06	All Eng. - 17.60-19.40 Oz. R-134a; 7.40-8.10 Oz. PAG-46	409503	801651
05 - 02	All Eng. - 18.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
SLX			
99 - 98	All Eng. - w/ Denso Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
99 - 98	All Eng. - w/ OE Harrison Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

ACURA

Year	Description	Premium	Standard
SLX			
97 - 96	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
TL			
14	6 Cyl 3.5L Eng. - 19.20 Oz. R-134a; 2.30 Oz. PAG-46	409503	801651
14	6 Cyl 3.7L Eng. - 19.20 Oz. R-134a; 2.30 Oz. PAG-46	409503	801651
13	6 Cyl 3.5L Eng. - 20.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
13	6 Cyl 3.7L Eng. - 20.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.5L Eng. - 17.60-19.40 Oz. R-134a; 5.81 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.7L Eng. - 17.60-19.40 Oz. R-134a; 6.15 Oz. PAG-46	409503	801651
09	All Eng. - 17.60-19.40 Oz. R-134a; 6.15 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 7.00 Oz. PAG-46; 17.60-19.40 Oz. R-134a	409503	801651
03 - 99	All Eng. - 21.00-23.00 Oz. R-134a; 8.80-9.40 Oz. PAG-46	409503	801651
98 - 95	All Eng. - 26.50 Oz. R-134a; 5.33 Oz. PAG-46	409503	801651
TSX			
14	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; 2.60 Oz. PAG-46	409503	801651
14 - 13	4 Cyl 2.4L Eng. - 17.60 Oz. R-134a; 2.60 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.5L Eng. - 15.90-17.60 Oz. R-134a; 6.11 Oz. PAG-46	409503	801651
12 - 10	4 Cyl 2.4L Eng. - 15.90-17.60 Oz. R-134a; 6.42-6.83 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 15.90-17.60 Oz. R-134a; 6.42-6.83 Oz. PAG-46	409503	801651
09	All Eng. - 15.80-17.60 Oz. R-134a; 6.50-6.90 Oz. PAG-46	409503	801651
08	4 Cyl 2.4L Eng. - 17.60-19.40 Oz. R-134a; 8.11 Oz. PAG-46	409503	801651
07 - 04	All Eng. - 17.60-19.40 Oz. R-134a; 8.11 Oz. PAG-46	409503	801651

VIGOR

94 - 92	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
---------	---	-----------------------	----

ZDX

13 - 12	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 3.45 Oz. PAG-46	409503	801651
11	6 Cyl 3.7L Eng. - 17.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
10	6 Cyl 3.7L Eng. - 17.00 Oz. R-134a; 3.40-6.00 Oz. PAG-46	409503	801651

ALFA ROMEO

Year	Description	Premium	Standard
GIULIA			
18	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
18	6 Cyl 2.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
STELVIO			
18	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
18	6 Cyl 2.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234

AMERICAN MOTORS

Year	Description	Premium	Standard
AMX			
80 - 79	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CONCORD			
83 - 80	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 80	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
EAGLE			
88 - 84	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 80	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SPIRIT			
83 - 79	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 80	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

AUDI

Year	Description	Premium	Standard
100 SERIES			
94 - 93	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
93	All Eng. - 8.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - 10.00 Oz. Mineral Oil; 38.00 Oz. R-12	209500 ⁽¹⁾	--
200 SERIES			
91 - 89	All Eng. - 10.00 Oz. Mineral Oil; 38.00 Oz. R-12	209500 ⁽¹⁾	--
5000 SERIES			
88 - 87	5 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 84	5 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 SERIES			
92 - 88	All Eng. - 10.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
90 SERIES			
95 - 93	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
91 - 88	All Eng. - 10.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
A3 SERIES			
19 - 18	4 Cyl 2.0L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18	4 Cyl 2.0L Eng. - 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17	4 Cyl 1.4L Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
17 - 15	4 Cyl 2.0L Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
16 - 15	4 Cyl 1.8L Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09 - 08	6 Cyl 3.2L Eng. - 19.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07 - 06	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.71 Oz. PAG-46	409503	801651
07 - 06	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.71 Oz. PAG-46	409503	801651
07 - 06	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.72 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.2L Eng. - 18.00 Oz. R-134a; 3.71 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.2L Eng. - 18.00 Oz. R-134a; 3.71 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.2L Eng. - 18.00 Oz. R-134a; 4.72 Oz. PAG-46	409503	801651
A4 SERIES			
19 - 18	4 Cyl 2.0L Eng. - 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
19 - 18	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
17	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13 - 09	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
12	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
09	6 Cyl 3.2L Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05	All Eng. - 20.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 9.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
01 - 00	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
A5 SERIES			
19 - 18	4 Cyl 2.0L Eng. - 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
19 - 18	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
17	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
16 - 15	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
14	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 22.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	409503	801651
12 - 10	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10 - 08	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
A6 SERIES			
19	4 Cyl 2.0L Eng. - HYBRID, 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
19	6 Cyl 3.0L Eng. - HYBRID, 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	4 Cyl 2.0L Eng. - 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

AUDI

Year	Description	Premium	Standard
A6 SERIES			
18	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 20.16 Oz. R-134a	409503	801651
18	6 Cyl 3.0L Eng. - 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 20.16 Oz. R-134a	409503	801651
17 - 16	6 Cyl 3.0L Eng. - 20.00 Oz. R-134a; 4.38 Oz. PAG-46	409503	801651
17 - 15	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.0L Eng. - 20.00 Oz. R-134a; 4.4 Oz. PAG-46	409503	801651
14	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.4 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 3.70-4.30 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 20.00 Oz. R-134a; 4.38 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - 22.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	409503	801651
11	8 Cyl 4.2L Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46, Single Evaporator	409503	801651
11	8 Cyl 4.2L Eng. - 33.00 Oz. R-134a; 4.40 Oz. PAG-46, Dual Evaporator	409503	801651
11 - 09	6 Cyl 3.0L Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	409503	801651
11 - 08	6 Cyl 3.2L Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	409503	801651
10	8 Cyl 4.2L Eng. - 18.40 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09	6 Cyl 2.8L Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.2L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05	All Eng. - 24.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
04 - 03	All Eng. - 30.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
02 - 01	All Eng. - 24.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
97 - 96	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
A7 SERIES			
19 - 18	6 Cyl 3.0L Eng. - HYBRID, 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 14	6 Cyl 3.0L Eng. - 4.70 Oz. PAG-46; 20.16 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 3.70-4.30 Oz. PAG-46	409503	801651
A8 SERIES			
19	6 Cyl 3.0L Eng. - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	409123	801234
19	8 Cyl 4.0L Eng. - 26.40 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
18	6 Cyl 3.0L Eng. - 26.40 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
18	8 Cyl 4.0L Eng. - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	409123	801234
17 - 13	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46, Single Evaporator	409503	801651
17 - 13	6 Cyl 3.0L Eng. - 34.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46, Dual Evaporator	409503	801651
17 - 13	8 Cyl 4.0L Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46, Single Evaporator	409503	801651
17 - 13	8 Cyl 4.0L Eng. - 33.00 Oz. R-134a; 4.40 Oz. PAG-46, Dual Evaporator	409503	801651
12	12 Cyl 6.3L Eng. - 28.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46, Single Evaporator	409503	801651
12	12 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46, Dual Evaporator	409503	801651
12 - 10	8 Cyl 4.2L Eng. - 27.00 Oz. R-134a; 4.40 Oz. PAG-46, Single Evaporator	409503	801651
12 - 10	8 Cyl 4.2L Eng. - 33.00 Oz. R-134a; 4.40 Oz. PAG-46, Dual Evaporator	409503	801651
09 - 08	8 Cyl 4.2L Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09 - 07	12 Cyl 6.0L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - 21.00 Oz. R-134a; 5.06 Oz. PAG-46	409503	801651
06	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
03 - 00	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46; w/ Yellow Restrictor	409503	801651
03 - 00	All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a; w/o Restrictor	409503	801651
99 - 97	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
ALLROAD QUATTRO			
16 - 14	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 22.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	409503	801651
05	All Eng. - 23.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
04 - 03	All Eng. - 30.00 Oz. R-134a; 9.25 Oz. PAG-46	409503	801651
02 - 01	All Eng. - 24.50 Oz. R-134a; 9.25 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

AUDI

Year	Description	Premium	Standard
CABRIOLET			
98 - 94	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
COUPE QUATTRO			
91 - 90	All Eng. - 10.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
Q2 / Q2 QUATTRO			
19	4 Cyl 2.0L Eng. - 18.08 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front	409123	801234
Q3 / Q3 QUATTRO			
19	4 Cyl 2.0L Eng. - 18.08 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front	409123	801234
16	4 Cyl 2.0L Eng. - Excl. Hybrid, 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - Excl. Hybrid, 21.12 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
14 - 12	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
Q5			
19	4 Cyl 2.0L Eng. - 18.08 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front	409123	801234
18	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front	409123	801234
18 - 17	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front and Rear	409123	801234
17	4 Cyl 2.0L Eng. - 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	6 Cyl 3.0L Eng. - 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	4 Cyl 2.0L Eng. - Excl. Hybrid, 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - Excl. Hybrid, 21.12 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
15	6 Cyl 3.0L Eng. - Gas, 21.12 Oz. R-134a; 4.60 Oz. PAG-46, Front	409503	801651
15 - 13	6 Cyl 3.0L Eng. - Gas, 4.70 Oz. PAG-46; 36.80 Oz. R-134a, Front and Rear	409503	801651
15 - 09	6 Cyl 3.0L Eng. - Diesel, 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46, Front AC	409503	801651
15 - 09	6 Cyl 3.0L Eng. - Diesel, 4.70 Oz. PAG-46; 36.80 Oz. R-134a, Front and Rear	409503	801651
14	6 Cyl 3.0L Eng. - Gas, 5.00 Oz. PAG-46; 21.12 Oz. R-134a, Front	409503	801651
14 - 12	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
13	6 Cyl 3.0L Eng. - Gas, 21.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46, Front	409503	801651
12	6 Cyl 3.2L Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
11	4 Cyl 2.0L Eng. - 21.12 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
10	6 Cyl 3.2L Eng. - 21.12 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
Q7			
19	4 Cyl 2.0L Eng. - 18.08 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front	409123	801234
18	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front	409123	801234
18 - 17	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity, Front and Rear	409123	801234
17 - 16	6 Cyl 3.0L Eng. - 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	4 Cyl 2.0L Eng. - Excl. Hybrid, 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - Gas, 21.12 Oz. R-134a; 4.60 Oz. PAG-46, Front	409503	801651
15 - 12	6 Cyl 3.0L Eng. - Gas, 4.70 Oz. PAG-46; 36.80 Oz. R-134a, Front and Rear	409503	801651
15 - 09	6 Cyl 3.0L Eng. - Diesel, 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46, Front AC	409503	801651
15 - 09	6 Cyl 3.0L Eng. - Diesel, 4.70 Oz. PAG-46; 36.80 Oz. R-134a, Front and Rear	409503	801651
14	6 Cyl 3.0L Eng. - Gas, 5.00 Oz. PAG-46; 21.12 Oz. R-134a, Front	409503	801651
14	8 Cyl 4.1L Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
13	6 Cyl 3.0L Eng. - Gas, 21.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46, Front	409503	801651
13 - 12	8 Cyl 4.1L Eng. - 21.00 Oz. R-134a; 4.70 - 5.30 Oz. PAG-46	409503	801651
12	6 Cyl 3.0L Eng. - Gas, 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46, Front AC	409503	801651
11	8 Cyl 4.1L Eng. - 21.12 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
09	8 Cyl 4.2L Eng. - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46, Front	409503	801651
09	8 Cyl 4.2L Eng. - 4.70 Oz. PAG-46; 36.80 Oz. R-134a, Front and Rear	409503	801651
08	6 Cyl 3.6L Eng. - w/ Denso Compressor; 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
08	8 Cyl 4.2L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
07	6 Cyl 3.6L Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
07	6 Cyl 3.6L Eng. - w/ Rear AC; 37.00 Oz. R-134a; 8.28 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - w/ Rear AC; 37.00 Oz. R-134a; 8.28 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - w/o Rear AC; 19.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

AUDI

Year	Description	Premium	Standard
Q8			
19	6 Cyl 3.0L Eng. - HYBRID, 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil, Front	409123	801234
R8			
18 - 17	10 Cyl 5.2L Eng. - 28.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
18 - 17	10 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
15 - 14	10 Cyl 5.2L Eng. - 6.70 Oz. PAG-46; 23.20 Oz. R-134a	409503	801651
14	8 Cyl 4.2L Eng. - 6.70 Oz. PAG-46; 23.20 Oz. R-134a	409503	801651
12 - 10	10 Cyl 5.2L Eng. - 22.00 Oz. R-134a; 4.80-5.40 Oz. PAG-46	409503	801651
12 - 10	8 Cyl 4.2L Eng. - 22.00 Oz. R-134a; 4.80-5.40 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
RS4			
08	8 Cyl 4.2L Eng. - 15.52 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
07	All Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
RS6			
04 - 03	8 Cyl 4.2L Eng. - 19.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
S3			
04	All Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 25.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
S4			
14	6 Cyl 3.0L Eng. - 19.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
11 - 09	8 Cyl 4.2L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
08	8 Cyl 4.2L Eng. - 22.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - 17.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
06 - 05	8 Cyl 4.2L Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
04	All Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 25.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
00	6 Cyl 2.7L Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
94 - 93	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
93	All Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92	All Eng. - 10.00 Oz. Mineral Oil; 38.00 Oz. R-12	209500 ⁽¹⁾	--
S5			
14	6 Cyl 3.0L Eng. - 19.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
12 - 09	8 Cyl 4.2L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
08	8 Cyl 4.2L Eng. - 22.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
S6			
14	8 Cyl 4.0L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	8 Cyl 4.0L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
11 - 09	10 Cyl 5.2L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
08	10 Cyl 5.2L Eng. - 22.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
07	10 Cyl 5.2L Eng. - 17.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
04	All Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 25.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
96 - 95	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
S7			
14	8 Cyl 4.0L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	8 Cyl 4.0L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
S8			
14	8 Cyl 4.0L Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	8 Cyl 4.0L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
11 - 09	10 Cyl 5.2L Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
08	10 Cyl 5.2L Eng. - 22.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
07	10 Cyl 5.2L Eng. - 17.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 25.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

AUDI

Year	Description	Premium	Standard
TT SERIES			
16 - 14	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
14	4 Cyl 1.8L Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
14	5 Cyl 2.5L Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
13	5 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13	5 Cyl 2.5L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - w/ Sanden Compressor; 18.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12	5 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
12	5 Cyl 2.5L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 1.8L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	409503	801651
11	4 Cyl 2.0L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
11	5 Cyl 2.5L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
11 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.2L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.2L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.2L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
06 - 02	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01 - 00	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
V8 QUATTRO			
94 - 93	All Eng. - 30.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
92 - 90	All Eng. - 10.00 Oz. Mineral Oil; 39.00 Oz. R-12	209500 ⁽¹⁾	--

BMW

Year	Description	Premium	Standard
128 SERIES			
13 - 12	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 21.87 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 20.81 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
09	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
08	6 Cyl 3.0L Eng. - 20.81 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
135 SERIES			
14	6 Cyl 3.0L Eng. - 20.81 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
13	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12 - 11	6 Cyl 3.0L Eng. - 21.87 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
10 - 08	6 Cyl 3.0L Eng. - 20.81 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
228i			
16 - 14	4 Cyl 2.0L Eng. - 228i, 6.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
228i xDrive			
16 - 15	4 Cyl 2.0L Eng. - 228i, 6.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
318 SERIES			
99 - 93	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	409502	801652
99 - 93	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	409502	801652
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 42.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/ Behr System; 42.50 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85 - 84	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
320 SERIES			
16 - 14	4 Cyl 2.0L Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
05 - 01	6 Cyl 2.2L Eng. - 26.10+/-0.88 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
83 - 80	4 Cyl 1.8L Eng. - 45.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
323 SERIES			
00	All Eng. - 29.50 Oz. R-134a; 5.50 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	409502	801652

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
323 SERIES			
99 - 98	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	409502	801652
325 SERIES			
06 - 01	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
93	All Eng. - 6.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 42.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/ Behr System; 42.50 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 10.00 Oz. Mineral Oil; 34.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Behr System; 34.50 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 2.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
328 SERIES			
17	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
16 - 14	4 Cyl 2.0L Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13 - 12	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
11 - 07	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
330 SERIES			
18	All Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
06	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-46	409503	801651
05 - 01	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-100	409502	801652
335 SERIES			
16	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
15 - 14	6 Cyl 3.0L Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
13	6 Cyl 3.0L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12	6 Cyl 3.0L Eng. - 21.87 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
10 - 07	6 Cyl 3.0L Eng. - 20.81 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
525 SERIES			
07	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
06 - 04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 6.00 Oz. PAG-100; 51.00 Oz. R-134a; Flat Tube Condenser	409502	801652
95 - 93	All Eng. - 6.00 Oz. PAG-100; 53.00 Oz. R-134a; Round Tube Condenser	409502	801652
93	6 Cyl 2.5L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 89	All Eng. - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
528 SERIES			
16 - 14	4 Cyl 2.0L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13 - 12	4 Cyl 2.0L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11	8 Cyl 4.4L Eng. - 28.00 Oz. R-134a; 5.40 - 6.80 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 29.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 26.40 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ Denso Compressor; 26.40 Oz. R-134a; 4.90-5.90 Oz. PAG-46	409503	801651
97	All Eng. - 43.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
97	All Eng. - w/ Denso Compressor; 4.90-5.90 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
82	6 Cyl 2.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 79	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
530 SERIES			
07	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 6.00 Oz. PAG-100	409503	801651
06 - 04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
03 - 02	6 Cyl 3.0L Eng. - 26.40 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
01	6 Cyl 3.0L Eng. - 27.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
530 SERIES			
01	6 Cyl 3.0L Eng. - w/ Denso Compressor; 27.00 Oz. R-134a; 4.90-5.90 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 6.00 Oz. PAG-100; 51.00 Oz. R-134a; Flat Tube Condenser	409502	801652
95 - 94	All Eng. - 6.00 Oz. PAG-100; 53.00 Oz. R-134a; Round Tube Condenser	409502	801652
533 SERIES			
84 - 83	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
535 SERIES			
17	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
16 - 14	6 Cyl 3.0L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12	8 Cyl 4.4L Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 5.40-6.80 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
11	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 5.40 - 6.80 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
93	All Eng. - 6.00 Oz. PAG-100; 51.00 Oz. R-134a; Flat Tube Condenser	409502	801652
93	All Eng. - 6.00 Oz. PAG-100; 53.00 Oz. R-134a; Round Tube Condenser	409502	801652
92 - 89	All Eng. - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
540 SERIES			
03 - 01	All Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
00 - 99	All Eng. - 6.00 Oz. PAG-100; 44.00 Oz. R-134a	409502	801652
98 - 97	All Eng. - 43.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
95 - 94	All Eng. - 6.00 Oz. PAG-100; 51.00 Oz. R-134a; Flat Tube Condenser	409502	801652
95 - 94	All Eng. - 6.00 Oz. PAG-100; 53.00 Oz. R-134a; Round Tube Condenser	409502	801652
545 SERIES			
05 - 04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
550 SERIES			
16	8 Cyl 4.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
15 - 14	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11	8 Cyl 4.4L Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
10	8 Cyl 4.4L Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10	8 Cyl 4.8L Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.8L Eng. - 29.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
07 - 06	8 Cyl 4.8L Eng. - 27.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
07 - 06	8 Cyl 4.8L Eng. - w/ Denso Compressor; 27.00 Oz. R-134a; 4.90-5.90 Oz. PAG-46	409503	801651
633 SERIES			
82 - 78	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
635 SERIES			
89	All Eng. - w/ Rear AC; 5.75 Oz. Mineral Oil; 63.50 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 39.00 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
640 SERIES			
16 - 14	6 Cyl 3.0L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
645 SERIES			
05 - 04	8 Cyl 4.4L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
650 SERIES			
16 - 14	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
12	8 Cyl 4.4L Eng. - 28.48 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
11 - 06	8 Cyl 4.8L Eng. - 28.48 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
733 SERIES			
84 - 78	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
735 SERIES			
92	6 Cyl 3.5L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 73.00 Oz. R-12, To 3/92	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 6.00 Oz. PAG-100; 60.00 Oz. R-134a, 4/92-12/92	409502	801652
92	All Eng. - w/ Rear AC; w/ Behr System; 6.75 Oz. Mineral Oil; 73.00 Oz. R-12, To 3/92	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12, To 3/92	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 55.00 Oz. R-134a; 6.00 Oz. PAG-46, 4/92-12/92	409503	801651
92	All Eng. - w/o Rear AC; w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12, To 3/92	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 73.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; w/ Behr System; 6.75 Oz. Mineral Oil; 73.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/o Rear AC; w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 85	6 Cyl 3.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
740 SERIES			
17	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
17 - 14	6 Cyl 3.0L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13	12 Cyl 6.0L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13	6 Cyl 3.0L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	409503	801651
01	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-100	409502	801652
00 - 99	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
98 - 95	All Eng. - 42.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
98 - 95	All Eng. - w/ Denso Compressor; 42.50 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
94 - 93	All Eng. - w/ Rear AC; 6.00 Oz. PAG-100; 60.00 Oz. R-134a	409502	801652
94 - 93	All Eng. - w/o Rear AC; 55.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
745 SERIES			
05 - 04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
03 - 02	8 Cyl 4.4L Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
750 SERIES			
15 - 14	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11 - 10	All Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	8 Cyl 4.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	8 Cyl 4.8L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	8 Cyl 4.8L Eng. - w/ Rear AC; 41.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 06	8 Cyl 4.8L Eng. - w/ Rear AC; 37.87 Oz. R-134a; 8.46 Oz. PAG-46	409503	801651
08 - 06	8 Cyl 4.8L Eng. - w/o Rear AC; 28.00 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
01	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-100	409502	801652
00 - 99	All Eng. - 43.00 Oz. R-134a; 6.50 Oz. PAG-100	409502	801652
98 - 95	All Eng. - w/ Denso Compressor; w/o Rear AC; 42.50 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
98 - 95	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
98 - 95	All Eng. - w/o Rear AC; 42.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
94 - 93	All Eng. - w/ Denso Compressor; w/o Rear AC; 5.50 Oz. PAG-46; 55.00 Oz. R-134a	409503	801651
94 - 93	All Eng. - w/ Rear AC; 6.00 Oz. PAG-100; 60.00 Oz. R-134a	409502	801652
94 - 93	All Eng. - w/o Rear AC; 55.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
91 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 73.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; w/ Behr System; 6.75 Oz. Mineral Oil; 73.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/o Rear AC; w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
760 SERIES			
15 - 14	12 Cyl 6.0L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13 - 10	12 Cyl 6.0L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 07	12 Cyl 6.0L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
08 - 07	12 Cyl 6.0L Eng. - w/o Rear AC; 29.00 Oz. R-134a; 6.35 Oz. PAG-46	409503	801651
06 - 04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
840 SERIES			
97 - 94	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
97 - 94	All Eng. - w/ Denso Compressor; 5.50 Oz. PAG-46; 55.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
850 SERIES			
97 - 93	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
97 - 93	All Eng. - w/ Denso Compressor; 5.50 Oz. PAG-46; 55.00 Oz. R-134a	409503	801651
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
ACTIVEHYBRID 3			
15 - 14	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
ACTIVEHYBRID 5			
16 - 14	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
12	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
L6			
87	6 Cyl 3.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
L7			
87 - 86	6 Cyl 3.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
M135I SERIES			
16 - 14	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M140I SERIES			
17	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M2			
17 - 16	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M235I SERIES			
16 - 14	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M240I SERIES			
17	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M3			
17 - 15	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	8 Cyl 4.0L Eng. - 21.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
12	8 Cyl 4.0L Eng. - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
11	8 Cyl 4.0L Eng. - 21.00 Oz. R-134a; 4.70-5.40 PAG-46	409503	801651
10	8 Cyl 4.0L Eng. - 21.00 Oz. R-134a; 4.07-5.40 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.0L Eng. - 29.00 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
06	6 Cyl 3.2L Eng. - 26.10 Oz. R-134a; 5.40+/-0.30 Oz. PAG-46	409503	801651
05 - 02	6 Cyl 3.2L Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-46	409503	801651
01	6 Cyl 3.2L Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
99 - 95	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-100; Flat Tube Condenser	409502	801652
99 - 95	All Eng. - 36.00 Oz. R-134a; 5.00 Oz. PAG-100; Round Tube Condenser	409502	801652
91	4 Cyl Eng. - 10.00 Oz. Mineral Oil; 31.00 Oz. R-12	209500 ⁽¹⁾	--
91	4 Cyl Eng. - w/ Behr System; 31.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 10.00 Oz. Mineral Oil; 31.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Behr System; 31.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
M4			
17 - 14	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M5			
17	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
16 - 14	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11	10 Cyl 5.0L Eng. - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
10	10 Cyl 5.0L Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
09 - 08	10 Cyl 5.0L Eng. - 29.00 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
07	10 Cyl 5.0L Eng. - 28.57 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
06	10 Cyl 5.0L Eng. - 28.00 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
03 - 02	8 Cyl 5.0L Eng. - 43.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
03 - 01	8 Cyl 5.0L Eng. - w/ Denso Compressor; 4.90-5.90 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
00	8 Cyl 5.0L Eng. - 33.51 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
00	8 Cyl 5.0L Eng. - 43.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
M5			
00	8 Cyl 5.0L Eng. - w/ Denso Compressor; 31.74 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
99	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-100; Flat Tube Condenser	409502	801652
99	All Eng. - 36.00 Oz. R-134a; 5.00 Oz. PAG-100; Round Tube Condenser	409502	801652
93	All Eng. - 5.41 Oz. Mineral Oil; 51.14 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - 6.00 Oz. PAG-100; 51.00 Oz. R-134a; Flat Tube Condenser	409502	801652
93	All Eng. - 6.00 Oz. PAG-100; 53.00 Oz. R-134a; Round Tube Condenser	409502	801652
92	All Eng. - 6.75 Oz. Mineral Oil; 53.00 Oz. R-12	209500 ⁽¹⁾	--
91	6 Cyl Eng. - 6.75 Oz. Mineral Oil; 53.00 Oz. R-12	209500 ⁽¹⁾	--
M550 SERIES			
17	8 Cyl 4.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
M6 SERIES			
17	8 Cyl 4.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
16 - 14	8 Cyl 4.4L Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11	10 Cyl 5.0L Eng. - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
10	10 Cyl 5.0L Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
09 - 08	10 Cyl 5.0L Eng. - 29.00 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
07	10 Cyl 5.0L Eng. - 28.57 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
06	10 Cyl 5.0L Eng. - 28.00 Oz. R-134a; 6.34 Oz. PAG-46	409503	801651
X1			
16	4 Cyl 2.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14 - 13	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	409503	801651
12	6 Cyl 3.0L Eng. - 18.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
10	6 Cyl 2.5L Eng. - 25.00 Oz. R-134a; 4.90 - 5.60 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
X3			
16	4 Cyl 2.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14 - 13	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	409503	801651
12	6 Cyl 3.0L Eng. - 18.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
10	6 Cyl 2.5L Eng. - 25.00 Oz. R-134a; 4.90 - 5.60 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
08 - 07	6 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	6 Cyl 2.5L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	6 Cyl 3.0L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 04	All Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
X4			
16	4 Cyl 2.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
X5			
17	8 Cyl 4.4L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
X5			
16	4 Cyl 2.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 14	8 Cyl 4.4L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	409503	801651
12	6 Cyl 3.0L Eng. - 18.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
11	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 4.90-5.60 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07	8 Cyl 4.8L Eng. - 25.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	6 Cyl 3.0L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	8 Cyl 4.4L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	8 Cyl 4.8L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 04	All Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
03 - 02	6 Cyl 3.0L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
03 - 02	8 Cyl 4.4L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
03 - 02	8 Cyl 4.6L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
01	All Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
00	8 Cyl 4.4L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
X6			
17	8 Cyl 4.4L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 14	8 Cyl 4.4L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	409503	801651
12	6 Cyl 3.0L Eng. - 18.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	409503	801651
11	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 4.90-5.60 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
08	8 Cyl 4.4L Eng. - 24.70 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
Z3			
02	6 Cyl 3.0L Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
02	6 Cyl 3.2L Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
02 - 01	6 Cyl 2.5L Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
02 - 01	6 Cyl 2.5L Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
02 - 01	6 Cyl 3.0L Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
02 - 01	6 Cyl 3.2L Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
01	6 Cyl 3.2L Eng. - 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
00 - 99	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	409502	801652
00 - 99	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	409502	801652
98	4 Cyl 1.9L Eng. - 29.10 Oz. R-134a; 5.29 Oz. PAG-46	409503	801651
98	6 Cyl 2.8L Eng. - 29.10 Oz. R-134a; 5.29 Oz. PAG-46	409503	801651
98	6 Cyl 2.8L Eng. - w/ Denso Compressor; 29.10 Oz. R-134a; 4.23 Oz. PAG-46	409503	801651
98	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
98 - 96	4 Cyl 1.9L Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BMW

Year	Description	Premium	Standard
Z3			
97	6 Cyl 2.8L Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
97	6 Cyl 2.8L Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
97 - 96	4 Cyl 1.9L Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
Z4			
16 - 14	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 13	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.0L Eng. - 16.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12 - 10	6 Cyl 3.0L Eng. - 20.46 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11 - 10	6 Cyl 2.5L Eng. - 20.46 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	6 Cyl 3.2L Eng. - 26.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08 - 05	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.2L Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
05 - 04	6 Cyl 2.5L Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
04	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 5.29+/-0.35 Oz. PAG-46	409503	801651
Z8			
03 - 02	8 Cyl 5.0L Eng. - 25.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
00	All Eng. - 26.00 Oz. R-134a	409503	801651

BUICK

Year	Description	Premium	Standard
ALLURE			
10	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 20.16 Oz. R-134a	409503	801651
10	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 20.16 Oz. R-134a	409503	801651
09	6 Cyl 3.8L Eng. - 5.00 Oz. PAG-46; 21.60-19.20 Oz. R-134a	409503	801651
09	8 Cyl 5.3L Eng. - 5.00 Oz. PAG-46; 21.60-19.20.00 Oz. R-134a	409503	801651
08	8 Cyl 5.3L Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
08 - 06	6 Cyl 3.8L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.6L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05	6 Cyl 3.6L Eng. - 35.00 Oz. R-134a; 6.60 Oz. PAG-46	409503	801651
05	6 Cyl 3.8L Eng. - 35.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
APOLLO			
73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CASCADA			
18 - 16	4 Cyl 1.6L Eng. - 4.50 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
CENTURY SEDAN / COUPE			
05	All Eng. - 9.00 Oz. PAG-150; 38.00 Oz. R-134a	409501	801653
04 - 03	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
02 - 97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96 - 94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ELECTRA SEDAN / COUPE			
90 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 64	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BUICK

Year	Description	Premium	Standard
ELECTRA SEDAN / COUPE			
66 - 63	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ENCLAVE			
17 - 14	6 Cyl 3.6L Eng. - 40.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
13	6 Cyl 3.6L Eng. - 7.80 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
12 - 10	6 Cyl 3.6L Eng. - 36.80 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
09 - 08	All Eng. - 36.80 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
ENCORE			
16 - 14	4 Cyl 1.4L Eng. - 20.06 Oz. R-134a; 3.80 Oz. PAG-46	409503	801651
ESTATE WAGON (CENTURY,ELECTRA,LESABRE,REGAL,ROADMASTER)			
96 - 94	8 Cyl 5.7L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
96 - 94	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93 - 92	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LACROSSE			
17	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
16 - 13	4 Cyl 2.4L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
16 - 13	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.4L Eng. - 3.70 Oz. PAG-46; 21.00 Oz. R-134a	409503	801651
12 - 10	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
10	4 Cyl 2.4L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
10	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
09 - 06	All Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
05	All Eng. - 36.96 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
LESABRE SEDAN / COUPE			
05	All Eng. - 9.00 Oz. PAG-150; 38.00 Oz. R-134a	409501	801653
04 - 03	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
02 - 98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97 - 96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 8.00 Oz. Mineral Oil; 53.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
64 - 63	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LUCERNE			
11	6 Cyl 3.9L Eng. - 23.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
11	8 Cyl 4.6L Eng. - 23.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
10	6 Cyl 3.9L Eng. - 21.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
10	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
09 - 06	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
PARK AVENUE			
05	All Eng. - 9.00 Oz. PAG-150; 38.00 Oz. R-134a	409501	801653
04 - 00	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
99 - 97	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BUICK

Year	Description	Premium	Standard
PARK AVENUE			
95 - 94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
RAINIER			
07 - 04	All Eng. - w/ Rear AC; 8.00 Oz. PAG-46; 42.40 Oz. R-134a	409503	801651
07 - 04	All Eng. - w/o Rear AC; 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
REATTA			
91 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
REGAL SEDAN / COUPE			
17 - 14	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
17 - 11	4 Cyl 2.4L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 20.80-24.00 Oz. R-134a	409503	801651
12 - 11	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 21.00 Oz. R-134a	409503	801651
04 - 97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 88	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 85	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RENDEZVOUS			
07 - 02	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
RIVIERA			
99 - 97	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
96 - 95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 89	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 65	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ROADMASTER			
96 - 94	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 6.00 Oz. Mineral Oil; 50.00 Oz. R-12	209500 ⁽¹⁾	--
SKYHAWK			
89	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SKYLARK			
98 - 95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92	All Eng. - 42.50 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 86	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

BUICK

Year	Description	Premium	Standard
SKYLARK			
88 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SOMERSET			
87 - 85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TERRAZA			
07	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
07 - 06	All Eng. - w/ Rear AC; 31.66 Oz. R-134a; 7.77 Oz. PAG-46	409503	801651
06	All Eng. - w/o Rear AC; 7.10 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
05	All Eng. - w/ Rear AC; 35.60 Oz. R-134a; 7.77 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 7.10 Oz. PAG-46; 26.88 Oz. R-134a	409503	801651
VERANO			
17 - 14	4 Cyl 2.0L Eng. - 22.88 Oz. R-134a; 4.20 Oz. PAG-46	409503	801651
17 - 14	4 Cyl 2.4L Eng. - 22.88 Oz. R-134a; 4.20 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 4.23 Oz. PAG-46; 22.73 Oz. R-134a	409503	801651
13	4 Cyl 2.4L Eng. - 4.23 Oz. PAG-46; 22.73 Oz. R-134a	409503	801651
12	4 Cyl 2.4L Eng. - 3.70 Oz. PAG-46; 20.80-24.00 Oz. R-134a	409503	801651

CADILLAC

Year	Description	Premium	Standard
ALLANTE			
93 - 87	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
ATS			
17	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
16 - 14	4 Cyl 2.0L Eng. - 4.10 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
16 - 14	4 Cyl 2.5L Eng. - 4.10 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
CALAIS			
73 - 70	8 Cyl 8.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 7.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CATERA			
01 - 99	All Eng. - 8.00 Oz. PAG-150; 41.00 Oz. R-134a	409501	801653
98 - 97	All Eng. - 9.00 Oz. PAG-150; 41.50 Oz. R-134a	409501	801653
CIMARRON			
88 - 86	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CT6			
18 - 16	4 Cyl 2.0L Eng. - 20.80 Oz. R-1234yf; w/ CJ2 Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	4 Cyl 2.0L Eng. - 38.40 Oz. R-1234yf; w/ C24 Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	4 Cyl 2.0L Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ C24 Compressor	409503	801651
18 - 16	6 Cyl 3.0L Eng. - 20.80 Oz. R-1234yf; w/ CJ2 Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	6 Cyl 3.0L Eng. - 38.40 Oz. R-1234yf; w/ C24 Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	6 Cyl 3.0L Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ C24 Compressor	409503	801651
18 - 16	6 Cyl 3.6L Eng. - 20.80 Oz. R-1234yf; w/ CJ2 Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	6 Cyl 3.6L Eng. - 38.40 Oz. R-1234yf; w/ C24 Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	6 Cyl 3.6L Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ C24 Compressor	409503	801651
CTS			
18 - 14	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	409503	801651
18 - 14	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	409503	801651
18 - 14	8 Cyl 6.2L Eng. - CTS-V, 3.70 Oz. PAG-46; 19.02 Oz. R-134a	409503	801651
14	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	409503	801651
13	8 Cyl 6.2L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CADILLAC

Year	Description	Premium	Standard
CTS			
13 - 12	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
12 - 10	8 Cyl 6.2L Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 3.0L Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 3.6L Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
09 - 08	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
07 - 03	All Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
DEVILLE			
05 - 02	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 00	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99 - 98	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99 - 98	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97 - 94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97 - 94	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
73 - 71	8 Cyl 7.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 7.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 64	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
63	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DTS			
11	8 Cyl 4.6L Eng. - 22.88 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
10 - 06	All Eng. - 22.88 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
ELDORADO			
02 - 98	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
02 - 98	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97 - 94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97 - 94	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88 - 86	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 8.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 7.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
Escalade			
18	8 Cyl 6.2L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 15	8 Cyl 6.2L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 6.2L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
14	8 Cyl 6.2L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 6.2L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
13 - 10	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
13 - 10	8 Cyl 6.2L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12	8 Cyl 6.0L Eng. - Electric/Flex, w/ Rear AC; 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
11	8 Cyl 6.0L Eng. - Electric/Gas, w/ Rear AC; 48.00 Oz. R-134a; 11.00 Oz. POE Oil	409610	--
10	8 Cyl 6.0L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
09	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
08	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
07	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 42.00 Oz. R-134a	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00 - 99	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CADILLAC

Year	Description	Premium	Standard
Escalade			
00 - 99	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00 - 99	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
Escalade ESV			
18	8 Cyl 6.2L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 15	8 Cyl 6.2L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 6.2L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
14	8 Cyl 6.2L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 6.2L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
13 - 10	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
13 - 10	8 Cyl 6.2L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
08	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
07	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
Escalade EXT			
13 - 10	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
13 - 10	8 Cyl 6.2L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
08	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
07	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06 - 03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 42.00 Oz. R-134a	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
FLEETWOOD / BROUGHAM			
96 - 94	All Eng. - RWD, w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - RWD, w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - RWD, 8.00 Oz. Mineral Oil; 50.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - Brougham, 8.00 Oz. Mineral Oil; 49.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - Fleetwood, FWD, 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 87	All Eng. - Brougham, 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 86	All Eng. - Fleetwood, FWD, 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - Brougham, 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
73 - 70	8 Cyl 8.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 7.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SEVILLE			
04 - 01	All Eng. - w/ Mitsubishi Compressor; 35.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ Mitsubishi Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
98	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97 - 94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97 - 94	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 4.5L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 86	8 Cyl 4.1L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	8 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SRX			
16 - 14	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 25.76 Oz. R-134a	409503	801651
12	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
11	6 Cyl 2.8L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
11	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
10	6 Cyl 2.8L Eng. - 3.70 Oz. PAG-46; 25.60 Oz. R-134a	409503	801651
10	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 25.75 Oz. R-134a	409503	801651
09	6 Cyl 3.6L Eng. - w/o Rear AC; 20.16 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CADILLAC

Year	Description	Premium	Standard
SRX			
09	8 Cyl 4.6L Eng. - w/ Rear AC; 28.16 Oz. R-134a; 7.44 Oz. PAG-46	409503	801651
08 - 04	All Eng. - w/ Rear AC; 28.16 Oz. R-134a; 7.44 Oz. PAG-46	409503	801651
08 - 04	All Eng. - w/o Rear AC; 20.16 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651
STS			
11 - 08	6 Cyl 3.6L Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 08	8 Cyl 4.6L Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.4L Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07	All Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06	8 Cyl 4.4L Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06 - 05	6 Cyl 3.6L Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06 - 05	8 Cyl 4.6L Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
XLR			
09 - 06	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
XT5			
18 - 17	6 Cyl 3.6L Eng. - 24.64 Oz. R-1234yf; 4.02 Oz. PAG Oil	409123	801234
XTS			
17	6 Cyl 3.6L Eng. - 20.80 Oz. R-1234yf; w/ KRV Compressor; See Under Hood Decal for Lubricant Capacity	409123	801234
17	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46; w/o KRV Compressor	409503	801651

CHEVROLET

Year	Description	Premium	Standard
AVEO			
11	4 Cyl 1.6L Eng. - 18.00+/-1 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 1.6L Eng. - 18.00+/-1 Oz. R-134a; 6.80 Oz. PAG-150	409501	801653
08	All Eng. - 18.00+/-1 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
07	All Eng. - 21.00+/-1 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
06	All Eng. - 23.68 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 24.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ OE Harrison Compressor V5	409501	801653
04	All Eng. - w/ Mitsubishi Compressor; 35.00 Oz. R-134a; 8.75 Oz. PAG-46	409503	801651
BERETTA			
96 - 94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	4 Cyl 2.0L Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87	6 Cyl 2.8L Eng. - 8.00 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
CAMARO			
18 - 17	8 Cyl 6.2L Eng. - 17.60 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
18 - 16	4 Cyl 2.0L Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	409123	801234
18 - 16	6 Cyl 3.6L Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	409123	801234
18 - 16	8 Cyl 6.2L Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	409123	801234
16	8 Cyl 6.2L Eng. - 4.10 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
15 - 14	6 Cyl 3.6L Eng. - 4.10 Oz. PAG-46; 19.04 Oz. R-134a	409503	801651
15 - 14	8 Cyl 6.2L Eng. - 4.10 Oz. PAG-46; 19.04 Oz. R-134a	409503	801651
15 - 14	8 Cyl 7.0L Eng. - 4.10 Oz. PAG-46; 19.04 Oz. R-134a	409503	801651
13	6 Cyl 3.6L Eng. - 18.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13	8 Cyl 6.2L Eng. - 18.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	6 Cyl 3.6L Eng. - 16.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 6.2L Eng. - 16.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	6 Cyl 3.6L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.2L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	6 Cyl 3.6L Eng. - 4.06 Oz. PAG-46; 21.00 Oz. R-134	409503	801651
02 - 98	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97	6 Cyl 3.8L Eng. - w/ Denso Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97	6 Cyl 3.8L Eng. - w/ OE Harrison Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET

Year	Description	Premium	Standard
CAMARO			
97 - 96	8 Cyl 5.7L Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97 - 96	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	6 Cyl 3.8L Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	6 Cyl 3.8L Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 93	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	6 Cyl 2.8L Eng. - 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 5.0L Eng. - 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 67	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 67	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70 - 67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70 - 67	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CAPRICE			
14	6 Cyl 3.6L Eng. - 4.70 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651
14	8 Cyl 6.0L Eng. - 4.70 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.6L Eng. - 3.30-4.70 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
13 - 12	8 Cyl 6.0L Eng. - 3.30-4.70 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
11	8 Cyl 6.0L Eng. - 20.00 Oz. R-134a; 3.30-4.70 Oz. PAG-46	409503	801651
96 - 94	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 8.00 Oz. Mineral Oil; 50.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 66	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 66	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CAVALIER			
05 - 03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
02	4 Cyl 2.2L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
02	4 Cyl 2.2L Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
02	4 Cyl 2.4L Eng. - 21.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
01 - 95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
94	4 Cyl 2.2L Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	6 Cyl 3.1L Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET

Year	Description	Premium	Standard
CAVALIER			
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 86	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 83	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CELEBRITY			
90 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CHEVELLE			
73 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70 - 65	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 66	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 65	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CHEVY II			
67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 64	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 62	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CITATION			
85 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CLASSIC			
05 - 04	4 Cyl 2.2L Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
COBALT			
10 - 09	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
10 - 09	4 Cyl 2.2L Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
08 - 07	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
08 - 07	All Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
06	All Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
05	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
05	4 Cyl 2.2L Eng. - 5.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
CORSICA			
96 - 94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
93	4 Cyl 2.2L Eng. - 8.00 Oz. PAG-150; 42.00 Oz. R-134	409501	801653
93 - 92	6 Cyl 3.1L Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	4 Cyl 2.2L Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
91	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	4 Cyl 2.0L Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87	6 Cyl 2.8L Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
CORVETTE			
18 - 17	8 Cyl 6.2L Eng. - 18.56 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 14	8 Cyl 6.2L Eng. - 19.20 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
13	8 Cyl 6.2L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
13	8 Cyl 7.0L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.2L Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
12	8 Cyl 7.0L Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
11	8 Cyl 6.2L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11	8 Cyl 7.0L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET

Year	Description	Premium	Standard
CORVETTE			
10 - 06	All Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
04 - 02	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
01 - 00	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
99 - 97	All Eng. - 26.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
96 - 94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93 - 90	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
89 - 88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 66	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	8 Cyl Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CRUZE			
18 - 17	4 Cyl 1.4L Eng. - 16.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	4 Cyl 1.4L Eng. - 18.40 Oz. R-134a; 2.03 Oz. PAG-46	409503	801651
18 - 17	4 Cyl 1.6L Eng. - Diesel, 16.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	4 Cyl 1.6L Eng. - Diesel, 18.40 Oz. R-134a; 2.03 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 1.4L Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 1.8L Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 1.4L Eng. - 4.23 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
13 - 10	4 Cyl 1.8L Eng. - 4.23 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
EL CAMINO			
87 - 85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	8 Cyl Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
IMPALA			
18	4 Cyl 2.5L Eng. - PAG-46; 20.80 Oz. R-134a	409503	801651
18	6 Cyl 3.6L Eng. - 20.80 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 14	4 Cyl 2.5L Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
14	4 Cyl 2.4L Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.6L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11 - 08	6 Cyl 3.9L Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	409503	801651
09	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	409503	801651
09	8 Cyl 5.3L Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	409503	801651
08	6 Cyl Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	409503	801651
08	8 Cyl 5.3L Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07 - 06	6 Cyl 3.9L Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
07 - 06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
03 - 00	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 80	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET

Year	Description	Premium	Standard
IMPALA			
85 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 80	8 Cyl 4.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 73	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 73	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 66	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
IMPALA SS			
14	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
14	4 Cyl 2.5L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
14	6 Cyl 3.6L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.6L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.9L Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
09	8 Cyl 5.3L Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
LUMINA			
01 - 98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96 - 94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 9.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 90	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
LUMINA APV			
96	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
96	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	6 Cyl 3.1L Eng. - w/ OE Harrison Compressor; w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.8L Eng. - w/ OE Harrison Compressor; w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
93	All Eng. - w/ Denso Compressor; w/o Rear AC; 42.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	409501	801653
93	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92	All Eng. - w/ Rear AC; 8.00 Oz. Mineral Oil; 67.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 51.00 Oz. R-12	209500 ⁽¹⁾	--
90	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
MALIBU / MALIBU MAXX			
18 - 16	4 Cyl 1.5L Eng. - Malibu, 21.12 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	4 Cyl 1.8L Eng. - Electric/Gas, Malibu, 21.12 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 16	4 Cyl 2.0L Eng. - Malibu, 21.12 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
15 - 14	4 Cyl 2.0L Eng. - Malibu, 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.5L Eng. - Malibu, 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
14	4 Cyl 2.4L Eng. - Malibu, 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
12	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
12	6 Cyl 3.6L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11 - 10	4 Cyl 2.4L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 3.6L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
09 - 04	All Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET

Year	Description	Premium	Standard
MALIBU / MALIBU MAXX			
03 - 02	All Eng. - 9.00 Oz. PAG-150; 22.00 Oz. R-134a	409501	801653
01 - 97	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
METRO			
01	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
00	3 Cyl 1.0L Eng. - 19.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
00	4 Cyl 1.3L Eng. - 19.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-100	409502	801652
92	4 Cyl 1.3L Eng. - 18.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
MONTE CARLO			
07 - 06	All Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
05 - 04	All Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
03 - 98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96 - 95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
88	6 Cyl 4.3L Eng. - 60.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
88	8 Cyl 5.0L Eng. - 60.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
87 - 86	All Eng. - 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
73 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
NOVA			
88 - 87	All Eng. - 7.00 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
73 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 64	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 62	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
PRIZM			
02 - 98	All Eng. - 8.00 Oz. PAG-150; 26.50 Oz. R-134a	409501	801653
SONIC			
18 - 14	4 Cyl 1.4L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
18 - 14	4 Cyl 1.8L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.4L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.8L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
SPRINT			
88 - 85	3 Cyl 1.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VECTRA			
08 - 04	All Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
03	All Eng. - 9.00 Oz. PAG-150; 22.00 Oz. R-134a	409501	801653
VENTURE			
05 - 01	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05 - 01	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 46.00 Oz. R-134a	409501	801653
00 - 97	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET

Year	Description	Premium	Standard
VOLT			
13 - 11	4 Cyl 1.4L Eng. - HYBRID, 34.00 Oz. R-134a; 6.10 Oz. Hybrid Oil	409610	--

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
ASTRO			
05 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
05 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
05 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
89 - 85	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	All Eng. - w/ Rear AC; 48.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

AVALANCHE			
13	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
13	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12	8 Cyl 5.3L Eng. - 11.00 Oz. PAG-46; 38.00 Oz. R-134a, Front and Rear	409503	801651
12 - 09	8 Cyl 5.3L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 7.10 Oz. PAG-46	409503	801651
11 - 09	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
09	8 Cyl 6.0L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
08	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - 24.00 Oz. R-134a; w/o Rear AC; 7.10 Oz. PAG-46	409503	801651
07	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651

AVALANCHE 1500			
06 - 03	8 Cyl 5.3L Eng. - w/o Rear AC; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
06 - 02	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
02	8 Cyl 5.3L Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

AVALANCHE 2500			
06 - 05	8 Cyl 8.1L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06 - 02	8 Cyl 8.1L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
04 - 03	8 Cyl 8.1L Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	8 Cyl 8.1L Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

BLAZER			
05 - 01	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05 - 01	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
00 - 99	All Eng. - w/ Denso Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ OE Harrison Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-150	409501	801653
98 - 96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
98 - 96	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	All Eng. - Blazer (Mid Size / S10 / T10), 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	All Eng. - FullSize Blazer, w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
94	All Eng. - FullSize Blazer, w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Blazer (Mid Size / S10 / T10), 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - FullSize Blazer, w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - FullSize Blazer, w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - FullSize Blazer, w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - Blazer (Mid Size / S10 / T10), 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 90	All Eng. - FullSize Blazer, w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - FullSize Blazer, w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - FullSize Blazer, w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - FullSize Blazer, w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - Blazer (Mid Size / S10 / T10), 8.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - FullSize Blazer, w/ Rear AC; 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - FullSize Blazer, w/o Rear AC; 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
BLAZER			
87	8 Cyl 5.7L Eng. - FullSize Blazer, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	8 Cyl 6.2L Eng. - FullSize Blazer, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	All Eng. - Blazer (Mid Size / S10 / T10), 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CAPTIVA / CAPTIVA SPORT			
14	4 Cyl 2.4L Eng. - Captiva Sport, 21.92 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
14	6 Cyl 3.0L Eng. - Captiva Sport, 21.92 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
13	4 Cyl 2.4L Eng. - 22.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
13	6 Cyl 3.0L Eng. - Captiva Sport, 22.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
12	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
12	6 Cyl 3.0L Eng. - 22.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - Captiva Sport, 4.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
CHEYENNE			
13	8 Cyl 5.3L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
12 - 11	8 Cyl 5.3L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
10	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
COLORADO			
18 - 16	4 Cyl 2.8L Eng. - Diesel, 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
18 - 15	4 Cyl 2.5L Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
18 - 15	6 Cyl 3.6L Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.6L Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
12	4 Cyl 2.9L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12	5 Cyl 3.7L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12 - 09	8 Cyl 5.3L Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
11	4 Cyl 2.9L Eng. - 4.00 Oz. PAG-46; 21.20 Oz. R-134a	409503	801651
11	5 Cyl 3.7L Eng. - 4.00 Oz. PAG-46; 21.20 Oz. R-134a	409503	801651
10 - 09	4 Cyl 2.9L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10 - 09	5 Cyl 3.7L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
07	All Eng. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
06	All Eng. - 25.50 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
EQUINOX			
18	4 Cyl 1.5L Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	409123	801234
18	4 Cyl 1.5L Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	409503	801651
18	4 Cyl 1.6L Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	409123	801234
18	4 Cyl 1.6L Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	409503	801651
18	4 Cyl 2.0L Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	409123	801234
18	4 Cyl 2.0L Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	409503	801651
17 - 14	4 Cyl 2.4L Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
13	4 Cyl 2.4L Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.6L Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
12	4 Cyl 2.4L Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
12	6 Cyl 3.0L Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
EQUINOX			
11 - 10	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
11 - 10	6 Cyl 3.0L Eng. - 4.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
09	6 Cyl 3.4L Eng. - 20.80 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09	6 Cyl 3.6L Eng. - 20.80 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 20.80 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
05	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
FULLSIZE PICKUP			
18 - 17	6 Cyl 4.3L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 5.3L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.0L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 17	8 Cyl 6.0L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.2L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.6L Eng. - Diesel, 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 17	8 Cyl 6.6L Eng. - Diesel, 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 15	6 Cyl 4.3L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 15	8 Cyl 5.3L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 15	8 Cyl 6.2L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
14 - 13	6 Cyl 4.3L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
14 - 13	8 Cyl 5.3L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
14 - 13	8 Cyl 6.0L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
14 - 13	8 Cyl 6.2L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
14 - 13	8 Cyl 6.6L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
13	8 Cyl 4.8L Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	409503	801651
12	6 Cyl 4.3L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a, Front and Rear	409503	801651
12	6 Cyl 4.3L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46, Front AC	409503	801651
12	8 Cyl 4.8L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 5.3L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 6.0L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 6.2L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 6.6L Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
11	8 Cyl 6.6L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
11 - 09	6 Cyl 4.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11 - 09	8 Cyl 4.8L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
11 - 09	8 Cyl 4.8L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11 - 07	6 Cyl 4.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
11 - 07	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
11 - 07	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
10	8 Cyl 6.2L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 6.6L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
10 - 07	8 Cyl 6.0L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
08	6 Cyl 4.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
08 - 07	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07	6 Cyl 4.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07	8 Cyl 8.1L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
07	8 Cyl 8.1L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
05	6 Cyl 4.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 43.20 Oz. R-134a	409503	801651
05	6 Cyl 4.3L Eng. - w/o Rear AC; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05	8 Cyl 5.3L Eng. - Flex, w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
05	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 43.20 Oz. R-134a	409503	801651
05	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 28.20 Oz. R-134a	409503	801651
04 - 03	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Crew Cab, w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
FULLSIZE PICKUP			
99 - 96	All Eng. - Crew Cab, w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Crew Cab, 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Crew Cab, 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Crew Cab, 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 90	All Eng. - C,K Pickup, 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 88	All Eng. - R,V Pickup, 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - C,K Pickup, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 65	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
G SERIES FULLSIZE VAN / EXPRESS			
13	8 Cyl 4.8L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.44 Oz. R-134a	409503	801651
13	8 Cyl 4.8L Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 32.10 Oz. R-134a	409503	801651
13	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.09 Oz. R-134a	409503	801651
13	8 Cyl 5.3L Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 32.10 Oz. R-134a	409503	801651
13	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.44 Oz. R-134a	409503	801651
13	8 Cyl 6.0L Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 32.10 Oz. R-134a	409503	801651
13	8 Cyl 6.6L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.44 Oz. R-134a	409503	801651
13	8 Cyl 6.6L Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 32.10 Oz. R-134a	409503	801651
12	6 Cyl 4.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	6 Cyl 4.3L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 4.8L Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 4.8L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 5.3L Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 6.0L Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 6.6L Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.6L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
11 - 10	6 Cyl 4.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	6 Cyl 4.3L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 4.8L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 4.8L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 5.3L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
G SERIES FULLSIZE VAN / EXPRESS			
11 - 10	8 Cyl 6.0L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.6L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 6.6L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09 - 03	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
06	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	409501	801653
02	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
01	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 72.00 Oz. R-134a	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
00 - 97	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	409501	801653
96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 68.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.0L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.0L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 64.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/ Rear AC; 64.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/o Rear AC; 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 85	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 83	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 80	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 80	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 80	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 73	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
G SERIES FULLSIZE VAN / EXPRESS			
71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
HHR			
11	4 Cyl 2.4L Eng. - 14.40 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
11	4 Cyl Eng. - 14.40 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 07	All Eng. - 14.40 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10 - 07	All Eng. - 14.40 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06	All Eng. - 14.10 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
06	All Eng. - 14.10 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
P SERIES VAN			
99 - 94	6 Cyl 4.3L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	6 Cyl 4.3L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 5.7L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 6.5L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 6.5L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 7.4L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 7.4L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 5.7L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	8 Cyl 5.7L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
92 - 90	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 89	4 Cyl 3.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 85	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
P10 SERIES VAN			
79	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
P20 SERIES VAN			
89 - 85	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 85	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
P30 SERIES VAN			
99 - 94	6 Cyl 4.3L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	6 Cyl 4.3L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 5.7L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 6.5L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 6.5L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 7.4L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 7.4L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 5.7L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
P30 SERIES VAN			
93	8 Cyl 5.7L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
92 - 90	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 89	4 Cyl 3.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 85	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
P35 VAN			
99 - 94	6 Cyl 4.3L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	6 Cyl 4.3L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 5.7L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 5.7L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	8 Cyl 5.7L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
92 - 90	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 86	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
S10 PICKUP			
04 - 00	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
04 - 00	All Eng. - w/ Denso Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
04 - 00	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
04 - 00	All Eng. - w/ OE Harrison Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99	All Eng. - Gas, w/ Denso Compressor; 28.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99	All Eng. - Gas, w/ Denso Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99	All Eng. - Gas, w/ OE Harrison Compressor; 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
99	All Eng. - Gas, w/ OE Harrison Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
98 - 97	All Eng. - Gas, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
98 - 97	All Eng. - Gas, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 90	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 8.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 85	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SSR			
06	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
SUBURBAN			
17 - 15	8 Cyl 5.3L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN			
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - w/ Rear AC; 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN 1500			
14	8 Cyl 5.3L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
12 - 10	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
12 - 10	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.0L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 5.3L Eng. - Excl. Hybrid, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 5.3L Eng. - Excl. Hybrid, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 6.0L Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 6.0L Eng. - Gas, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
08 - 01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
06 - 03	All Eng. - w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SUBURBAN 2500			
12 - 11	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
12 - 10	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.0L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 6.0L Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 6.0L Eng. - Gas, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
08 - 01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
06 - 03	All Eng. - w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SUBURBAN C10			
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN C1500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN C1500			
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN C20			
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN C2500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN K10			
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN K1500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN K20			
86 - 85	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN K20			
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN K2500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN R10			
88	All Eng. - w/ Rear AC; 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN R1500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN R20			
88	All Eng. - w/ Rear AC; 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN R2500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN V10			
88	All Eng. - w/ Rear AC; 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN V1500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
SUBURBAN V20			
88	All Eng. - w/ Rear AC; 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN V2500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHEVROLET LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN V2500			
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
TAHOE			
18	8 Cyl 6.2L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 15	8 Cyl 5.3L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG-46; w/ Front AC	409503	801651
12	8 Cyl 5.3L Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12	8 Cyl 6.0L Eng. - w/o Rear AC; 25.6 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
11	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 5.3L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.0L Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 4.8L Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
09	8 Cyl 4.8L Eng. - Gas, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 5.3L Eng. - Excl. Hybrid, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 5.3L Eng. - Excl. Hybrid, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 6.2L Eng. - Flex, w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
09	8 Cyl 6.2L Eng. - Flex, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
08	All Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
08	All Eng. - Excl. Hybrid, w/ Rear AC; 40.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
07	All Eng. - w/ Rear AC; 40.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
07 - 03	All Eng. - w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 42.00 Oz. R-134a	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
01	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
TRACKER			
04 - 99	All Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
98 - 94	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-100	409502	801652
93 - 89	All Eng. - 5.00 Oz. Mineral Oil; 21.00 Oz. R-12	209500 ⁽¹⁾	--
TRAILBLAZER, TRAILBLAZER EXT			
09	All Eng. - 30.40 Oz. R-134a; 6.00 Oz. PAG-46; w/o Thermal Switch	409503	801651
09	All Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46; w/ Thermal Switch	409503	801651
08 - 05	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
08 - 05	All Eng. - w/o Rear AC; 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
TRAVERSE			
13	6 Cyl 3.6L Eng. - 39.68 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
12 - 09	6 Cyl 3.6L Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
UPLANDER			
08 - 07	All Eng. - w/ Rear AC; 31.68 Oz. R-134a; 7.77 Oz. PAG-46	409503	801651
08 - 07	All Eng. - w/o Rear AC; 7.10 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
06 - 05	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
06 - 05	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHRYSLER

Year	Description	Premium	Standard
200 SERIES			
17 - 15	4 Cyl 2.4L Eng. - 4.60 Oz. PAG-46; 18.80 Oz. R-1234yf	409123	801234
17 - 15	6 Cyl 3.6L Eng. - 4.60 Oz. PAG-46; 18.80 Oz. R-1234yf	409123	801234
14 - 11	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
14 - 11	6 Cyl 3.6L Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
300 SERIES			
18 - 14	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 14	6 Cyl 3.6L Eng. - 6.10 Oz. PAG-46; 24.96 Oz. R-1234yf	409123	801234
18 - 14	8 Cyl 5.7L Eng. - 6.10 Oz. PAG-46; 24.96 Oz. R-1234yf	409123	801234
18 - 13	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
14	8 Cyl 6.4L Eng. - 6.10 Oz. PAG-46; 24.96 Oz. R-1234yf	409123	801234
14 - 13	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	8 Cyl 6.4L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.6L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 09	8 Cyl 5.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 2.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 6.1L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 26.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
04 - 99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
ASPEN			
09 - 07	8 Cyl Eng. - w/ Rear AC; 40.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
09 - 07	8 Cyl Eng. - w/o Rear AC; 30.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
CIRRUS			
10	4 Cyl 2.4L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
00	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
97 - 95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
CONCORDE			
04 - 99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
98 - 97	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
93	6 Cyl 3.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.5L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CONQUEST			
89	All Eng. - 29.00 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CORDOBA			
83 - 80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 79	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 79	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CROSSFIRE			
08 - 07	6 Cyl 3.2L Eng. - 30.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
06 - 04	All Eng. - 30.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
DYNASTY			
93 - 90	6 Cyl 3.3L Eng. - 38.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
92 - 88	4 Cyl 2.5L Eng. - 38.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
90 - 88	6 Cyl 3.0L Eng. - 38.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
E CLASS			
84	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
EXECUTIVE			
85 - 84	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHRYSLER

Year	Description	Premium	Standard
FIFTH AVENUE			
93 - 91	6 Cyl 3.8L Eng. - 7.25 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 90	6 Cyl 3.3L Eng. - 7.25 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
89 - 88	All Eng. - 7.25 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
83	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
IMPERIAL			
93	6 Cyl 3.8L Eng. - 32.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
92 - 91	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 90	6 Cyl 3.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LASER			
86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LEBARON			
95	All Eng. - 24.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 32.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 7.25 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 80	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LHS			
01 - 99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
97	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
NEW YORKER			
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
93	6 Cyl 3.3L Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 34.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 83	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 79	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 79	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
NEWPORT			
81 - 79	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
PACIFICA			
08 - 07	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
06 - 04	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
PROWLER			
02	All Eng. - w/o Rear AC; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01	6 Cyl 3.5L Eng. - w/ Rear AC; 21.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
01	6 Cyl 3.5L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
PT CRUISER			
10 - 09	4 Cyl 2.4L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHRYSLER

Year	Description	Premium	Standard
PT CRUISER			
08	All Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
07 - 02	All Eng. - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
01	All Eng. - 5.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
SEBRING			
10 - 09	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 2.7L Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
08	All Eng. - Sedan, 16.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
08 - 07	All Eng. - Convertible, 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
07 - 06	All Eng. - Sedan, 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
06	All Eng. - Convertible, 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
05 - 01	All Eng. - Sedan / Coupe, 4.00 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
03	6 Cyl 2.7L Eng. - 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
03	6 Cyl 3.0L Eng. - 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
02 - 00	All Eng. - Convertible, 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00	All Eng. - Sedan / Coupe, 26.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 97	All Eng. - Convertible, 26.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
99 - 95	4 Cyl Eng. - Sedan / Coupe, 24.00 Oz. R-134a; w/ Denso Compressor; 4.00 Oz. PAG-46	409503	801651
99 - 95	6 Cyl Eng. - Sedan / Coupe, 26.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
96	All Eng. - Convertible, 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
TC MASERATI			
91 - 90	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
90 - 89	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TOWN & COUNTRY			
13 - 12	All Eng. - 28.96 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
13 - 12	All Eng. - 40.48 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
11	All Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 40.50 Oz. R-134a	409503	801651
11	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - w/ Rear AC; 39.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 27.80 Oz. R-134a	409503	801651
07 - 06	All Eng. - 24.00 Oz. R-134a; w/o Rear AC; 6.10 Oz. PAG-46	409503	801651
07 - 06	All Eng. - w/ Rear AC; 38.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
05	All Eng. - w/ Rear AC; 7.80 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
05 - 04	All Eng. - w/o Rear AC; 6.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	All Eng. - w/ Rear AC; 10.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
03	All Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
03	All Eng. - w/ Rear AC; 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	409503	801651
03	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
02	All Eng. - w/ Rear AC; 7.40 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
02	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
01 - 00	All Eng. - w/ Rear AC; 46.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
01 - 96	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
95 - 93	All Eng. - w/ Rear AC; 50.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
95 - 93	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
93	6 Cyl 3.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

CHRYSLER

Year	Description	Premium	Standard
VOYAGER / GRAND VOYAGER			
03	All Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
03	All Eng. - w/ Rear AC; 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	409503	801651
03	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
02	All Eng. - w/ Rear AC; 7.40 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
02	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
01 - 00	All Eng. - w/ Rear AC; 46.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
01 - 00	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97	6 Cyl 3.3L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
97	6 Cyl 3.3L Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
96	6 Cyl 3.3L Eng. - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
96	6 Cyl 3.8L Eng. - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
96 - 95	6 Cyl 3.3L Eng. - w/ Rear AC; 52.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
96 - 95	6 Cyl 3.8L Eng. - w/ Rear AC; 52.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
95	6 Cyl 3.3L Eng. - w/o Rear AC; 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
95	6 Cyl 3.8L Eng. - w/o Rear AC; 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651

DAEWOO

Year	Description	Premium	Standard
LANOS			
02 - 99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
LEGANZA			
02 - 99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
NUBIRA			
02 - 99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652

DAIHATSU

Year	Description	Premium	Standard
CHARADE			
92 - 89	All Eng. - 4.00 Oz. Mineral Oil; 23.00 Oz. R-12	209500 ⁽¹⁾	--
ROCKY			
92 - 90	All Eng. - 4.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--

DODGE

Year	Description	Premium	Standard
400			
83 - 82	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 82	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
600			
88 - 86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 83	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ARIES			
89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88 - 87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	All Eng. - 7.25 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 81	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ASPEN			
80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
AVENGER			
14 - 11	6 Cyl 3.6L Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
14 - 09	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE

Year	Description	Premium	Standard
AVENGER			
10 - 09	6 Cyl 2.7L Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
08	All Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
00	All Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 95	4 Cyl Eng. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
99 - 95	6 Cyl Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
CALIBER			
12 - 11	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	409503	801651
12 - 11	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	409503	801651
10 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
09	4 Cyl 1.8L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
09	4 Cyl 1.8L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
CHALLENGER			
20 - 18	6 Cyl 3.6L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 18	8 Cyl 5.7L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 17	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 15	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
20 - 14	6 Cyl 3.6L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
20 - 14	8 Cyl 5.7L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
20 - 14	8 Cyl 6.4L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
19	8 Cyl 6.4L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	8 Cyl 6.4L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.6L Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
16	8 Cyl 5.7L Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
16	8 Cyl 6.4L Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
16 - 15	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
15 - 14	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
15 - 14	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	8 Cyl 6.4L Eng. - 23.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
11	6 Cyl 3.6L Eng. - 23.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
11	8 Cyl 5.7L Eng. - 23.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
11	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 08	8 Cyl 6.1L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
83 - 81	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CHARGER			
20 - 18	6 Cyl 3.6L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 18	8 Cyl 5.7L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 18	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
20 - 18	8 Cyl 6.4L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 16	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
20 - 14	6 Cyl 3.6L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
20 - 14	8 Cyl 5.7L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
20 - 14	8 Cyl 6.4L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 16	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE

Year	Description	Premium	Standard
CHARGER			
17 - 16	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 15	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 15	8 Cyl 6.2L Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
15	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
15 - 14	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
14	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
13	6 Cyl 3.6L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13	8 Cyl 6.4L Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	8 Cyl 6.4L Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.6L Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 5.7L Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 2.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 6.1L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
06	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
87 - 85	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
COLT			
94 - 93	4 Cyl 1.5L Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
94 - 93	4 Cyl 1.8L Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
92 - 85	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
90 - 89	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
90 - 89	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CONQUEST			
86 - 85	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DART			
16 - 15	4 Cyl 1.4L Eng. - 6.00 Oz. PAG-46; 19.04 Oz. R-1234yf	409123	801234
16 - 15	4 Cyl 2.0L Eng. - 6.00 Oz. PAG-46; 19.04 Oz. R-1234yf	409123	801234
16 - 15	4 Cyl 2.4L Eng. - 6.00 Oz. PAG-46; 19.04 Oz. R-1234yf	409123	801234
16 - 14	4 Cyl 1.4L Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
13	4 Cyl 1.4L Eng. - 20.00 Oz. R-134a; 5.90 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 5.90 Oz. PAG-46	409503	801651
13	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 5.90 Oz. PAG-46	409503	801651
DAYTONA			
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DIPLOMAT			
89 - 79	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DYNASTY			
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
93 - 91	All Eng. - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE

Year	Description	Premium	Standard
INTREPID			
04 - 99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
98 - 96	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
93	6 Cyl 3.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.5L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LANCER			
89 - 86	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 85	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MAGNUM			
08 - 06	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
05	6 Cyl 2.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
05	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
05	8 Cyl 5.7L Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
MIRADA			
83 - 80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 80	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MONACO			
92 - 90	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
NEON			
05 - 02	All Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
01 - 00	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
99	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
98 - 97	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - 29.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
OMNI			
90 - 89	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 34.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 84	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 81	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 78	4 Cyl 1.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SHADOW			
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
SPIRIT			
95	All Eng. - 24.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
STEALTH			
96	All Eng. - 30.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 28.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
93	All Eng. - 29.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 5.50 Oz. Mineral Oil; 18.00 Oz. R-12	209500 ⁽¹⁾	--
STRATUS			
06 - 05	All Eng. - 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04 - 02	All Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
01 - 99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
97 - 95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
VIPER			
17 - 14	10 Cyl 8.4L Eng. - 17.60 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
10 - 09	10 Cyl 8.4L Eng. - 16.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE

Year	Description	Premium	Standard
VIPER			
08	All Eng. - 6.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
06 - 03	All Eng. - 6.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
02 - 94	All Eng. - 30.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651

DODGE HD

Year	Description	Premium	Standard
RAM 4000 SERIES			
10	6 Cyl 6.7L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
10	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 05	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09 - 07	6 Cyl 5.9L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06	6 Cyl 5.9L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05	6 Cyl 5.9L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
02 - 00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
97 - 95	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652

RAM 4500 SERIES

10	6 Cyl 6.7L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
----	---	--------	--------

RAM 5500 SERIES

10	6 Cyl 6.7L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
----	---	--------	--------

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
B150 SERIES VAN			
94	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 90	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 49.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/ Rear AC; 64.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 64.00 Oz. R-12; 8.00 Oz. Mineral Oil, w/ Front and Rear AC	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

B1500 VAN

98	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
98	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651

B250 SERIES VAN

94	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 90	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 49.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/ Rear AC; 64.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 64.00 Oz. R-12; 8.00 Oz. Mineral Oil, w/ Front and Rear AC	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
B2500 VAN			
98	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
98	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
B350 SERIES VAN			
94	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 90	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 49.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/ Rear AC; 65.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/ Rear AC; 64.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 64.00 Oz. R-12; 8.00 Oz. Mineral Oil, w/ Front and Rear AC	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
B3500 VAN			
98	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
98	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
CARAVAN			
07 - 06	All Eng. - 24.00 Oz. R-134a; w/o Rear AC; 6.10 Oz. PAG-46	409503	801651
07 - 06	All Eng. - w/ Rear AC; 38.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
05	All Eng. - w/ Rear AC; 7.80 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
05 - 04	All Eng. - w/o Rear AC; 6.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	All Eng. - w/ Rear AC; 10.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
03	All Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
03	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
03	All Eng. - w/o Rear AC; 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	409503	801651
02	All Eng. - w/ Rear AC; 7.40 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
02	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
01 - 00	All Eng. - w/ Rear AC; 46.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
01 - 96	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ Rear AC; 50.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
93	4 Cyl 2.5L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 50.00 Oz. R-134a	409503	801651
93	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
CARAVAN			
85 - 84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
D100 SERIES			
89 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
D150 SERIES			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
D250 SERIES			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
D350 SERIES			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DAKOTA			
11	6 Cyl 3.7L Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10 - 09	All Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
08	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
07 - 01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
00	All Eng. - 32.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
97 - 94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
93 - 92	All Eng. - 40.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 87	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
DURANGO			
14	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a; w/ Front AC	409503	801651
14	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 32.48 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	6 Cyl 5.7L Eng. - 5.00 Oz. PAG-46; 32.48 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.7L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a; w/ Front AC	409503	801651
13	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
13	8 Cyl 5.7L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
12	6 Cyl 3.6L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.6L Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 32.48 Oz. R-134a	409503	801651
12 - 11	8 Cyl 5.7L Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 32.48 Oz. R-134a	409503	801651
12 - 11	8 Cyl 5.7L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
11	6 Cyl 3.6L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 31.68 Oz. R-134a	409503	801651
09	6 Cyl 3.7L Eng. - w/ Rear AC; 41.00 Oz. R-134a; 6.90 Oz. PAG-46	409503	801651
09	8 Cyl 5.7L Eng. - w/ Rear AC; 45.00 Oz. R-134a; 6.25 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.7L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.7L Eng. - w/ Rear AC; 41.00 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.7L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 5.7L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 5.7L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
08	6 Cyl 3.7L Eng. - w/ Rear AC; 41.00 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
DURANGO			
07	All Eng. - w/ Rear AC; 40.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
07	All Eng. - w/o Rear AC; 30.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
06 - 05	All Eng. - w/ R134a; w/ Rear AC; 7.50 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
06 - 05	All Eng. - w/ R134a; w/o Rear AC; 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	All Eng. - w/ R134a; w/ Rear AC; 10.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	All Eng. - w/ R134a; w/o Rear AC; 7.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
03 - 01	All Eng. - w/ R134a; w/ Rear AC; 10.00 Oz. PAG-100; See Under Hood Decal for Refrigerant Capacity	409502	801652
03 - 01	All Eng. - w/ R134a; w/o Rear AC; 7.00 Oz. PAG-100; See Under Hood Decal for Refrigerant Capacity	409502	801652
00	All Eng. - w/ Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
00 - 98	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 5.50 Oz. PAG-100	409502	801652
99 - 98	All Eng. - w/ Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
GRAND CARAVAN			
18 - 14	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 28.96 Oz. R-134a; w/ Front AC	409503	801651
18 - 14	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 40.48 Oz. R-134a; w/ Front and Rear AC	409503	801651
13	6 Cyl 3.6L Eng. - w/o Rear AC; 29.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.6L Eng. - w/ Rear AC; 40.48 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
12	6 Cyl 3.6L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
11	All Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 40.50 Oz. R-134a	409503	801651
11	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - w/ Rear AC; 39.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 27.80 Oz. R-134a	409503	801651
07 - 06	All Eng. - 24.00 Oz. R-134a; w/o Rear AC; 6.10 Oz. PAG-46	409503	801651
07 - 06	All Eng. - w/ Rear AC; 38.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
05	All Eng. - w/ Rear AC; 7.80 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
05 - 04	All Eng. - w/o Rear AC; 6.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	All Eng. - w/ Rear AC; 10.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
03	All Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
03	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	409503	801651
03	All Eng. - w/o Rear AC; 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	409503	801651
02	All Eng. - w/ Rear AC; 7.40 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
02	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
01 - 00	All Eng. - w/ Rear AC; 46.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
01 - 96	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ Rear AC; 50.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
93	6 Cyl 3.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 50.00 Oz. R-134a	409503	801651
93	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
JOURNEY			
18 - 16	4 Cyl 2.4L Eng. - 20.00 Oz. R-1234yf; 3.40 Oz. PAG; Single Zone Climate Control System	409123	801234
18 - 16	4 Cyl 2.4L Eng. - 3.40 Oz. PAG; 31.20 Oz. R-1234yf; Dual Zone Climate Control System	409123	801234
18 - 16	4 Cyl 3.6L Eng. - 20.00 Oz. R-1234yf; 3.40 Oz. PAG; Single Zone Climate Control System	409123	801234
18 - 16	4 Cyl 3.6L Eng. - 3.40 Oz. PAG; 31.20 Oz. R-1234yf; Dual Zone Climate Control System	409123	801234

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
JOURNEY			
15	4 Cyl 3.6L Eng. - 22.08 Oz. R-134a; 3.40 Oz. PAG-100; Single Zone Climate Control System	409502	801652
15	4 Cyl 3.6L Eng. - 32.00 Oz. R-134a; 3.40 Oz. PAG-100; Dual Zone Climate Control System	409502	801652
14	4 Cyl 2.4L Eng. - 32.00 Oz. R-134a; 3.40 Oz. PAG-100; Dual Zone Climate Control System	409502	801652
14	6 Cyl 3.6L Eng. - 22.08 Oz. R-134a; 3.40 Oz. PAG-100; Single Zone Climate Control System	409502	801652
13 - 11	6 Cyl 3.6L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
13 - 11	6 Cyl 3.6L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
13 - 09	4 Cyl 2.4L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
13 - 09	4 Cyl 2.4L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
10 - 09	6 Cyl 3.5L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
10 - 09	6 Cyl 3.5L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 3.40 Oz. PAG-100	409502	801652
NITRO			
11	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11	6 Cyl 4.0L Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
RAIDER			
89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAM 100			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
RAM 150			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
RAM 1500 SERIES TRUCK			
10 - 04	6 Cyl 3.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 04	8 Cyl 4.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 04	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06	10 Cyl 8.3L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 04	10 Cyl 8.3L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
03	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409503	801651
02 - 00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
97 - 94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
RAM 1500 VAN			
03 - 98	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
03 - 98	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
RAM 250			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAM 2500 SERIES TRUCK			
10 - 09	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 07	6 Cyl 5.9L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 04	8 Cyl 4.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 04	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
08 - 07	6 Cyl 6.7L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06	6 Cyl 5.9L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 04	6 Cyl 5.9L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
03	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409503	801651
02 - 00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
97 - 94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
RAM 2500 VAN			
03 - 98	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
03 - 98	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
RAM 350			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
RAM 3500 SERIES TRUCK			
10 - 09	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 07	6 Cyl 5.9L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 04	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
08 - 07	6 Cyl 6.7L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06	6 Cyl 5.9L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 04	6 Cyl 5.9L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
03	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409503	801651
02 - 00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409502	801652
99 - 98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
97 - 94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
RAM 3500 VAN			
03 - 98	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
03 - 98	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
RAM 50 / POWER RAM 50			
93 - 90	All Eng. - 30.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAMCHARGER			
01 - 00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	409502	801652
99	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAMCHARGER AD100			
88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAMCHARGER AD150			
96 - 94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAMCHARGER AW100			
88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAMCHARGER AW150			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

DODGE LIGHT TRUCK

Year	Description	Premium	Standard
RAMCHARGER AW150			
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RAMPAGE			
84 - 82	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
Sprinter 2500			
09 - 08	6 Cyl 3.0L Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 32.48 Oz. R-134a	409503	801651
09 - 08	6 Cyl 3.0L Eng. - w/o Rear AC; 28.16 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
08	6 Cyl 3.5L Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 32.48 Oz. R-134a	409503	801651
08	6 Cyl 3.5L Eng. - w/o Rear AC; 28.16 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
07	All Eng. - w/ Rear AC; 40.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07	All Eng. - w/o Rear AC; 28.16 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
06 - 05	5 Cyl 2.7L Eng. - 13.90 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	5 Cyl 2.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
03	5 Cyl 2.7L Eng. - 13.90 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
Sprinter 3500			
09 - 08	6 Cyl 3.0L Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 32.48 Oz. R-134a	409503	801651
09 - 08	6 Cyl 3.0L Eng. - w/o Rear AC; 28.16 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
08	6 Cyl 3.5L Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 32.48 Oz. R-134a	409503	801651
08	6 Cyl 3.5L Eng. - w/o Rear AC; 28.16 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
07	All Eng. - w/ Rear AC; 40.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07	All Eng. - w/o Rear AC; 28.16 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
06 - 05	5 Cyl 2.7L Eng. - 13.90 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04	5 Cyl 2.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
03	5 Cyl 2.7L Eng. - 13.90 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
W100 SERIES			
89 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
W150			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
W250			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
W350			
93	All Eng. - 4.75 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 82	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

EAGLE

Year	Description	Premium	Standard
MEDALLION			
89	All Eng. - 29.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

EAGLE

Year	Description	Premium	Standard
PREMIER			
92 - 89	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

SUMMIT

96 - 95	4 Cyl 1.5L Eng. - Coupe, 27.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
96 - 95	4 Cyl 1.5L Eng. - Sedan, 27.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
96 - 94	4 Cyl 1.8L Eng. - 27.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
96 - 94	4 Cyl 2.4L Eng. - 27.00 Oz. R-134a; 2.70 Oz. PAG-46	409503	801651
94	4 Cyl 1.5L Eng. - 27.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
93	4 Cyl 1.5L Eng. - 28.00 Oz. R-12; 5.60 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	4 Cyl 1.8L Eng. - 28.00 Oz. R-12; 5.60 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	4 Cyl 2.4L Eng. - 28.00 Oz. R-12; 5.60 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	4 Cyl 1.8L Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	4 Cyl 2.4L Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	4 Cyl 1.5L Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	4 Cyl 1.6L Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	209500 ⁽¹⁾	--

TALON

98 - 95	All Eng. - 25.50 Oz. R-134a; 6.50 Oz. PAG-100	409502	801652
94 - 90	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

VISION

97 - 96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
94	6 Cyl 3.3L Eng. - 28.00 Oz. R-134a; 4.80 Oz. PAG-46	409503	801651
94	6 Cyl 3.5L Eng. - 28.00 Oz. R-134a; 4.80 Oz. PAG-46	409503	801651
93	6 Cyl 3.3L Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
93	6 Cyl 3.5L Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651

FIAT

Year	Description	Premium	Standard
124			
18 - 17	4 Cyl 1.4L Eng. - Spider, 14.40 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234

500 / 500e

18 - 17	4 Cyl 1.4L Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
17	4 Cyl 1.4L Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17	All Eng. - Electric, 16.96 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
16	All Eng. - Electric, 16.96 Oz. R-134a; 1.70 Oz. POE Oil	409610	--
16 - 14	4 Cyl 1.4L Eng. - 1.70 Oz. PAG Oil; 16.00 Oz. R-1234yf	409123	801234
15	All Eng. - Electric, 16.96 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15 - 14	4 Cyl 1.4L Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651
14	All Eng. - Electric, 20.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409610	--
13 - 12	4 Cyl 1.4L Eng. - 17.00 Oz. R-134a; 3.80 Oz. PAG-46	409503	801651
11	4 Cyl 1.4L Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651

500L

18 - 17	4 Cyl 1.4L Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
17	4 Cyl 1.4L Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 14	4 Cyl 1.4L Eng. - 1.70 Oz. PAG Oil; 16.00 Oz. R-1234yf	409123	801234
15 - 14	4 Cyl 1.4L Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651

500X

18 - 17	4 Cyl 1.4L Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
17	4 Cyl 1.4L Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 16	4 Cyl 2.4L Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
16	4 Cyl 1.4L Eng. - 1.70 Oz. PAG Oil; 16.00 Oz. R-1234yf	409123	801234

STRADA

11	4 Cyl 1.8L Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651
----	---	--------	--------

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD

Year	Description	Premium	Standard
ASPIRE			
97	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
C-MAX			
18 - 14	4 Cyl 2.0L Eng. - 26.08 Oz. R-134a; 5.20 Oz. Hybrid Oil	409610	--
CONTOUR			
00 - 95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
COUNTRY SQUIRE			
91 - 88	8 Cyl 5.0L Eng. - w/ Denso Compressor; 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 5.0L Eng. - 10.00 Oz. Mineral Oil; 54.00 Oz. R-12	209500 ⁽¹⁾	--
CROWN VICTORIA			
11 - 09	8 Cyl 4.6L Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 97	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
94	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
93	8 Cyl 4.6L Eng. - 38.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
93	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 13.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12, To 9/86	209500 ⁽¹⁾	--
87	All Eng. - 13.00 Oz. Mineral Oil; 52.00 Oz. R-12, From 9/86	209500 ⁽¹⁾	--
EDGE			
14	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651
14	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 16.96 Oz. R-134a	409503	801651
14	6 Cyl 3.7L Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.7L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.7L Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12 - 09	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
07	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
ESCORT			
02 - 98	4 Cyl 2.0L Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
02 - 97	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93	All Eng. - 34.08 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 8.00 Oz. Mineral Oil; 33.92 Oz. R-12	209500 ⁽¹⁾	--
90 - 88	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 8.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 81	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
EXP			
88 - 86	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
FAIRMONT			
82 - 80	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 78	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
FESTIVA			
93 - 88	All Eng. - 10.00 Oz. Mineral Oil; 25.00 Oz. R-12	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD

Year	Description	Premium	Standard
FIESTA			
14	3 Cyl 1.0L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
14	4 Cyl 1.6L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 1.6L Eng. - 3.40 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
FIVE HUNDRED			
07 - 05	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
07 - 05	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
FOCUS			
14	All Eng. - Gas, 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
13	All Eng. - Electric/Gas, 21.12 Oz. R-134a; 4.00 Oz. POE Oil	409610	--
13	All Eng. - Gas, 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
12 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
08	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
07 - 00	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
FUSION			
14	4 Cyl 1.5L Eng. - Gas, 4.90 Oz. PAG-46; 19.68 Oz. R-134a	409503	801651
14	4 Cyl 1.6L Eng. - 4.90 Oz. PAG-46; 19.68 Oz. R-134a	409503	801651
14	4 Cyl 2.0L Eng. - Gas, 4.90 Oz. PAG-46; 19.68 Oz. R-134a	409503	801651
14	4 Cyl 2.5L Eng. - Gas, 4.90 Oz. PAG-46; 19.68 Oz. R-134a	409503	801651
14 - 13	4 Cyl 2.0L Eng. - Electric/Gas, 20.00 Oz. R-134a; 4.90 Oz. Hybrid Oil	409610	--
13	4 Cyl 1.6L Eng. - 20.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - Gas, 20.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
13	4 Cyl 2.5L Eng. - Gas, 24.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
12 - 10	4 Cyl 2.5L Eng. - Electric/Gas, 22.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
12 - 10	4 Cyl 2.5L Eng. - Gas, 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
12 - 10	6 Cyl 3.0L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
12 - 10	6 Cyl 3.5L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09	4 Cyl 2.3L Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
09	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
GRANADA			
82	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 80	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 76	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
77 - 76	6 Cyl 3.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
77 - 75	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LTD			
86 - 85	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LTD II			
79 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MAVERICK			
77 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MUSTANG			
18	4 Cyl 2.3L Eng. - 19.20 Oz. R-1234yf; 4.00 Oz. PAG Oil	409123	801234
18	4 Cyl 2.3L Eng. - 3.40 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
18	8 Cyl 5.0L Eng. - 19.20 Oz. R-1234yf; 4.00 Oz. PAG Oil	409123	801234
18	8 Cyl 5.2L Eng. - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	409123	801234
17 - 15	4 Cyl 2.3L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
17 - 15	6 Cyl 3.7L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
17 - 15	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
17 - 15	8 Cyl 5.2L Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD

Year	Description	Premium	Standard
MUSTANG			
14	6 Cyl 3.7L Eng. - 4.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
14	8 Cyl 5.0L Eng. - 4.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
14	8 Cyl 5.8L Eng. - 4.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
13	8 Cyl 5.8L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.7L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 5.0L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12 - 10	8 Cyl 5.4L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10	6 Cyl 4.0L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
09	6 Cyl 4.0L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
09	8 Cyl 4.6L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
09	8 Cyl 5.4L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 05	All Eng. - 31.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04 - 97	All Eng. - 8.50 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
96 - 94	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
93 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
85 - 83	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 71	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
PINTO			
73	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
PROBE			
97	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93	All Eng. - 28.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SPECIAL SERVICE POLICE SEDAN			
17 - 14	4 Cyl 2.0L Eng. - 25.92 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
TAURUS			
18	6 Cyl 3.5L Eng. - 22.88 Oz. R-134a; 5.24 Oz. PAG-46	409503	801651
18 - 14	4 Cyl 2.0L Eng. - 25.92 Oz. R-134a; 5.24 Oz. PAG-46	409503	801651
17 - 14	6 Cyl 3.5L Eng. - 26.08 Oz. R-134a; 5.24 Oz. PAG-46	409503	801651
14	6 Cyl 3.7L Eng. - 7.00 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
10	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
09	All Eng. - w/ Rear AC; 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
09 - 08	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08	All Eng. - w/ Rear AC; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
07 - 96	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
95	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	All Eng. - Excl. SHO, 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - SHO, 8.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
93	All Eng. - Excl. SHO, 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - SHO, 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - Excl. SHO, 7.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
92	All Eng. - SHO, 8.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
91	6 Cyl Eng. - Excl. SHO, 7.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	4 Cyl 2.5L Eng. - 10.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	6 Cyl Eng. - SHO, 8.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
90	6 Cyl Eng. - Excl. SHO, 8.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
89	6 Cyl Eng. - Excl. SHO, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD

Year	Description	Premium	Standard
TAURUS			
89	6 Cyl Eng. - SHO, 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 87	4 Cyl 2.5L Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
88	6 Cyl 3.8L Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	6 Cyl 3.0L Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
TEMPO			
94	4 Cyl 2.3L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	6 Cyl 3.0L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
93 - 92	4 Cyl 2.3L Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	6 Cyl 3.0L Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 41.00 Oz. R-12	209500 ⁽¹⁾	--
84	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
THUNDERBIRD			
05	8 Cyl 3.9L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04 - 02	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
97 - 95	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	4 Cyl Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	6 Cyl Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12, To 1/86	209500 ⁽¹⁾	--
86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil, From 1/86	209500 ⁽¹⁾	--
85 - 83	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 72	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 72	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 72	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TORINO			
76 - 72	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 71	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ZX2			
03 - 01	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 6.60 Oz. PAG-46	409503	801651
00 - 98	4 Cyl 2.0L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

FORD HD

Year	Description	Premium	Standard
E SUPER DUTY			
99 - 97	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
99 - 97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
96	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
E450 SERIES VAN			
18 - 17	8 Cyl 6.2L Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
18 - 16	10 Cyl 6.8L Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
16	8 Cyl 5.4L Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	10 Cyl 6.8L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD HD

Year	Description	Premium	Standard
E450 SERIES VAN			
13 - 11	8 Cyl 5.4L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - Diesel, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
10 - 09	All Eng. - Gas, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - Gas, w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
10 - 08	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10 - 07	All Eng. - Gas, w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
08	All Eng. - Diesel, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
08	All Eng. - Diesel, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - Diesel, w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
07	10 Cyl 6.8L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
07	10 Cyl 6.8L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07	8 Cyl 5.4L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
07	8 Cyl 5.4L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07	8 Cyl 6.0L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07	All Eng. - Diesel, w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
07	All Eng. - Gas, w/ Rear AC; 14.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
07 - 04	8 Cyl 6.0L Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06	8 Cyl 5.4L Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06	8 Cyl 5.4L Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
06	8 Cyl 6.0L Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
06 - 04	10 Cyl 6.8L Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06 - 04	10 Cyl 6.8L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06 - 02	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 04	8 Cyl 6.0L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
04	8 Cyl 5.4L Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
04	8 Cyl 5.4L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	10 Cyl 6.8L Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
03	10 Cyl 6.8L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 5.4L Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
03	8 Cyl 5.4L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 7.3L Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
03	8 Cyl 7.3L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
02	8 Cyl 5.4L Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651
02	8 Cyl 5.4L Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
01 - 99	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
01 - 99	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
E550 SERIES VAN			
03	10 Cyl 6.8L Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
03	10 Cyl 6.8L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 7.3L Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
03	8 Cyl 7.3L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
F SUPER DUTY			
97	8 Cyl 7.3L Eng. - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
97	8 Cyl 7.5L Eng. - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
96	8 Cyl 7.3L Eng. - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	8 Cyl 7.3L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
95	8 Cyl 7.5L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	8 Cyl 7.3L Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	8 Cyl 7.5L Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	8 Cyl 7.3L Eng. - 44.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
93	8 Cyl 7.5L Eng. - 44.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
92 - 90	8 Cyl 7.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 90	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
F450 SERIES			
15 - 11	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD HD

Year	Description	Premium	Standard
F450 SERIES			
13	10 Cyl 6.8L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
13 - 11	8 Cyl 6.7L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
12	10 Cyl 6.8L Eng. - 4.10 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
11 - 10	10 Cyl 6.8L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
10	8 Cyl 6.4L Eng. - 9.00 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
09	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07	10 Cyl 6.8L Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
07	8 Cyl 6.0L Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06	10 Cyl 6.8L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06 - 04	10 Cyl 6.8L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05	8 Cyl 6.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
05 - 04	10 Cyl 6.8L Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
04	8 Cyl 6.0L Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
04	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	10 Cyl 6.8L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03 - 00	10 Cyl 6.8L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 00	10 Cyl 6.8L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99	10 Cyl 6.8L Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99	8 Cyl 7.3L Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
97	8 Cyl 7.5L Eng. - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
F500			
76	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
F53			
18 - 17	10 Cyl 6.8L Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-134a	409503	801651
16 - 14	10 Cyl 6.8L Eng. - 28.96 Oz. R-134a; 4.20 Oz. PAG-46	409503	801651
13 - 11	10 Cyl 6.8L Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
97 - 96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 88	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
F550 SERIES			
15 - 11	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	10 Cyl 6.8L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
13 - 11	8 Cyl 6.7L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
12	10 Cyl 6.8L Eng. - 4.10 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
11 - 10	10 Cyl 6.8L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
10	8 Cyl 6.4L Eng. - 9.00 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
09	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07	10 Cyl 6.8L Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
07	8 Cyl 6.0L Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06	10 Cyl 6.8L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06 - 04	10 Cyl 6.8L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05	8 Cyl 6.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
05 - 04	10 Cyl 6.8L Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD HD

Year	Description	Premium	Standard
F550 SERIES			
04	8 Cyl 6.0L Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
04	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	10 Cyl 6.8L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03 - 00	10 Cyl 6.8L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 00	10 Cyl 6.8L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99	10 Cyl 6.8L Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
99	8 Cyl 7.3L Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
F59			
18 - 17	10 Cyl 6.8L Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-134a	409503	801651
16 - 14	10 Cyl 6.8L Eng. - 28.96 Oz. R-134a; 4.20 Oz. PAG-46	409503	801651
13 - 11	10 Cyl 6.8L Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
97 - 96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 88	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
F650 SERIES			
15	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	10 Cyl 6.8L Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
13 - 11	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12	10 Cyl 6.8L Eng. - 4.10 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
09	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07	8 Cyl 6.0L Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05	8 Cyl 6.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
04	8 Cyl 6.0L Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
04	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
F750 SERIES			
15	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 11	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07	8 Cyl 6.0L Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
06	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05	8 Cyl 6.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
04	8 Cyl 6.0L Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
04	8 Cyl 6.0L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03	8 Cyl 6.0L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 00	8 Cyl 7.3L Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
AEROSTAR			
97	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
96 - 94	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
96 - 94	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
93	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 64.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 46.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - w/o Rear AC; 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - w/ Rear AC; 13.00 Oz. Mineral; 60.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 13.00 Oz. Mineral; 56.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12, To 9/22/86	209500 ⁽¹⁾	--
87	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 60.00 Oz. R-12, From 9/22/86	209500 ⁽¹⁾	--
87	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12, To 9/22/86	209500 ⁽¹⁾	--
87	All Eng. - w/o Rear AC; 13.00 Oz. Mineral Oil; 56.00 Oz. R-12, From 9/22/86	209500 ⁽¹⁾	--
86	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
BRONCO			
96	All Eng. - 8.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 11.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 80	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 80	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 78	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 78	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
77 - 76	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
BRONCO II			
90	All Eng. - 10.00 Oz. Mineral Oil; 32.00 Oz. R-12	209500 ⁽¹⁾	--
89 - 88	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 48.00 Oz. R-12	209500 ⁽¹⁾	--
84	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CLUB WAGON			
98 - 97	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
98 - 97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
96 - 95	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
E100 SERIES VAN			
91 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 87	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
83 - 79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 75	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 75	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
E150 SERIES VAN			
13 - 11	8 Cyl 4.6L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 4.6L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
E150 SERIES VAN			
10 - 09	All Eng. - Gas, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - Gas, w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
10 - 07	All Eng. - Gas, w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
07	All Eng. - Gas, w/ Rear AC; 14.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 94	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
94	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93 - 92	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 55.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 85	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 85	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
84	8 Cyl 6.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 76	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
E250 SERIES VAN			
13 - 11	8 Cyl 4.6L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 4.6L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
09	All Eng. - Gas, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
09 - 08	All Eng. - Gas, w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
09 - 07	All Eng. - Gas, w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07	All Eng. - Gas, w/ Rear AC; 14.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 94	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
94	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93 - 92	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 55.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 85	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 85	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	8 Cyl 6.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 80	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
E300 SERIES VAN			
88 - 86	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 86	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
E350 SERIES VAN			
18 - 17	8 Cyl 6.2L Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
E350 SERIES VAN			
18 - 16	10 Cyl 6.8L Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
16	8 Cyl 5.4L Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	10 Cyl 6.8L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - Diesel, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
10 - 09	All Eng. - Gas, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - Gas, w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
10 - 07	All Eng. - Gas, w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - Gas, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
08	All Eng. - Diesel, w/ Rear AC; 11.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
08	All Eng. - Diesel, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - Diesel, w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
07	All Eng. - Diesel, w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
07	All Eng. - Gas, w/ Rear AC; 14.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96 - 94	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
94	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93 - 92	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 55.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 85	All Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 85	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	8 Cyl 6.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 80	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ECONOLINE, ECONOLINE VAN, ECONOLINE WAGON			
13 - 11	8 Cyl 4.6L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 4.6L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.4L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - Gas, w/ Rear AC; 16.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
10	All Eng. - Gas, w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - Gas, w/o Rear AC; 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 02	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 60.00 Oz. R-134a	409503	801651
06 - 02	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
01 - 99	All Eng. - w/ Rear AC; 64.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
01 - 99	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
ECOSPORT			
18	4 Cyl 1.0L Eng. - Gas, 4.10 Oz. PAG-46; 26.40 Oz. R-1234yf	409123	801234
18	4 Cyl 2.0L Eng. - Gas, 4.10 Oz. PAG-46; 15.20 Oz. R-1234yf	409123	801234
ESCAPE			
14	4 Cyl 2.5L Eng. - 4.50 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
14 - 13	4 Cyl 1.6L Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
14 - 13	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - w/ Tow Package; 27.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
13	4 Cyl 2.5L Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
12	2.5L Eng. - Electric/Gas, 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
12	4 Cyl Eng. - Excl. Electric/Gas, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
ESCAPE			
11 - 10	4 Cyl 2.5L Eng. - Electric/Gas, 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
11 - 10	All Eng. - Excl. Electric/Gas, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
09	All Eng. - HYBRID, 32.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
09 - 08	All Eng. - Gas, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
08	All Eng. - Electric/Gas, 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
07 - 05	4 Cyl 2.3L Eng. - Gas, 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07 - 05	6 Cyl 3.0L Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 05	4 Cyl 2.3L Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
EXCURSION			
05 - 01	All Eng. - w/o Rear AC; 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 00	All Eng. - w/ Rear AC; 68.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
00	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
EXPEDITION			
18	6 Cyl 3.5L Eng. - 36.96 Oz. R-1234yf; 6.10 Oz. PAG Oil	409123	801234
17 - 15	6 Cyl 3.5L Eng. - 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
14 - 11	8 Cyl 5.4L Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
10	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09 - 08	All Eng. - w/ Rear AC; 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
06	All Eng. - w/ Rear AC; 14.00 Oz. PAG-46; 58.00 Oz. R-134a	409503	801651
06	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 03	All Eng. - w/ Rear AC; 14.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
02 - 98	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 62.00 Oz. R-134a	409503	801651
02 - 97	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
97	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 62.00 Oz. R-134a	409503	801651
EXPLORER			
18	4 Cyl 2.3L Eng. - 44.96 Oz. R-134a; 7.30 Oz. PAG-46	409503	801651
17 - 16	4 Cyl 2.3L Eng. - 44.96 Oz. R-134a; 8.80 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 2.0L Eng. - 47.00 Oz. R-134a; 8.80 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.5L Eng. - 47.00 Oz. R-134a; 8.80 Oz. PAG-46	409503	801651
10	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
10 - 09	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
09	All Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 47.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
01 - 98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
97	All Eng. - 9.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
EXPLORER SPORT			
03 - 02	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
03 - 02	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
01	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
EXPLORER SPORT TRAC			
10	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
10 - 09	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
09	All Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 47.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
EXPLORER SPORT TRAC			
01	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
F100 SERIES			
83 - 82	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 73	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 70	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 81	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 76	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	6 Cyl 3.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
F150, LOBO SERIES			
18	6 Cyl 2.7L Eng. - 2.70 Oz. PAG-46; 28.96 Oz. R-1234yf	409123	801234
18	6 Cyl 3.3L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
18	6 Cyl 3.3L Eng. - 28.96 Oz. R-1234yf; 3.40 Oz. PAG Oil	409123	801234
18	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409123	801234
18	6 Cyl 3.5L Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-1234yf	409123	801234
18	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
18	8 Cyl 5.0L Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-1234yf	409123	801234
18	8 Cyl 5.0L Eng. - 4.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409123	801234
17	6 Cyl 2.7L Eng. - 4.10 Oz. PAG-46; w/ R134a Service Port; See Under Hood Decal for Refrigerant Capacity	409503	801651
17	6 Cyl 2.7L Eng. - w/ R1234yf; 4.10 Oz. PAG; w/ R1234yf Service Port; See Under Hood Decal for Refrigerant Capacity	409123	801234
17	6 Cyl 3.5L Eng. - 4.10 Oz. PAG-46; w/ R134a Service Port; See Under Hood Decal for Refrigerant Capacity	409503	801651
17	6 Cyl 3.5L Eng. - 4.10 Oz. PAG; w/ R1234yf Service Port; See Under Hood Decal for Refrigerant Capacity	409123	801234
17	8 Cyl 5.0L Eng. - 28.96 Oz. R-1234yf; 4.10 Oz. PAG; w/ R1234yf Service Port	409123	801234
17	8 Cyl 5.0L Eng. - 4.10 Oz. PAG-46; w/ R134a Service Port; See Under Hood Decal for Refrigerant Capacity	409503	801651
16	6 Cyl 2.7L Eng. - 31.00 Oz. R-134a; 3.38 Oz. PAG-46	409503	801651
16	6 Cyl 3.5L Eng. - 31.00 Oz. R-134a; 3.38 Oz. PAG-46	409503	801651
16	8 Cyl 5.0L Eng. - 31.00 Oz. R-134a; 3.38 Oz. PAG-46	409503	801651
15	6 Cyl 2.7L Eng. - 4.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
15	6 Cyl 3.5L Eng. - 4.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
15	8 Cyl 5.0L Eng. - 4.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
14	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
14	6 Cyl 3.7L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
14	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
14	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
13	6 Cyl 3.7L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
13	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 6.2L Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.7L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
11	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10	All Eng. - F-150 Light Duty, 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
09	All Eng. - F-150 Light Duty, F-250 Light Duty, 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - F-150 Light Duty, F-250 Light Duty, 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
05	All Eng. - F-150 Light Duty, F-250 Light Duty, 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
04	All Eng. - F-150 Light Duty, 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
03 - 98	All Eng. - F-150 Light Duty, F-250 Light Duty, 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
97 - 96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
F150, LOBO SERIES			
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 86	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 48.00 Oz. R-12	209500 ⁽¹⁾	--
84	8 Cyl 6.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 76	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
F200			
97 - 96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 86	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 48.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 70	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
F250 SERIES			
18 - 17	8 Cyl 6.2L Eng. - 4.10 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
18 - 16	8 Cyl 6.7L Eng. - Diesel, 27.20 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
15	8 Cyl 6.2L Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-134a	409503	801651
15 - 14	8 Cyl 6.7L Eng. - Diesel, 4.10 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
14	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 6.2L Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 6.7L Eng. - 3.40 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
11	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10 - 09	All Eng. - Super Duty, 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
09	All Eng. - F-150 Light Duty, F-250 Light Duty, 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08	All Eng. - Super Duty, 26.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - F-150 Light Duty, F-250 Light Duty, 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07 - 06	All Eng. - Super Duty, 9.00 Oz. PAG-46; 45.00 Oz. R-134a	409503	801651
05	All Eng. - F-150 Light Duty, F-250 Light Duty, 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
05 - 99	All Eng. - Super Duty, 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
03 - 98	All Eng. - F-150 Light Duty, F-250 Light Duty, 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
97 - 96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 86	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 48.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	8 Cyl 6.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 73	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 70	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 76	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	6 Cyl 3.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
F250 SERIES			
72 - 70	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
F350 SERIES			
18 - 17	8 Cyl 6.2L Eng. - 4.10 Oz. PAG-46; 27.20 Oz. R-134a	409503	801651
18 - 16	8 Cyl 6.7L Eng. - Diesel, 27.20 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
15	8 Cyl 6.2L Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-134a	409503	801651
15 - 14	8 Cyl 6.7L Eng. - Diesel, 4.10 Oz. PAG-46; 26.08 Oz. R-134a	409503	801651
14	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 6.2L Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13 - 11	8 Cyl 6.7L Eng. - 3.40 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
11	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10 - 09	All Eng. - Super Duty, 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
08	All Eng. - Super Duty, 26.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - Super Duty, 9.00 Oz. PAG-46; 45.00 Oz. R-134a	409503	801651
05 - 98	All Eng. - Super Duty, 42.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
97 - 96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 86	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 48.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	8 Cyl 6.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 77	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 73	6 Cyl 4.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 70	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 76	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	6 Cyl 3.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
FLEX			
13 - 11	6 Cyl 3.5L Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
10	All Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
09	6 Cyl 3.5L Eng. - 11.00 Oz. PAG-46; 36.00 Oz. R-134a	409503	801651
FREESTAR			
07 - 04	All Eng. - w/ Rear AC; 13.00 Oz. PAG-46; 53.00 Oz. R-134a	409503	801651
07 - 04	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
FREESTYLE			
07 - 05	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
07 - 05	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
LOBO			
13	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 6.2L Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
11	8 Cyl 6.2L Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
POLICE INTERCEPTOR UTILITY			
17 - 16	6 Cyl 3.7L Eng. - 26.08 Oz. R-134a; 5.20 Oz. PAG-46; w/ Front AC	409503	801651
17 - 16	6 Cyl 3.7L Eng. - 38.08 Oz. R-134a; 7.90 Oz. PAG-46; w/ Front and Rear AC	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

FORD LIGHT TRUCK

Year	Description	Premium	Standard
RANGER			
10	4 Cyl 2.3L Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
10	6 Cyl 4.0L Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
09	4 Cyl 2.3L Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
09	6 Cyl 4.0L Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
05 - 03	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
02 - 98	All Eng. - Gas, 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
97 - 95	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
94	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	4 Cyl 2.3L Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	6 Cyl 2.9L Eng. - 10.00 Oz. Mineral Oil; 32.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	6 Cyl 3.0L Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	6 Cyl 4.0L Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
90	All Eng. - 10.00 Oz. Mineral Oil; 32.00 Oz. R-12	209500 ⁽¹⁾	--
89 - 88	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 83	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

TAURUS X

09 - 08	All Eng. - w/ Rear AC; 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
09 - 08	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

Transit Connect

12	4 Cyl 2.0L Eng. - 29.06 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651
12	All Eng. - Electric, 29.00 Oz. R-134a	409610	--
11	4 Cyl 2.0L Eng. - 29.00 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651
10	4 Cyl 2.0L Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651

WINDSTAR

03 - 01	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
03 - 01	All Eng. - w/o Rear AC; 10.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
00 - 99	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
00 - 98	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
98 - 97	All Eng. - w/o Rear AC; 10.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
97	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 14.00 Oz. PAG-46	409503	801651
96 - 95	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
96 - 95	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651

GEO

Year	Description	Premium	Standard
METRO			
97	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
94	3 Cyl 1.0L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
94	4 Cyl 1.3L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
93 - 90	All Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	3 Cyl 1.0L Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
PRIZM			
97	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
96 - 95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
94	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-46	409503	801651
93	All Eng. - 24.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 6.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
90	All Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	4 Cyl 1.6L Eng. - 24.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GEO

Year	Description	Premium	Standard
SPECTRUM			
89	All Eng. - 29.00 Oz. R-12; 3.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
STORM			
93 - 92	All Eng. - 21.00 Oz. R-12; 5.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 90	All Eng. - 24.00 Oz. R-12; 5.25 Oz. Mineral Oil	209500 ⁽¹⁾	--

GMC HD

Year	Description	Premium	Standard
C3500HD			
02 - 00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Crew Cab, w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Crew Cab, w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 91	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

GMC LIGHT TRUCK

Year	Description	Premium	Standard
1000			
66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
1500			
66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
2500			
66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
3000			
66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
3500			
66	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
65	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ACADIA			
16 - 14	6 Cyl 3.6L Eng. - 40.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
12 - 08	6 Cyl 3.6L Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
07	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
C15, C1500 SERIES			
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 67	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
C25, C2500 SERIES			
00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99	All Eng. - Crew Cab, w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99	All Eng. - Crew Cab, w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 67	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
C35, C3500 SERIES			
02 - 00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Crew Cab, w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Crew Cab, w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Crew Cab, 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Crew Cab, 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Crew Cab, 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 67	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CABALLERO			
87 - 85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CANYON			
18 - 16	4 Cyl 2.8L Eng. - Diesel, 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
18 - 15	4 Cyl 2.5L Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
18 - 15	6 Cyl 3.6L Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
12 - 09	4 Cyl 2.9L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12 - 09	5 Cyl 3.7L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12 - 09	8 Cyl 5.3L Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
08	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
ENVOY			
09	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09 - 08	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
08	All Eng. - w/ Rear AC; 42.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07 - 05	All Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
ENVOY XL			
06	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
06 - 05	All Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
ENVOY XUV			
05	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
04	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
G15, G1500 SERIES VAN			
95 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 68.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.0L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.0L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 80	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 80	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 80	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
G20, G2500 SERIES VAN			
95 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 68.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.0L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.0L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
G20, G2500 SERIES VAN			
91 - 89	8 Cyl 6.2L Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 80	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 80	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 80	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 74	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 75	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
G35, G3500 SERIES VAN			
96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	409503	801651
96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	409501	801653
96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 68.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93 - 92	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	6 Cyl 4.3L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/ Rear AC; 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 6.2L Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 64.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/ Rear AC; 64.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/o Rear AC; 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/o Rear AC; 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	8 Cyl 7.4L Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 72.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 80	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
G35, G3500 SERIES VAN			
84 - 82	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 74	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
JIMMY			
05 - 04	6 Cyl 4.3L Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05 - 02	6 Cyl 4.3L Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
03 - 01	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
00 - 99	All Eng. - w/ Denso Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ OE Harrison Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-150	409501	801653
98 - 96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
98 - 96	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 90	All Eng. - FullSize Jimmy, w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - FullSize Jimmy, w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - Jimmy (Mid Size / S15 / T15), 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - FullSize Jimmy, w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - FullSize Jimmy, w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - Jimmy (Mid Size / S15 / T15), 8.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - Jimmy (Mid Size / S15 / T15), 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
K1000 SERIES			
66	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
K15, K1500 SERIES			
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
K15, K1500 SERIES			
92 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 66	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 66	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
K25, K2500 SERIES			
00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99	All Eng. - Crew Cab, w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99	All Eng. - Crew Cab, w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 67	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 67	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 67	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
K35 / K3500 SERIES			
00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Crew Cab, w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Crew Cab, w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
K35 / K3500 SERIES			
95 - 94	All Eng. - Crew Cab, 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - Std Cab / Ext Cab, 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Crew Cab, 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Crew Cab, 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Std Cab / Ext Cab, 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 70	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 69	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 68	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	6 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	6 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
P SERIES VAN			
99 - 94	6 Cyl 4.3L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	6 Cyl 4.3L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 5.7L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 6.5L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 6.5L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
99 - 94	8 Cyl 7.4L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
99 - 94	8 Cyl 7.4L Eng. - w/ OE Harrison Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 5.7L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	8 Cyl 5.7L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
93	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
R1500 SERIES			
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
R2500 SERIES			
89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
R3500 SERIES			
91 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
S15 - PICKUP			
90 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
SAFARI			
05 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
05 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
05 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
05 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 90	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 60.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 86	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - w/ Rear AC; 48.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SAVANA 1500			
12	6 Cyl 4.3L Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 5.3L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 5.3L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11	All Eng. - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
10	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - w/o Rear AC; 11.00 Oz. PAG-46; 32.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
08 - 05	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 28.80 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
04 - 03	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	409501	801653
02	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
01	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 72.00 Oz. R-134a	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
00 - 97	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	409501	801653
96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SAVANA 2500			
12	8 Cyl 4.8L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 4.8L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 6.0L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.6L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 6.6L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11	All Eng. - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
10	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - w/o Rear AC; 11.00 Oz. PAG-46; 32.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
08 - 05	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 28.80 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
04 - 03	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	409501	801653
02	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
SAVANA 2500			
01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
01	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 72.00 Oz. R-134a	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
00 - 97	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	409501	801653
96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SAVANA 3500			
12	8 Cyl 4.8L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 4.8L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.0L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 6.0L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12	8 Cyl 6.6L Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
12	8 Cyl 6.6L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
11	All Eng. - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
10	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
10	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	All Eng. - w/o Rear AC; 11.00 Oz. PAG-46; 32.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
08 - 05	All Eng. - w/o Rear AC; 8.00 Oz. PAG-46; 28.80 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
04 - 03	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	409501	801653
02	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
01	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
01	All Eng. - w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 72.00 Oz. R-134a	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	409501	801653
00 - 97	All Eng. - w/ Denso Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	409501	801653
96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SIERRA			
18 - 17	8 Cyl 5.3L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.2L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 15	8 Cyl 5.3L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 15	8 Cyl 6.2L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 09	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/ Denso Compressor; w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
SIERRA 1500			
18 - 17	6 Cyl 4.3L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 5.3L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.2L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 15	6 Cyl 4.3L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 15	8 Cyl 5.3L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 15	8 Cyl 6.2L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 09	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/ Denso Compressor; w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
SIERRA 1500			
06 - 03	All Eng. - w/ Denso Compressor; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SIERRA 2500			
18 - 17	8 Cyl 6.0L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 17	8 Cyl 6.0L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.6L Eng. - Diesel, 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 17	8 Cyl 6.6L Eng. - Diesel, 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
12 - 09	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/ Denso Compressor; w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
07	8 Cyl 8.1L Eng. - w/ Denso Compressor; w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Denso Compressor; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
99	All Eng. - Std Cab / Ext Cab, w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99	All Eng. - Std Cab / Ext Cab, w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SIERRA 3500			
18 - 17	8 Cyl 6.0L Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 17	8 Cyl 6.0L Eng. - 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 17	8 Cyl 6.6L Eng. - Diesel, 22.40 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
18 - 17	8 Cyl 6.6L Eng. - Diesel, 6.10 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
12 - 09	All Eng. - w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 07	All Eng. - w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/ Denso Compressor; w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
07	8 Cyl 8.1L Eng. - w/ Denso Compressor; w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Denso Compressor; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 01	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 01	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 01	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
SONOMA			
04 - 99	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
04 - 99	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
98 - 96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
98 - 96	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SUBURBAN C15, C1500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN C15, C1500			
72 - 71	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN C25, C2500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 7.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN K15, K1500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN K25, K2500			
99 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
99 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	6 Cyl 4.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN K25, K2500			
72 - 71	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUBURBAN R1500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/o Rear AC; 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.0L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.0L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SUBURBAN R2500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/o Rear AC; 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 7.4L Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 7.4L Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 7.4L Eng. - w/o Rear AC; 11.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 7.4L Eng. - w/o Rear AC; 52.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SUBURBAN V1500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/o Rear AC; 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SUBURBAN V2500			
91 - 90	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 60.00 Oz. R-12	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
SUBURBAN V2500			
88	8 Cyl 5.7L Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
88	8 Cyl 5.7L Eng. - w/o Rear AC; 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	8 Cyl 6.2L Eng. - Diesel, w/ Rear AC; 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 5.7L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 88.00 Oz. R-12	209500 ⁽¹⁾	--
87	8 Cyl 6.2L Eng. - w/o Rear AC; 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SYCLONE			
92 - 91	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
TERRAIN			
18	4 Cyl 1.5L Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	409123	801234
18	4 Cyl 1.5L Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	409503	801651
18	4 Cyl 1.6L Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	409123	801234
18	4 Cyl 1.6L Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	409503	801651
18	4 Cyl 2.0L Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	409123	801234
18	4 Cyl 2.0L Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	409503	801651
17 - 14	4 Cyl 2.4L Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
12 - 10	4 Cyl 2.4L Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.0L Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
TYPHOON			
93 - 92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
V1500 SERIES			
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
V2500 SERIES			
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
V3500 SERIES			
91 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
68	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
YUKON			
18 - 17	8 Cyl 5.3L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	8 Cyl 6.2L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
16 - 15	8 Cyl 6.2L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 6.2L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
14	8 Cyl 6.2L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 6.2L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
12	6.0L Eng. - Electric/Gas, 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
12	8 Cyl 5.3L Eng. - Yukon, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
12	8 Cyl 6.2L Eng. - Yukon DENALI, AWD, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
12 - 10	8 Cyl 5.3L Eng. - Yukon, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
11	8 Cyl 6.0L Eng. - Electric/Gas, Yukon, 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
11	8 Cyl 6.2L Eng. - Yukon DENALI, AWD, w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
10 - 09	8 Cyl 6.0L Eng. - HYBRID, Yukon, 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
09	8 Cyl 4.8L Eng. - Gas, Yukon, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651
09	8 Cyl 5.3L Eng. - Excl. Hybrid, Yukon, w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
09	8 Cyl 5.3L Eng. - Excl. Hybrid, Yukon, w/o Rear AC; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
YUKON			
08	6.0L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
08	All Eng. - Excl. Hybrid, Yukon, w/ Rear AC; 40.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
07	All Eng. - Yukon, w/ Rear AC; 40.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
07 - 03	All Eng. - w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
06 - 03	All Eng. - Yukon, w/ Rear AC; 11.00 Oz. PAG-46; 43.00 Oz. R-134a	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02	All Eng. - Yukon, w/ Rear AC; 11.00 Oz. PAG-46; 42.00 Oz. R-134a	409503	801651
01	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - Yukon, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
00 - 96	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00 - 96	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00 - 96	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 68.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 6.00 Oz. Mineral Oil; 44.80 Oz. R-12	209500 ⁽¹⁾	--
YUKON XL			
18 - 17	8 Cyl 5.3L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	8 Cyl 6.2L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
16 - 15	8 Cyl 6.2L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 6.2L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
Yukon XL 1500 (1/2 Ton)			
18 - 17	8 Cyl 5.3L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	8 Cyl 6.2L Eng. - 28.80 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 5.3L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
16 - 15	8 Cyl 6.2L Eng. - 29.92 Oz. R-1234yf; w/ Front and Rear AC; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	8 Cyl 6.2L Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 5.3L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
14	8 Cyl 6.2L Eng. - 11.00 Oz. PAG-46; 40.00 Oz. R-134a; w/ Front and Rear AC	409503	801651
14	8 Cyl 6.2L Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG -46; w/ Front AC	409503	801651
12	8 Cyl 6.2L Eng. - Yukon DENALI XL, AWD, w/ Rear AC; 11.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 5.3L Eng. - Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 6.2L Eng. - Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 6.0L Eng. - Gas, Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 6.2L Eng. - Flex, Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
08	8 Cyl 6.0L Eng. - Gas, w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
08	All Eng. - Excl. Hybrid, Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
07 - 03	All Eng. - w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07 - 01	All Eng. - Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
Yukon XL 2500 (3/4 Ton)			
12 - 11	8 Cyl 6.0L Eng. - Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
10	8 Cyl 6.0L Eng. - Flex, Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
09	8 Cyl 6.0L Eng. - Gas, Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
08	8 Cyl 6.0L Eng. - Gas, w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
08	All Eng. - Excl. Hybrid, Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

GMC LIGHT TRUCK

Year	Description	Premium	Standard
Yukon XL 2500 (3/4 Ton)			
07 - 03	All Eng. - w/o Rear AC; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
07 - 01	All Eng. - Yukon XL, w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
02	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	409503	801651
00	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	409501	801653
00	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

HONDA

Year	Description	Premium	Standard
ACCORD			
18	4 Cyl 1.5L Eng. - 14.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18	4 Cyl 2.0L Eng. - Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
17	4 Cyl 2.0L Eng. - 16.80 Oz. R-134a; 2.30 Oz. Hybrid Oil	409610	--
17 - 14	4 Cyl 2.4L Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	409503	801651
17 - 14	6 Cyl 3.5L Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	409503	801651
15	4 Cyl 2.0L Eng. - 16.80 Oz. R-134a; 2.30 Oz. Hybrid Oil	409610	--
14	4 Cyl 2.0L Eng. - Electric/Gas, 16.80 Oz. R-134a; 2.30 Oz. Hybrid Oil	409610	--
13	4 Cyl 2.4L Eng. - 17.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
13	6 Cyl 3.5L Eng. - 17.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
12	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
12	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
11	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
10	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
10	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09 - 05	All Eng. - Gas, 19.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
07 - 05	All Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
04 - 03	All Eng. - 19.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
02 - 98	All Eng. - 23.00 Oz. R-134a; 8.45 Oz. PAG-46	409503	801651
97 - 94	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
93	All Eng. - 30.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 90	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 30.00 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	All Eng. - 7.50 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 8.00 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 79	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CIVIC			
17 - 16	4 Cyl 1.5L Eng. - 15.04 Oz. R-1234yf; 2.50 Oz. PAG Oil	409123	801234
17 - 16	4 Cyl 2.0L Eng. - 15.04 Oz. R-1234yf; 2.50 Oz. PAG Oil	409123	801234
15 - 14	4 Cyl 1.5L Eng. - 2.30 Oz. Hybrid Oil; See Under Hood Decal for Refrigerant Capacity	409610	--
15 - 14	4 Cyl 1.8L Eng. - 15.04 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.4L Eng. - 15.04 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.5L Eng. - HYBRID, 15.00 Oz. R-134a; 8.10 Oz. Hybrid Oil	409610	--
13 - 12	4 Cyl 1.8L Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
13 - 12	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
11	4 Cyl 1.3L Eng. - HYBRID, 16.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	409610	--
11	4 Cyl 1.8L Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
11	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
10	4 Cyl 1.3L Eng. - HYBRID, 16.00 Oz. R-134a; 8.11-8.45 Oz. Hybrid Oil	409610	--
10	4 Cyl 1.8L Eng. - 5.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
10	4 Cyl 2.0L Eng. - 5.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
09 - 06	All Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
09 - 06	All Eng. - Excl. Hybrid, 5.50 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
05 - 02	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01 - 96	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

HONDA

Year	Description	Premium	Standard
CIVIC			
93	All Eng. - 5.00 Oz. Mineral Oil; 22.00 Oz. R-12	209500 ⁽¹⁾	--
92	All Eng. - 5.00 Oz. Mineral Oil; 23.00 Oz. R-12	209500 ⁽¹⁾	--
91	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - w/ Matsushita Compressor; 33.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 31.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 31.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 24.00 Oz. R-12; 7.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - w/ Matsushita Compressor; 34.00 Oz. R-12; 7.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 7.50 Oz. Mineral Oil; 25.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 30.00 Oz. R-12; 7.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 7.50 Oz. Mineral Oil; 20.00 Oz. R-12	209500 ⁽¹⁾	--
84	4 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CIVIC DEL SOL			
97 - 94	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
93	All Eng. - 5.00 Oz. Mineral Oil; 23.00 Oz. R-12	209500 ⁽¹⁾	--
CR-V			
18 - 17	4 Cyl 1.5L Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	4 Cyl 2.4L Eng. - 16.80 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 14	4 Cyl 2.4L Eng. - 15.04 Oz. R-134a; 2.70 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
10	4 Cyl 2.4L Eng. - 17.00 Oz. R-134a; 6.42-6.76 Oz. PAG-46	409503	801651
09	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
04	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 4.33-5.00 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
01 - 97	All Eng. - 4.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
CR-Z			
16 - 14	4 Cyl 1.5L Eng. - 16.64 Oz. R-134a; 2.70 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.5L Eng. - HYBRID, 18.00 Oz. R-134a; 2.70 Oz. Hybrid Oil	409610	--
11	4 Cyl 1.5L Eng. - 18.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
CROSSTOUR			
15 - 14	4 Cyl 2.4L Eng. - 15.04 Oz. R-134a; 2.40 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.5L Eng. - 15.04 Oz. R-134a; 2.40 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	409503	801651
CRX			
14	4 Cyl 1.5L Eng. - 4.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
91 - 90	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - w/ Matsushita Compressor; 32.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 30.00 Oz. R-12; 7.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	All Eng. - 7.50 Oz. Mineral Oil; 20.00 Oz. R-12	209500 ⁽¹⁾	--
85	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
ELEMENT			
11	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 8.11-8.45 Oz. PAG-46	409503	801651
09	4 Cyl 2.4L Eng. - 17.60-19.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 03	All Eng. - 18.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
FIT			
18 - 15	4 Cyl 1.5L Eng. - 14.40 Oz. R-134a; 4.80 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.5L Eng. - 15.00 Oz. R-134a; 2.71-3.04 Oz. PAG-46	409503	801651
11	4 Cyl 1.5L Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	409503	801651
10 - 07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
INSIGHT			
14	4 Cyl 1.3L Eng. - 16.64 Oz. R-134a; 5.80 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

HONDA

Year	Description	Premium	Standard
INSIGHT			
13 - 12	4 Cyl 1.3L Eng. - HYBRID, 18.00 Oz. R-134a; 2.71-3.04 Hybrid Oil	409610	--
11	4 Cyl 1.3L Eng. - HYBRID, 18.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	409610	--
10	4 Cyl 1.3L Eng. - HYBRID, 17.00 Oz. R-134a; 5.41-5.74 Oz. Hybrid Oil	409610	--
06 - 00	All Eng. - 19.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
ODYSSEY			
18	6 Cyl 3.5L Eng. - 20.96 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 14	6 Cyl 3.5L Eng. - PAG-46; 25.96 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 27.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	409503	801651
11	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 24.70-26.50 Oz. R-134a	409503	801651
10	6 Cyl 3.5L Eng. - 24.70-26.50 Oz. R-134a; 7.60-8.01 Oz. PAG-46	409503	801651
09	6 Cyl 3.5L Eng. - 24.70-26.50 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 07	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
06 - 99	All Eng. - w/ Rear AC; 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 99	All Eng. - w/o Rear AC; 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
98 - 95	All Eng. - w/ Rear AC; 30.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
98 - 95	All Eng. - w/o Rear AC; 23.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
PASSPORT			
02 - 94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
PILOT			
18 - 16	6 Cyl 3.5L Eng. - 1.40 Oz. PAG Oil; 24.80 Oz. R-1234yf	409123	801234
15 - 14	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 22.40 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 23.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	409503	801651
11	6 Cyl 3.5L Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 21.10-2.90 Oz. R-134a; 8.62 Oz. PAG-46	409503	801651
09	6 Cyl 3.5L Eng. - 21.20-22.90 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 03	All Eng. - 9.00 Oz. PAG-46; 24.70-26.50 Oz. R-134a	409503	801651
PRELUDE			
01 - 97	All Eng. - 4.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
96 - 95	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
94 - 93	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93	4 Cyl 2.2L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	4 Cyl 2.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92	All Eng. - 5.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
91	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 32.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 8.00 Oz. Mineral Oil; 25.00 Oz. R-12	209500 ⁽¹⁾	--
RIDGELINE			
18 - 17	6 Cyl 3.5L Eng. - 21.60 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
14	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
13 - 11	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 7.60-8.01 Oz. PAG-46	409503	801651
09	6 Cyl 3.5L Eng. - 20.30-22.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07 - 06	All Eng. - 23.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
S2000			
09	4 Cyl 2.2L Eng. - 14.10-15.90 Oz. R-134a; 6.90 Oz. PAG-46	409503	801651
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
05 - 00	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
WAGOVAN			
89 - 86	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

HUMMER (AM GENERAL)

Year	Description	Premium	Standard
H2			
08 - 06	All Eng. - 25.50 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
H3			
09	5 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
08 - 06	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

HYUNDAI

Year	Description	Premium	Standard
ACCENT			
17 - 14	4 Cyl 1.6L Eng. - 4.50 Oz. PAG-46; 14.72 Oz. R-134a	409503	801651
12	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
11 - 08	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	409503	801651
05 - 02	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
01 - 96	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651

AZERA

17 - 14	6 Cyl 3.3L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
12	6 Cyl 3.3L Eng. - 18.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
11	6 Cyl 3.3L Eng. - 18.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
11	6 Cyl 3.8L Eng. - 18.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
10 - 08	6 Cyl 3.8L Eng. - 17.60+/-0.88 Oz. R-134a; 5.70+/-0.33 Oz. PAG-46	409503	801651
10 - 07	6 Cyl 3.3L Eng. - 17.60+/-0.88 Oz. R-134a; 5.70+/-0.33 Oz. PAG-46	409503	801651
07	6 Cyl 3.8L Eng. - 18.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
06	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	409503	801651

ELANTRA

17	4 Cyl 1.4L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
17	4 Cyl 1.6L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
17 - 14	4 Cyl 2.0L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 1.8L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 1.8L Eng. - 18.50 Oz. R-134a; 3.52-4.20 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.0L Eng. - 18.50 Oz. R-134a; 3.52-4.20 Oz. PAG-46	409503	801651
10 - 08	4 Cyl 2.0L Eng. - 17.60+/-0.88 Oz. R-134a; 5.07+/-0.33 Oz. PAG-46	409503	801651
07	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	409503	801651
06 - 01	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93 - 92	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

ENTOURAGE

08	6 Cyl 3.8L Eng. - 7.10 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	409503	801651

EQUUS

16 - 14	8 Cyl 5.0L Eng. - 4.40 Oz. PAG-46; 22.88 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 5.0L Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
11	8 Cyl 4.6L Eng. - 23.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651

EXCEL

94	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
93	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 33.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 5.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

GENESIS

16 - 15	8 Cyl 5.0L Eng. - 22.88 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
16 - 14	6 Cyl 3.8L Eng. - 22.88 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
13	6 Cyl 3.8L Eng. - 20.10+/-0.88 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

HYUNDAI

Year	Description	Premium	Standard
GENESIS			
13	8 Cyl 5.0L Eng. - 22.90+/-0.88 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
12	6 Cyl 3.8L Eng. - 24.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	409503	801651
12	8 Cyl 4.6L Eng. - 24.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	409503	801651
12	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	409503	801651
11	6 Cyl 3.8L Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
11	8 Cyl 4.6L Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.8L Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 4.6L Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
GENESIS COUPE			
16 - 14	6 Cyl 3.8L Eng. - 20.00 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
14	6 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.60-5.60 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.8L Eng. - 20.00 Oz. R-134a; 4.60-5.60 Oz. PAG-46	409503	801651
10	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.56-5.78 Oz. PAG-46	409503	801651
10	6 Cyl 3.8L Eng. - 20.00 Oz. R-134a; 3.80 Oz. PAG-46	409503	801651
SANTA FE / SANTA FE Sport / SANTA FE 7			
18 - 17	4 Cyl 2.0L Eng. - SPORT, 4.23 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
18 - 17	4 Cyl 2.4L Eng. - SPORT, 4.23 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
16 - 14	4 Cyl 2.0L Eng. - SPORT, 21.60 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 2.4L Eng. - SPORT, 21.60 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
16 - 14	6 Cyl 3.3L Eng. - 21.60 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
12	4 Cyl 2.4L Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
12	6 Cyl 3.5L Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
11	6 Cyl 3.5L Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
10	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
09	6 Cyl 2.7L Eng. - w/ Rear AC; 30.00 Oz. R-134a; 6.62-7.43 Oz. PAG-46	409503	801651
09	6 Cyl 2.7L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
09	6 Cyl 3.3L Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
09	6 Cyl 3.3L Eng. - w/ Rear AC; 30.00 Oz. R-134a; 6.62-7.43 Oz. PAG-46	409503	801651
08	6 Cyl 2.7L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 7.10+/-0.33 Oz. PAG-46	409503	801651
08	6 Cyl 2.7L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 5.07+/-0.33 Oz. PAG-46	409503	801651
08	6 Cyl 3.3L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 7.10+/-0.33 Oz. PAG-46	409503	801651
08	6 Cyl 3.3L Eng. - w/o Rear AC; 22.00 Oz. R-134a; 5.07+/-0.33 Oz. PAG-46	409503	801651
07	All Eng. - w/ Rear AC; 7.50 Oz. PAG-46; 30.50 Oz. R-134a	409503	801651
07	All Eng. - w/o Rear AC; 5.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06 - 01	All Eng. - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
SANTA FE XL			
16 - 14	6 Cyl 3.3L Eng. - 21.60 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
SCOUPE			
95 - 94	All Eng. - 5.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
93	All Eng. - 30.00 Oz. R-12; 3.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 33.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SONATA			
18	4 Cyl 1.6L Eng. - 16.80 Oz. R-1234yf; 3.00 Oz. PAG Oil	409123	801234
18	4 Cyl 2.0L Eng. - 16.80 Oz. R-1234yf; 3.00 Oz. PAG Oil	409123	801234
18	4 Cyl 2.4L Eng. - 16.80 Oz. R-1234yf; 3.00 Oz. PAG Oil	409123	801234
17	4 Cyl 1.6L Eng. - 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	4 Cyl 2.0L Eng. - Gas, 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 3.00 Oz. PAG Oil	409503	801651
17 - 16	4 Cyl 2.0L Eng. - Electric/Gas, 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
16	4 Cyl 1.6L Eng. - 3.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
16	4 Cyl 2.0L Eng. - Gas, 3.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
16	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
15	4 Cyl 1.6L Eng. - 3.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
15	4 Cyl 2.0L Eng. - 3.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

HYUNDAI

Year	Description	Premium	Standard
SONATA			
15	4 Cyl 2.4L Eng. - Electric/Gas, 19.36 Oz. R-134a; 3.00 Oz. POE Oil	409610	--
15	4 Cyl 2.4L Eng. - Gas, 3.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
14	4 Cyl 2.0L Eng. - 19.36 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
14	4 Cyl 2.4L Eng. - Electric/Gas, 19.36 Oz. R-134a; 5.40 Oz. POE Oil	409610	--
14	4 Cyl 2.4L Eng. - Gas, 19.36 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 2.4L Eng. - Gas, 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.4L Eng. - Electric/Gas, 19.00 Oz. R-134a; 4.73-5.41 Oz. Hybrid Oil	409610	--
11	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - Gas, 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.3L Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
08	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
08	6 Cyl 3.3L Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
07	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
07	6 Cyl 3.3L Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
05	4 Cyl 2.4L Eng. - 21.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
05	6 Cyl 2.7L Eng. - 21.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
05 - 01	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
00 - 99	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
98 - 96	All Eng. - 27.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
95	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
94 - 89	All Eng. - 33.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
TIBURON			
08	4 Cyl 2.0L Eng. - 18.00+/-0.88 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
08	6 Cyl 2.7L Eng. - 18.00+/-0.88 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
07	All Eng. - 21.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	409503	801651
06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
05 - 03	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
98 - 97	4 Cyl 2.0L Eng. - 25.00 Oz. R-134a; 5.74-6.42 Oz. PAG-46	409503	801651
97	4 Cyl 1.8L Eng. - 25.00 Oz. R-134a; 5.74-6.42 Oz. PAG-46	409503	801651
TUCSON			
17 - 16	4 Cyl 1.6L Eng. - 20.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
17 - 16	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
17 - 16	All Eng. - Electric/Hydrogen, 20.00 Oz. R-134a; 4.50 Oz. POE Oil	409610	--
15 - 14	4 Cyl 2.0L Eng. - 4.50 Oz. PAG-46; 17.76 Oz. R-134a	409503	801651
15 - 14	4 Cyl 2.4L Eng. - 4.50 Oz. PAG-46; 17.76 Oz. R-134a	409503	801651
13 - 12	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	409503	801651
11	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	409503	801651
11 - 10	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	409503	801651
09	6 Cyl Eng. - 17.89+/-0.88 Oz. R-134a; 6.76-7.27 Oz. PAG-46	409503	801651
08	4 Cyl 2.0L Eng. - 17.98+/-0.88 Oz. R-134a; 4.05-4.56 Oz. PAG-46	409503	801651
08	6 Cyl 2.7L Eng. - 17.98+/-0.88 Oz. R-134a; 6.76-7.27 Oz. PAG-46	409503	801651
07	6 Cyl 2.7L Eng. - 18.00 Oz. R-134a; 6.76-7.27 Oz. PAG-46	409503	801651
07	All Eng. - 18.00 Oz. R-134a; 4.00-4.56 Oz. PAG-46	409503	801651
06 - 05	All Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
06 - 05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
VELOSTER			
17 - 14	4 Cyl 1.6L Eng. - Naturally Aspirated, 14.88 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
17 - 14	4 Cyl 1.6L Eng. - Turbocharged, 14.88 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
13	4 Cyl 1.6L Eng. - Naturally Aspirated, 15.69 Oz. R-134a; 3.71-4.39 Oz. PAG-46	409503	801651
12	4 Cyl 1.6L Eng. - Naturally Aspirated, 16.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

HYUNDAI

Year	Description	Premium	Standard
VERA CRUZ			
12	6 Cyl 3.8L Eng. - 4.70-5.40 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
11	6 Cyl 3.8L Eng. - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	409503	801651
11 - 09	6 Cyl 3.8L Eng. - w/ Rear AC; 31.74+/-0.88 Oz. R-134a; 7.10+/-0.34 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.8L Eng. - w/o Rear AC; 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	409503	801651
08	6 Cyl 3.8L Eng. - w/ Rear AC; 31.68+/-0.05 Oz. R-134a; 7.10+/-0.10 Oz. PAG-46	409503	801651
08	6 Cyl 3.8L Eng. - w/o Rear AC; 24.64+/-0.05 Oz. R-134a; 5.07+/-0.10 Oz. PAG-46	409503	801651
07	All Eng. - w/ Rear AC; 8.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
07	All Eng. - w/o Rear AC; 5.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
XG300			
01	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; 4.70-5.41 Oz. PAG-46	409503	801651
XG350			
05 - 02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

INFINITI

Year	Description	Premium	Standard
EX35			
12 - 11	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10 - 08	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
FX35			
12 - 11	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08 - 03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
FX45			
08 - 03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
FX50			
13 - 09	8 Cyl 5.0L Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
G20			
02 - 99	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93 - 91	All Eng. - 29.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
G25			
12 - 11	6 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
G35			
08 - 03	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
G37			
12 - 11	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08	All Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
I30			
01 - 98	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
97 - 96	All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
I35			
04 - 02	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
J30			
97 - 94	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
M30			
92 - 90	All Eng. - 6.75 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
M35 / M35h			
13 - 12	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.21 Oz. Hybrid Oil	409610	--
10 - 09	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
M37			
13 - 11	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

INFINITI

Year	Description	Premium	Standard
M45			
10 - 09	8 Cyl 4.5L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
04 - 03	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
M56			
13 - 11	8 Cyl 5.6L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
Q40			
15	6 Cyl 3.7L Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
Q45			
06 - 02	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
01	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
00 - 97	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
96	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 10.00 Oz. Mineral Oil; 42.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
Q50			
17 - 16	4 Cyl 2.0L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	6 Cyl 3.0L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	6 Cyl 3.5L Eng. - HYBRID, 17.60 Oz. R-134a; 5.07 Oz. Hybrid Oil	409610	--
15 - 14	6 Cyl 3.5L Eng. - HYBRID, 17.60 Oz. R-134a; 5.10 Oz. POE Oil	409610	--
15 - 14	6 Cyl 3.7L Eng. - 17.60 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
Q60			
18 - 17	4 Cyl 2.0L Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
18 - 17	6 Cyl 3.0L Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
Q70			
18 - 14	8 Cyl 5.6L Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
17 - 14	6 Cyl 3.5L Eng. - HYBRID, 19.36 Oz. R-134a; 5.10 Oz. POE Oil	409610	--
17 - 14	6 Cyl 3.7L Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
QX4			
03 - 02	All Eng. - 6.00 Oz. PAG-100; 16.00 Oz. R-134a	409502	801652
01 - 97	All Eng. - 6.75 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
QX56			
13 - 11	8 Cyl 5.6L Eng. - 7.10 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
10 - 09	8 Cyl 5.6L Eng. - 38.00 Oz. R-134a; 9.80 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 40.00 Oz. R-134a; 10.00 Oz. PAG-100	409502	801652
QX60			
18 - 14	4 Cyl 2.5L Eng. - HYBRID, 19.36 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
18 - 14	6 Cyl 3.5L Eng. - 19.36 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
QX80			
18 - 14	8 Cyl 5.6L Eng. - 7.00 Oz. PAG-46; 37.12 Oz. R-134a	409503	801651

INTERNATIONAL

Year	Description	Premium	Standard
PICKUP			
12	6 Cyl 7.6L Eng. - 40.00 Oz. R-134a; 10.00 Oz. PAG-100	409502	801652

ISUZU

Year	Description	Premium	Standard
AMIGO			
00 - 99	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
98	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 30.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
ASCENDER			
08 - 06	All Eng. - w/ Rear AC; 42.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

ISUZU

Year	Description	Premium	Standard
ASCENDER			
08 - 06	All Eng. - w/o Rear AC; 7.50 Oz. PAG-46; 30.50 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
05 - 03	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
AXIOM			
04 - 02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
HOMBRE			
00 - 99	All Eng. - w/ Denso Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ OE Harrison Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
98 - 97	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
98 - 97	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
I-280			
06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
I-290			
08 - 07	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
i-350			
06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
i-370			
08 - 07	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
I-MARK			
89	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
IMPULSE			
92	All Eng. - 5.00 Oz. Mineral Oil; 21.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - 6.75 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
88	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
OASIS			
99 - 96	All Eng. - w/ Rear AC; 30.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
99 - 96	All Eng. - w/o Rear AC; 23.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
Pickup / P up			
95 - 94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93	All Eng. - 6.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - 30.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 86	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 86	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RODEO			
04 - 02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01 - 94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93	All Eng. - 5.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - 6.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
RODEO SPORT			
03	4 Cyl 2.2L Eng. - 5.00 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
03	6 Cyl 3.2L Eng. - 5.00 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
02 - 01	4 Cyl 2.2L Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
02 - 01	6 Cyl 3.2L Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
STYLUS			
93 - 92	All Eng. - 5.00 Oz. Mineral Oil; 21.00 Oz. R-12	209500 ⁽¹⁾	--
91	All Eng. - 6.75 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
TROOPER			
02	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

ISUZU

Year	Description	Premium	Standard
TROOPER			
01	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ Denso Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ OE Harrison Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-150	409501	801653
97 - 94	All Eng. - 5.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
93 - 92	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 33.50 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

VEHICROSS

01	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ Denso Compressor; 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ OE Harrison Compressor; 23.00 Oz. R-134a; 5.00 Oz. PAG-150	409501	801653

JAGUAR

Year	Description	Premium	Standard
E-PACE			
18	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234

F-PACE

18	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
17	4 Cyl 2.0L Eng. - Diesel, 19.20 Oz. R-1234yf; 2.70 Oz. PAG Oil	409123	801234
17	6 Cyl 3.0L Eng. - 19.20 Oz. R-1234yf; 2.70 Oz. PAG Oil	409123	801234

F-TYPE

18	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
17	6 Cyl 3.0L Eng. - 24.64 Oz. R-1234yf; 4.02 Oz. PAG Oil	409123	801234
17	8 Cyl 5.0L Eng. - 24.64 Oz. R-1234yf; 4.02 Oz. PAG Oil	409123	801234
16 - 14	6 Cyl 3.0L Eng. - 2.70 Oz. PAG-46; 28.16 Oz. R-134a	409503	801651
16 - 14	8 Cyl 5.0L Eng. - 2.70 Oz. PAG-46; 28.16 Oz. R-134a	409503	801651

S-TYPE

08 - 03	All Eng. - 26.50 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
02 - 00	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652

SUPER V8

09 - 08	8 Cyl 4.2L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
08	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.90 Oz. PAG-46	409503	801651
07 - 05	8 Cyl 4.2L Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651

VANDEN PLAS

09 - 08	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.90 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.2L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
07 - 04	8 Cyl 4.2L Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
03 - 01	8 Cyl 4.0L Eng. - 24.00 Oz. R-134a; 5.44-6.76 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 24.00 Oz. R-134a; 5.44-6.76 Oz. PAG-46	409503	801651
97 - 95	6 Cyl 4.0L Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
94	6 Cyl 4.0L Eng. - 40.00 Oz. R-134a; 4.06-5.07 PAG-100	409502	801652
93	6 Cyl 4.0L Eng. - 40.00 Oz. R-134a; 4.06-5.07 PAG-100	209500 ⁽¹⁾	--
92 - 90	6 Cyl 4.0L Eng. - 4.60 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 90	6 Cyl 4.0L Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

X-TYPE

08	6 Cyl 3.0L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - 5.00 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
06	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

XF

17	4 Cyl 2.0L Eng. - Diesel, 19.20 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17	6 Cyl 3.0L Eng. - 19.20 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 14	6 Cyl 3.0L Eng. - 28.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

JAGUAR

Year	Description	Premium	Standard
XF			
15 - 14	4 Cyl 2.0L Eng. - 28.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	8 Cyl 5.0L Eng. - 28.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
13	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12	8 Cyl 5.0L Eng. - 27.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
10	8 Cyl 4.2L Eng. - 3.70 Oz. PAG-46; 27.00 Oz. R-134a	409503	801651
10	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 27.00 Oz. R-134a	409503	801651
09	8 Cyl 4.2L Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
XFR			
15 - 14	8 Cyl 5.0L Eng. - PAG-46; 28.16 Oz. R-134a	409503	801651
13	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12	8 Cyl 5.0L Eng. - 27.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
10	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 27.00 Oz. R-134a	409503	801651
XJ			
17 - 16	6 Cyl 5.0L Eng. - 24.64 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
17 - 16	8 Cyl 3.0L Eng. - 24.64 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
15	8 Cyl 3.0L Eng. - 2.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
14	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
14	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
13	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
13	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12	8 Cyl 5.0L Eng. - 25.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
XJ12			
96 - 95	All Eng. - 8.00 Oz. PAG-100; 38.50 Oz. R-134a	409502	801652
94	All Eng. - 44.00 Oz. R-134a; 6.50 Oz. PAG-100	409502	801652
XJ6			
97 - 95	All Eng. - 7.50 Oz. PAG-100; 38.50 Oz. R-134a	409502	801652
94 - 93	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
93	6 Cyl 4.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	6 Cyl 3.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 84	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
XJ8			
09 - 08	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.90 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.2L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
06	All Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
05 - 04	8 Cyl 4.2L Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	409503	801651
03	8 Cyl 4.0L Eng. - 24.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
02	All Eng. - 24.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
01	All Eng. - 24.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 6.75 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
XJR			
17	8 Cyl 3.0L Eng. - 28.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 14	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 28.16 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.90 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 4.2L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
05 - 04	8 Cyl 4.2L Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
03	8 Cyl 4.0L Eng. - 22.93-24.70 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
02 - 98	All Eng. - 22.93-24.70 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
97 - 95	6 Cyl 4.0L Eng. - 37.04-40.56 Oz. R-134a; 6.08-6.76 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

JAGUAR

Year	Description	Premium	Standard
XJRS			
93	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-150	409501	801653
XJS			
96	All Eng. - 39.68-41.28 Oz. R-134a; 4.06-5.07 Oz. PAG-100	409502	801652
95	All Eng. - 39.67-41.28 Oz. R-134a; 4.06-5.07 Oz. PAG-100	409502	801652
94	All Eng. - 39.68-41.28 Oz. R-134a; 4.06-5.07 Oz. PAG-100	409502	801652
93	All Eng. - 40.00 Oz. R-134a; 6.50 Oz. PAG-100	409502	801652
92 - 90	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil; w/ Delco Compressor	209500 ⁽¹⁾	--
89	All Eng. - 56.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 84	12 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
XK			
15	8 Cyl 5.0L Eng. - 2.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
14	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
13	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
12 - 10	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.2L Eng. - 26.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
XK8			
06	All Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
05 - 03	8 Cyl 4.2L Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
02	All Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
01 - 99	All Eng. - 23.00 Oz. R-134a; 5.14-6.76 Oz. PAG-46	409503	801651
98	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
97	All Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
XKR			
15 - 14	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
13 - 10	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
09	8 Cyl 4.2L Eng. - 26.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
08	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
07	8 Cyl 4.2L Eng. - 25.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
06	All Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
05 - 04	8 Cyl 4.2L Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
03	8 Cyl 4.2L Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
02 - 01	All Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
00	8 Cyl 4.0L Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	409503	801651
XKRS			
14	8 Cyl 5.0L Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651

JEEP

Year	Description	Premium	Standard
CHEROKEE			
18 - 14	4 Cyl 2.4L Eng. - 18.08 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 14	4 Cyl 2.4L Eng. - PAG-46; 19.04 Oz. R-134a	409503	801651
18 - 14	6 Cyl 3.2L Eng. - 18.08 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 14	6 Cyl 3.2L Eng. - PAG-46; 19.04 Oz. R-134a	409503	801651
01 - 00	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 97	All Eng. - 20.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
96 - 95	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
94	4 Cyl 2.5L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
94	6 Cyl 4.0L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
94 - 90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	4 Cyl 2.1L Eng. - 36.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 2.5L Eng. - 36.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
85	6 Cyl 2.8L Eng. - 36.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

JEEP

Year	Description	Premium	Standard
CHEROKEE			
84	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CJ SERIES			
86 - 85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 82	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
COMANCHE			
92 - 90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	6 Cyl 4.0L Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.5L Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	4 Cyl 2.1L Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	6 Cyl 2.8L Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
COMMANDER			
10	6 Cyl 3.7L Eng. - w/ Rear AC; 7.50 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
10	8 Cyl 4.7L Eng. - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.7L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 5.07 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 5.07 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.7L Eng. - w/ Rear AC; 7.50 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
09	8 Cyl 4.7L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 5.07 Oz. PAG-46	409503	801651
09	8 Cyl 4.7L Eng. - w/ Rear AC; 7.50 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.50 Oz. PAG-46	409503	801651
08 - 06	All Eng. - w/ Rear AC; 7.50 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
COMPASS			
17 - 14	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	409503	801651
17 - 14	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	409503	801651
13 - 11	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	409503	801651
13 - 11	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	409503	801651
10 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
GRAND CHEROKEE			
18	8 Cyl 6.2L Eng. - 20.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	8 Cyl 6.2L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
18 - 15	6 Cyl 3.0L Eng. - Diesel, 20.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 15	6 Cyl 3.0L Eng. - Diesel, 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
18 - 15	6 Cyl 3.6L Eng. - 20.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 15	8 Cyl 5.7L Eng. - 20.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 15	8 Cyl 6.4L Eng. - 20.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 14	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
18 - 14	8 Cyl 5.7L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
18 - 14	8 Cyl 6.4L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
14	6 Cyl 3.0L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
13 - 12	8 Cyl 6.4L Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 11	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.7L Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10	6 Cyl 3.0L Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
10 - 09	6 Cyl 3.7L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 4.7L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.7L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 6.1L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
01	All Eng. - 24.00 Oz. R-134a; 5.75 Oz. PAG-100	409502	801652
00	All Eng. - 24.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
99 - 98	All Eng. - 26.00 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
97 - 96	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

JEEP

Year	Description	Premium	Standard
GRAND CHEROKEE			
95	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100	409503	801651
94 - 93	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100	409502	801652
GRAND WAGONEER			
93	All Eng. - 28.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LIBERTY			
12 - 11	6 Cyl 3.7L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 08	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
07	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
06	All Eng. - 8.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
05	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
04 - 02	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
PATRIOT			
18 - 14	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	409503	801651
18 - 14	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	409503	801651
13 - 12	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	409503	801651
13 - 11	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	409503	801651
11 - 09	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
RENEGADE			
18 - 15	4 Cyl 1.4L Eng. - 4.40 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
18 - 15	4 Cyl 2.4L Eng. - 4.40 Oz. PAG-46; 16.00 Oz. R-1234yf	409123	801234
WAGONEER			
90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	6 Cyl 4.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 84	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83	6 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
WRANGLER			
17 - 16	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
15 - 14	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 18.08 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.6L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
11	6 Cyl 3.8L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06 - 05	4 Cyl 2.4L Eng. - 6.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
06 - 05	6 Cyl 4.0L Eng. - 6.10 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
04 - 01	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
00	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 97	All Eng. - 20.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
95 - 94	All Eng. - 32.00 Oz. R-134a; 4.50 Oz. PAG-100	409502	801652
93 - 90	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.5L Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	6 Cyl 4.2L Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
KIA			
Year	Description	Premium	Standard
AMANTI			
09	6 Cyl 3.8L Eng. - 23.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
BORREGO			
11	6 Cyl 3.8L Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

KIA

Year	Description	Premium	Standard
BORREGO			
09	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
CADENZA			
18 - 17	6 Cyl 3.3L Eng. - 19.20 Oz. R-1234yf; 3.70 Oz. PAG Oil	409123	801234
16 - 14	6 Cyl 3.3L Eng. - 3.70 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
FORTE			
18 - 17	4 Cyl 1.6L Eng. - FORTE5, 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
18 - 17	4 Cyl 2.0L Eng. - FORTE5, 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
18 - 14	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
16 - 14	4 Cyl 1.6L Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
16 - 14	4 Cyl 1.8L Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
13	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
13	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
12	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	409503	801651
10	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
10	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
K900			
18 - 15	6 Cyl 3.8L Eng. - 4.00 Oz. PAG-46; 23.20 Oz. R-134a	409503	801651
18 - 15	8 Cyl 5.0L Eng. - 4.00 Oz. PAG-46; 23.20 Oz. R-134a	409503	801651
MAGENTIS			
10	4 Cyl 2.4L Eng. - 17.60 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
NIRO			
18 - 17	4 Cyl 1.6L Eng. - Electric/Gas, 17.60 Oz. R-1234yf or R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
OPTIMA			
18	4 Cyl 1.6L Eng. - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	409123	801234
18	4 Cyl 2.0L Eng. - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	409123	801234
18	4 Cyl 2.4L Eng. - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	409123	801234
17	4 Cyl 2.0L Eng. - Electric/Gas, 19.36 Oz. R-134a; 3.70 Oz. POE Oil	409610	--
17	4 Cyl 2.4L Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
17 - 16	4 Cyl 1.6L Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
17 - 16	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
16	4 Cyl 2.4L Eng. - Electric/Gas, 19.36 Oz. R-1234yf; 4.40 Oz. POE Oil	409610	--
16	4 Cyl 2.4L Eng. - Gas, 3.70 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651
15	4 Cyl 2.4L Eng. - Electric/Gas, 19.36 Oz. R-134a; 3.70 Oz. POE Oil	409610	--
15 - 14	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
15 - 14	4 Cyl 2.4L Eng. - Gas, 3.70 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
14	4 Cyl 2.4L Eng. - Electric/Gas, 19.36 Oz. R-134a; 4.50 Oz. POE Oil	409610	--
13 - 11	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.4L Eng. - Electric/Gas, 19.00 Oz. R-134a; 4.20 Oz. POE Oil	409610	--
13 - 11	4 Cyl 2.4L Eng. - Gas, 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 2.7L Eng. - 18.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
05 - 01	All Eng. - 5.00 Oz. PAG-46; 22.00-24.00 Oz. R-134a	409503	801651
RIO / RIOS			
18 - 14	4 Cyl 1.6L Eng. - 14.88 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 12	4 Cyl 1.6L Eng. - 16.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
11	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
05	All Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
04 - 01	All Eng. - 5.00 Oz. PAG-46; 22.00-24.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

KIA

Year	Description	Premium	Standard
RONDO			
14	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 22.00 - 24.00 Oz. R-134a	409503	801651
12 - 11	4 Cyl 2.4L Eng. - 15.88+/-0.88 R-134a; 4.05+/-0.34 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 2.7L Eng. - 15.88+/-0.88 R-134a; 4.05+/-0.34 Oz. PAG-46	409503	801651
10 - 08	4 Cyl 2.4L Eng. - 4.10 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
10 - 08	6 Cyl 2.7L Eng. - 4.10 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
SEDONA			
18 - 15	6 Cyl 3.3L Eng. - 31.68 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
14	6 Cyl 3.5L Eng. - 31.68 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.5L Eng. - 32.00 Oz. R-134a; 4.10-7.40 Oz. PAG-46	409503	801651
10 - 08	6 Cyl 3.8L Eng. - 32.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 32.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
05 - 02	All Eng. - 7.00 Oz. PAG-46; 34.40-36.10 Oz. R-134a	409503	801651
SEPHIA			
01 - 98	All Eng. - 6.75 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
97 - 94	All Eng. - 24.00 Oz. R-134a	409503	801651
SORENTO			
13	4 Cyl 2.4L Eng. - w/ Rear AC; 7.10 Oz. PAG-46; 26.40+/-0.88 Oz. R-134a	409503	801651
13	4 Cyl 2.4L Eng. - w/o Rear AC; 21.10+/-0.88 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.5L Eng. - w/ Rear AC; 26.00 Oz. R-134a; 6.70-7.40 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.5L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.4L Eng. - w/ Rear AC; 26.00 Oz. R-134a; 6.70-7.40 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.4L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.3L Eng. - 21.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.8L Eng. - 21.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
07	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 03	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
SOUL			
18 - 16	4 Cyl 1.6L Eng. - Gas, 4.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
18 - 16	4 Cyl 2.0L Eng. - Gas, 4.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
18 - 15	All Eng. - Electric, SOUL EV, 19.36 Oz. R-134a; 6.00 Oz. POE Oil	409610	--
15 - 14	4 Cyl 1.6L Eng. - 4.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
13	4 Cyl 1.6L Eng. - 19.40+/-0.88 Oz. R-134a; 3.38+/-0.16-.33 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 1.6L Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	409503	801651
10	4 Cyl 1.6L Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
10	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
SPECTRA / SPECTRA5			
09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
08	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
07	All Eng. - 18.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
06 - 04	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01 - 00	All Eng. - 25.00 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
SPORTAGE			
18 - 17	4 Cyl 2.0L Eng. - 20.00 Oz. R-1234yf; 4.40 Oz. PAG Oil	409123	801234
18 - 17	4 Cyl 2.4L Eng. - 20.00 Oz. R-1234yf; 4.40 Oz. PAG Oil	409123	801234
16	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
16	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 17.60 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.4L Eng. - 17.60 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
13	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

KIA

Year	Description	Premium	Standard
SPORTAGE			
12 - 11	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	409503	801651
11	4 Cyl 2.0L Eng. - 17.90+/-0.88 Oz. R-134a; 4.05+/-0.33 Oz. PAG-46	409503	801651
10	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10-4.60 Oz. PAG-46	409503	801651
10	6 Cyl 2.7L Eng. - 18.00 Oz. R-134a; 6.80-7.30 Oz. PAG-46	409503	801651
09 - 06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
05	6 Cyl 2.7L Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
02	4 Cyl 2.0L Eng. - 25.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
01 - 95	All Eng. - 25.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

STINGER

18	4 Cyl 2.0L Eng. - 20.48 Oz. R-1234yf; 3.50 Oz. PAG Oil	409123	801234
18	6 Cyl 3.3L Eng. - 20.48 Oz. R-1234yf; 3.50 Oz. PAG Oil	409123	801234

LAND ROVER

Year	Description	Premium	Standard
------	-------------	---------	----------

Defender

97	All Eng. - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
94 - 93	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

Defender 110

93	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
----	---	-----------------------	----

Defender 90

97	All Eng. - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
94	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

Discovery

04 - 00	All Eng. - w/ Rear AC; 32.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
04 - 00	All Eng. - w/o Rear AC; 25.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
99 - 94	All Eng. - w/ Rear AC; 41.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
99 - 94	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651

Discovery Sport

17 - 16	4 Cyl 2.0L Eng. - 22.40 Oz. R-1234yf; 3.70 Oz. PAG Oil	409123	801234
15	4 Cyl 2.0L Eng. - 22.40 Oz. R-1234yf; 5.20 Oz. PAG Oil	409123	801234

FREELANDER

05 - 03	6 Cyl 2.5L Eng. - 15.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
02	All Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

LR2

15 - 14	4 Cyl 2.0L Eng. - 30.40 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 26.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.2L Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	409503	801651
10 - 08	6 Cyl 3.2L Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651

LR3

09	8 Cyl 4.4L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
08	All Eng. - w/ Rear AC; 28.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08 - 05	All Eng. - w/o Rear AC; 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
07	All Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
06 - 05	All Eng. - w/ Rear AC; 32.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651

LR4

16 - 15	6 Cyl 3.0L Eng. - 22.40 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
13 - 12	8 Cyl 5.0L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 3.72 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 5.0L Eng. - w/ Rear AC; 33.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.0L Eng. - w/ Rear AC; 32.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.0L Eng. - w/o Rear AC; 3.70 Oz. PAG-46; 23.00 Oz. R-134a	409503	801651

Range Rover

13	8 Cyl 5.0L Eng. - w/o Rear AC; 25.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
----	--	--------	--------

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LAND ROVER

Year	Description	Premium	Standard
Range Rover			
13 - 10	8 Cyl 5.0L Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
12	8 Cyl 5.0L Eng. - w/o Rear AC; 26.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	8 Cyl 5.0L Eng. - w/o Rear AC; 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
10	8 Cyl 5.0L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
09	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.00 Oz. PAG-46	409503	801651
09	8 Cyl 4.2L Eng. - w/ Rear AC; 31.00 Oz. R-134a; 5.70 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.00 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - w/ Rear AC; 31.00 Oz. R-134a; 5.70 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
05 - 02	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
01 - 00	All Eng. - 6.00 Oz. PAG-46; 49.00 Oz. R-134a	409503	801651
99	All Eng. - 6.00 Oz. PAG-46; 41.00 Oz. R-134a	409503	801651
98 - 97	All Eng. - 5.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96	All Eng. - New Body Style; 5.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
96	All Eng. - Old Body Style; 32.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
94	8 Cyl 3.9L Eng. - 42.00 Oz. R-134a; 5.06 Oz. PAG-46	409503	801651
94	8 Cyl 4.2L Eng. - 42.00 Oz. R-134a; 5.06 Oz. PAG-46	409503	801651
RANGE ROVER EVOQUE			
17	4 Cyl 2.0L Eng. - 22.40 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
16	4 Cyl 2.0L Eng. - 22.40 Oz. R-1234yf; 3.70 Oz. PAG Oil	409123	801234
15 - 14	4 Cyl 2.0L Eng. - 22.40 Oz. R-1234yf; 5.30 Oz. PAG Oil	409123	801234
13 - 12	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
Range Rover Sport			
15 - 14	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	8 Cyl 5.0L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	8 Cyl 5.0L Eng. - w/o Rear AC; 25.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
13 - 10	8 Cyl 5.0L Eng. - w/ Rear AC; 31.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
12	8 Cyl 5.0L Eng. - w/o Rear AC; 26.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	8 Cyl 5.0L Eng. - w/o Rear AC; 3.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
10	8 Cyl 5.0L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
09	8 Cyl 4.2L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.00 Oz. PAG-46	409503	801651
09	8 Cyl 4.2L Eng. - w/ Rear AC; 31.00 Oz. R-134a; 5.70 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - 24.00 Oz. R-134a; w/o Rear AC; 4.00 Oz. PAG-46	409503	801651
09	8 Cyl 4.4L Eng. - w/ Rear AC; 31.00 Oz. R-134a; 5.70 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
05	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651

LEXUS

Year	Description	Premium	Standard
CT200			
17	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15 - 11	4 Cyl 1.8L Eng. - 16.60 Oz. R-134a; 4.40-4.90 Oz. Hybrid Oil; See Under Hood Decal for Lubricant Capacity	409610	--
ES250			
91 - 90	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
ES300			
18 - 17	4 Cyl 2.5L Eng. - Electric/Gas, ES300h, 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
16 - 14	4 Cyl 2.5L Eng. - Electric/Gas, ES300h, 17.60 Oz. R-134a; 4.50 Oz. POE Oil	409610	--
13	All Eng. - 16.60-18.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
03 - 02	All Eng. - 19.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
01 - 98	All Eng. - 7.00 Oz. PAG-46; 26.50-30.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 7.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
ES330			
06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LEXUS

Year	Description	Premium	Standard
ES350			
18 - 17	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 14	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; 3.90 Oz. PAG-46	409503	801651
15	6 Cyl 3.5L Eng. - 16.60-18.70 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 10	6 Cyl 3.5L Eng. - 16.60-18.70 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	6 Cyl 3.5L Eng. - 16.60-18.70 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	409503	801651
08 - 07	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
GS200			
17	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GS300			
06	All Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
05 - 02	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
01 - 98	All Eng. - 7.00 Oz. PAG-46; 21.00-23.0 Oz. R-134a	409503	801651
97 - 93	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
GS350			
16 - 15	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14 - 13	6 Cyl 3.5L Eng. - 17.67+/-1.76 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11	6 Cyl 3.5L Eng. - 15.87+/-1.76 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 15.87+/-1.76 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	6 Cyl 3.5L Eng. - 15.87+/-1.76 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	409503	801651
08 - 07	6 Cyl 3.5L Eng. - 4.50 Oz. PAG-46; 15.87+/-1.76 Oz. R-134a	409503	801651
GS400			
00 - 98	All Eng. - 7.00 Oz. PAG-46; 21.00-23.0 Oz. R-134a	409503	801651
GS430			
07 - 06	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 01	All Eng. - 7.00 Oz. PAG-46; 21.00-23.0 Oz. R-134a	409503	801651
GS450			
18 - 16	6 Cyl 3.5L Eng. - Electric/Gas, GS450h, 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15	6 Cyl 3.5L Eng. - Electric/Gas, GS450h, 15.90-19.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
14	6 Cyl 3.5L Eng. - Electric/Gas, GS450h, 4.50 Oz. Hybrid Oil; 15.90-19.40 Oz. R-134a	409610	--
13	6 Cyl 3.5L Eng. - Electric/Gas, 15.87+/-1.76 Oz. R-134a; 4.10+/-0.51 Oz. Hybrid Oil	409610	--
11 - 07	6 Cyl 3.5L Eng. - Electric/Gas, 15.87+/-1.76 Oz. R-134a; 4.10+/-0.51 Oz. Hybrid Oil	409610	--
GS460			
11	8 Cyl 4.6L Eng. - 19.00 Oz. R-134a; 4.10-5.10 Oz. PAG-46	409503	801651
11	8 Cyl 4.6L Eng. - 1UR-FSE, 19.39+/-1.76 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	409503	801651
10 - 08	8 Cyl 4.6L Eng. - 1UR-FSE, 19.39+/-1.76 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GX460			
15 - 14	8 Cyl 4.6L Eng. - 19.30 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Rear Cooler	409503	801651
15 - 14	8 Cyl 4.6L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/ Rear Cooler	409503	801651
13	8 Cyl 4.6L Eng. - 30.00 Oz. R-134a; 5.10 Oz. PAG-46, w/ Cool Box	409503	801651
13 - 10	8 Cyl 4.6L Eng. - 29.00 Oz. R-134a; 5.08 Oz. PAG-46, w/o Cool Box	409503	801651
13 - 10	8 Cyl 4.6L Eng. - w/o Rear AC; 19.00 Oz. R-134a; 5.08 Oz. PAG-46	409503	801651
12 - 10	8 Cyl 4.6L Eng. - 30.00 Oz. R-134a; 5.08 Oz. PAG-46, w/ Cool Box	409503	801651
GX470			
09	8 Cyl 4.7L Eng. - w/ Rear AC; 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
09 - 07	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - w/ Rear AC; 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Rear AC; 4.50 Oz. PAG-46; 28.10-28.90 Oz. R-134a	409503	801651
06 - 03	All Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 22.40-24.00 Oz. R-134a	409503	801651
HS250			
12 - 10	4 Cyl 2.4L Eng. - HYBRID, 17.00 Oz. R-134a; 3.50 Oz. Hybrid Oil	409610	--
IS F			
14	8 Cyl 5.0L Eng. - 14.10-17.63 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	8 Cyl 5.0L Eng. - 16.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
13	8 Cyl 5.0L Eng. - 18.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 5.0L Eng. - 14.10-17.63 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LEXUS

Year	Description	Premium	Standard
IS200			
17 - 16	8 Cyl 2.0L Eng. - Electric/Gas, IS200t, 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
IS250			
15 - 14	6 Cyl 2.5L Eng. - 15.20 Oz. R-134a; 3.90 Oz. PAG-46	409503	801651
13	6 Cyl 2.5L Eng. - 15.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
12	6 Cyl 2.5L Eng. - 15.00 Oz. R-134a; 4.60-5.10 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 2.5L Eng. - 15.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09	6 Cyl 2.5L Eng. - 15.17+/-1.06 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 06	6 Cyl 2.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
IS300			
17 - 16	6 Cyl 3.5L Eng. - 15.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 03	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
02 - 01	All Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
IS350			
17 - 16	6 Cyl 3.5L Eng. - 15.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	6 Cyl 3.5L Eng. - 15.20 Oz. R-134a; 3.90 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.5L Eng. - 15.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09 - 06	6 Cyl 3.5L Eng. - 15.17+/-1.06 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
LC500			
18	8 Cyl 5.0L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
LS400			
00 - 98	All Eng. - 22.90-26.50 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
97 - 94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
93	8 Cyl 4.0L Eng. - 3.10-5.20 Oz. PAG-46; 33.60 Oz. R-134a	209500 ⁽¹⁾	--
93	All Eng. - 33.50 Oz. R-134a; 5.25 Oz. PAG-46	409503	801651
92 - 90	All Eng. - 7.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
LS430			
06 - 03	All Eng. - w/ Rear AC; 4.50 Oz. PAG-46; 30.00-33.50 Oz. R-134a	409503	801651
06 - 03	All Eng. - w/o Rear AC; 4.50 Oz. PAG-46; 22.00-24.00 Oz. R-134a	409503	801651
02 - 01	All Eng. - w/ Rear AC; 30.00-33.50 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
02 - 01	All Eng. - w/o Rear AC; 22.00-24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
LS460			
15 - 14	8 Cyl 4.6L Eng. - 24.70 Oz. R-134a; 5.30 Oz. PAG-46, w/ Rear Cooler	409503	801651
15 - 14	8 Cyl 4.6L Eng. - 24.70 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Rear Cooler	409503	801651
13	8 Cyl 4.6L Eng. - w/ Rear AC; 28.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
13 - 10	8 Cyl 4.6L Eng. - w/o Rear AC; 23.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
12	8 Cyl 4.6L Eng. - 28.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 4.6L Eng. - w/ Rear AC; 28.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09	8 Cyl 4.6L Eng. - w/o Rear AC; 23.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09 - 08	8 Cyl 4.6L Eng. - w/ Rear AC; 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	8 Cyl 4.6L Eng. - w/o Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07	8 Cyl 4.6L Eng. - 21.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Rear Cooler	409503	801651
07	8 Cyl 4.6L Eng. - 26.00 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
LS600			
16	8 Cyl 5.0L Eng. - Electric/Gas, LS600h, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
15 - 14	8 Cyl 5.0L Eng. - Electric/Gas, LS600h, 29.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15 - 14	8 Cyl 5.0L Eng. - HYBRID, 28.60-30.70 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
13	8 Cyl 5.0L Eng. - HYBRID, 17.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
12 - 10	8 Cyl 5.0L Eng. - HYBRID, 28.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
09	8 Cyl 5.0L Eng. - HYBRID, 31.70 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
08	8 Cyl 5.0L Eng. - HYBRID, w/ Rear AC; 26.50 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
08	8 Cyl 5.0L Eng. - HYBRID, w/o Rear AC; 22.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
LX450			
97 - 96	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
LX470			
07	8 Cyl 4.7L Eng. - 31.70+/-1.18. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LEXUS

Year	Description	Premium	Standard
LX470			
06 - 98	All Eng. - 35.30-38.80 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
LX570			
15 - 14	8 Cyl 5.7L Eng. - 32.50+/-1.10 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Cool Box	409503	801651
15 - 14	8 Cyl 5.7L Eng. - 34.20+/-1.10 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/ Cool Box	409503	801651
13	8 Cyl 5.7L Eng. - 34.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Cool Box	409503	801651
13	8 Cyl 5.7L Eng. - 35.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/ Cool Box	409503	801651
11 - 09	8 Cyl 5.7L Eng. - 32.50+/-1.10 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Cool Box	409503	801651
11 - 09	8 Cyl 5.7L Eng. - 34.20+/-1.10 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/ Cool Box	409503	801651
08	8 Cyl 5.7L Eng. - 32.50+/-1.10 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, Standard Air	409503	801651
08	8 Cyl 5.7L Eng. - 34.20+/-1.10 Oz. R-134a; See Under Hood Decal for Lubricant Capacity, w/o Cool Box	409503	801651
NX200			
17	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
NX300			
17 - 16	4 Cyl 2.5L Eng. - Electric/Gas, NX300h, 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15	4 Cyl 2.5L Eng. - Electric/Gas, NX300h, 18.40 Oz. R-134a; 4.50 Oz. POE Oil	409610	--
RC300			
18	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
RX300			
03	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 6.91 Oz. PAG-46	409503	801651
02	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.80 Oz. PAG-46	409503	801651
01 - 99	All Eng. - 21.00 Oz. R-134a; 4.80 Oz. PAG-46	409503	801651
RX330			
06 - 04	All Eng. - 4.00 Oz. PAG-46; 22.00-24.00 Oz. R-134a	409503	801651
RX350			
17 - 16	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; 3.90 Oz. PAG-46	409503	801651
15 - 10	6 Cyl 3.5L Eng. - 15.90-19.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	6 Cyl 3.5L Eng. - 19.40-22.90 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 07	All Eng. - 19.40-22.90 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
RX400h			
08 - 06	6 Cyl 3.3L Eng. - HYBRID, 19.40-22.90 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
RX450			
18	6 Cyl 3.5L Eng. - Electric/Gas, RX450h, 21.12 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15	6 Cyl 3.5L Eng. - 19.40-22.90 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
14	6 Cyl 3.5L Eng. - 19.40-22.80 Oz. R-134a; 4.10-4.60 Oz. Hybrid Oil	409610	--
14	6 Cyl 3.5L Eng. - Electric/Gas, RX450h, 21.12 Oz. R-134a; 4.60 Oz. POE Oil	409610	--
13	6 Cyl 3.5L Eng. - HYBRID, 23.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
12	6 Cyl 3.5L Eng. - HYBRID, 21.00 Oz. R-134a; 4.10-4.60 Oz. Hybrid Oil	409610	--
11 - 10	6 Cyl 3.5L Eng. - HYBRID, 21.00 Oz. R-134a; 3.53 Oz. Hybrid Oil	409610	--
SC300			
00 - 97	All Eng. - 7.00 Oz. PAG-46; 32.00-34.0 Oz. R-134a	409503	801651
96	All Eng. - 7.00 Oz. PAG-46; 31.80-35.30 Oz. R-134a	409503	801651
95 - 94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 7.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
SC400			
00 - 96	All Eng. - 33.50 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 7.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
SC430			
10	8 Cyl 4.3L Eng. - 4.00 Oz. PAG-46; 15.20 Oz. R-134a	409503	801651
09	8 Cyl 4.3L Eng. - 4.00 Oz. PAG-46; 21.16 Oz. R-134a	409503	801651
08	8 Cyl 4.3L Eng. - 4.50 Oz. PAG-46; 21.16 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LEXUS

Year	Description	Premium	Standard
SC430			
07	8 Cyl 4.3L Eng. - 21.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
06 - 02	All Eng. - 21.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651

LINCOLN

Year	Description	Premium	Standard
AVIATOR			
05 - 03	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
BLACKWOOD			
02	All Eng. - 9.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651

CONTINENTAL

17	6 Cyl 2.7L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	6 Cyl 3.0L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	6 Cyl 3.7L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
02 - 98	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
94	All Eng. - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	6 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 74	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

LS

06 - 00	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
---------	--	--------	--------

MARK LIGHT TRUCK

08 - 06	All Eng. - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
---------	--	--------	--------

MARK SERIES

98 - 95	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
94	All Eng. - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
93	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
92 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 80	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	6 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 77	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 72	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

MKC

18 - 17	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18 - 17	4 Cyl 2.3L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 15	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
16 - 15	4 Cyl 2.3L Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651

MKS

16 - 15	6 Cyl 3.5L Eng. - 26.08 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
16 - 15	6 Cyl 3.7L Eng. - 22.88 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
14	6 Cyl 3.5L Eng. - 7.00 Oz. PAG-46; 25.92 Oz. R-134a	409503	801651
14	6 Cyl 3.7L Eng. - 7.00 Oz. PAG-46; 22.88 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LINCOLN

Year	Description	Premium	Standard
MKS			
13 - 11	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.7L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
10 - 09	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
MKT			
18 - 17	6 Cyl 3.5L Eng. - 39.20 Oz. R-134a; 7.95 Oz. PAG-46	409503	801651
18 - 16	6 Cyl 3.7L Eng. - 36.96 Oz. R-134a; 8.90 Oz. PAG-46	409503	801651
17	4 Cyl 2.0L Eng. - 39.20 Oz. R-134a; 7.95 Oz. PAG-46	409503	801651
16	4 Cyl 2.0L Eng. - 38.88 Oz. R-134a; 7.95 Oz. PAG-46	409503	801651
16	6 Cyl 3.5L Eng. - 38.88 Oz. R-134a; 7.95 Oz. PAG-46	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 38.88 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.5L Eng. - 38.88 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.7L Eng. - 36.96 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - 39.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.5L Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.7L Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
MKX			
18 - 16	6 Cyl 2.7L Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
18 - 14	6 Cyl 3.7L Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
13 - 11	6 Cyl 3.7L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
10 - 07	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
MKZ			
18 - 17	4 Cyl 2.0L Eng. - Gas, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18 - 17	4 Cyl 2.0L Eng. - HYBRID, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
16	4 Cyl 2.0L Eng. - Gas, 20.00 Oz. R-134a; 4.70 Oz. PAG Oil	409503	801651
16	6 Cyl 3.7L Eng. - Gas, 24.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
16 - 13	4 Cyl 2.0L Eng. - HYBRID, 20.00 Oz. R-134a; 4.60 Oz. POE Oil	409610	--
15	4 Cyl 2.0L Eng. - Gas, 20.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
15	4 Cyl 3.7L Eng. - 24.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
14	6 Cyl 2.0L Eng. - Gas, 20.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
14 - 13	6 Cyl 3.7L Eng. - 24.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - Gas, 20.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
12	4 Cyl 2.5L Eng. - HYBRID, 22.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
12 - 11	6 Cyl 3.5L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
11	4 Cyl 2.5L Eng. - HYBRID, 22.00 Oz. R-134a; 6.00 Oz. Hybrid Oil	409610	--
10 - 07	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
NAVIGATOR			
17 - 16	6 Cyl 3.5L Eng. - L-Reserve, L-Select, 7.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
17 - 16	6 Cyl 3.5L Eng. - Select, Reserve, 40.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
15	6 Cyl 3.5L Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
14 - 12	8 Cyl 5.4L Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
11	8 Cyl 5.4L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
10 - 09	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
10 - 09	All Eng. - L, 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - w/o Rear AC; 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
06	All Eng. - w/ Rear AC; 14.00 Oz. PAG-46; 58.00 Oz. R-134a	409503	801651
06	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 03	All Eng. - w/ Rear AC; 14.00 Oz. PAG-46; 54.00 Oz. R-134a	409503	801651
05 - 03	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
02 - 98	All Eng. - w/ Rear AC; 14.00 Oz. PAG-46; 62.00 Oz. R-134a	409503	801651
02 - 98	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
TOWN CAR			
11 - 09	8 Cyl 4.6L Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 03	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
02 - 98	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
97	All Eng. - 7.50 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

LINCOLN

Year	Description	Premium	Standard
TOWN CAR			
96 - 95	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
94	All Eng. - w/ Rear AC; 40.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
94	All Eng. - w/o Rear AC; 40.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - 10.00 Oz. Mineral Oil; 48.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 82	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

ZEPHYR

06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
----	--	--------	--------

MAZDA

Year	Description	Premium	Standard
323			
94 - 93	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
92 - 89	All Eng. - 6.75 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - 30.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
626			
02 - 98	All Eng. - 8.00 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
97 - 94	All Eng. - 8.00 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
93 - 89	All Eng. - 6.00 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 37.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - w/ R12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 79	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
808			
77 - 74	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
929			
95 - 94	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
93 - 92	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 5.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
B1600			
78	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
B1800			
78	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
B2000			
86	All Eng. - B2000, 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 79	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
B2200			
93 - 92	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 90	All Eng. - B2200, 8.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
89 - 87	All Eng. - B2200, 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
B2300			
08 - 06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
97	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
B2500			
01 - 98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MAZDA

Year	Description	Premium	Standard
B2600			
93 - 92	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 87	All Eng. - B2600, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
B2900			
06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
05 - 97	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
B3000			
08 - 06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
05 - 97	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
B4000			
08 - 06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
05 - 97	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
BT-50			
08 - 07	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
COSMO			
78 - 76	2 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CX-3			
18 - 16	4 Cyl 2.0L Eng. - 15.68 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
CX-5			
17 - 14	4 Cyl 2.5L Eng. - 17.60 Oz. R-134a; 3.30 Oz. PAG-46	409503	801651
16 - 14	4 Cyl 2.0L Eng. - 17.60 Oz. R-134a; 3.30 Oz. PAG-46	409503	801651
CX-7			
12 - 10	4 Cyl 2.3L Eng. - 15.70-17.40 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 10	4 Cyl 2.5L Eng. - 15.70-17.40 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 07	4 Cyl 2.3L Eng. - 17.70 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CX-9			
18 - 16	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
15 - 14	6 Cyl 3.7L Eng. - 24.16 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
12 - 09	6 Cyl 3.7L Eng. - 5.50 Oz. PAG-46; 23.00-25.00 Oz. R-134a	409503	801651
08	6 Cyl 3.7L Eng. - 23.00-25.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
07	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
GLC			
85 - 83	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 79	4 Cyl 1.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 77	4 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MAZDA 2			
14	4 Cyl 1.5L Eng. - 16.48 Oz. R-134a; 5.75 Oz. PAG-100	409502	801652
13 - 11	4 Cyl 1.5L Eng. - 15.70-17.40 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
MAZDA 3			
18 - 17	4 Cyl 2.0L Eng. - 16.96 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18 - 17	4 Cyl 2.5L Eng. - 16.96 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 11	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.3L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10	4 Cyl 2.0L Eng. - 17.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	4 Cyl 2.3L Eng. - 17.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	4 Cyl 2.5L Eng. - 17.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 5.08 Oz. PAG-46	409503	801651
09	4 Cyl 2.3L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
MAZDA 5			
15 - 14	4 Cyl 2.5L Eng. - 17.60 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MAZDA

Year	Description	Premium	Standard
MAZDA 5			
13 - 12	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10	4 Cyl 2.3L Eng. - 18.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
09	4 Cyl 2.3L Eng. - 18.00 Oz. R-134a; 5.08 Oz. PAG-46	409503	801651
08	All Eng. - 18.00 Oz. R-134a; 5.08 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 18.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
MAZDA 6			
17 - 14	4 Cyl 2.5L Eng. - 4.00 Oz. PAG-46; 17.60-19.40 Oz. R-134a	409503	801651
13	4 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
13	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 2.5L Eng. - 4.10 Oz. PAG-46; 17.60-19.40 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.7L Eng. - 4.10 Oz. PAG-46; 17.60-19.40 Oz. R-134a	409503	801651
10 - 09	4 Cyl 2.5L Eng. - 17.60-19.40 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.7L Eng. - 17.60-19.40 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 16.80 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
04 - 03	All Eng. - 17.60 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
MIATA			
17 - 14	4 Cyl 2.0L Eng. - MX-5 Miata, 15.84 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; 4.39 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 16.00 Oz. R-134a; 4.39 Oz. PAG-46	409503	801651
05	All Eng. - 14.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
04	All Eng. - 14.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 5.00 Oz. PAG-100; 14.00 Oz. R-134a	409502	801652
00 - 99	All Eng. - 20.00 Oz. R-134a; 8.75 Oz. PAG-100	409502	801652
97 - 94	All Eng. - 21.00 Oz. R-134a; 8.75 Oz. PAG-100	409502	801652
93	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 90	All Eng. - 29.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
MILLENNIA			
02 - 95	All Eng. - 6.00 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
MPV			
06 - 03	All Eng. - w/ Rear AC; 28.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/o Rear AC; 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/ Rear AC; 30.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
02 - 00	All Eng. - w/o Rear AC; 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
98 - 97	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
98 - 97	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
96 - 95	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 8.75 Oz. PAG-46	409503	801651
96 - 95	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
94	All Eng. - w/ Rear AC; 8.75 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
94	All Eng. - w/o Rear AC; 8.75 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
93 - 91	All Eng. - w/ Rear AC; 6.50 Oz. Mineral Oil; 49.50 Oz. R-12	209500 ⁽¹⁾	--
93 - 91	All Eng. - w/o Rear AC; 43.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - w/ Rear AC; 49.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - w/o Rear AC; 42.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MX-3			
95 - 94	All Eng. - 26.50 Oz. R-134a; 6.25 Oz. PAG-100	409502	801652
93 - 92	All Eng. - 28.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
MX-5			
13 - 10	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 16.00 Oz. R-134a; 4.39 Oz. PAG-46	409503	801651
MX-6			
97	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-100	409502	801652
93 - 89	All Eng. - 6.00 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MAZDA

Year	Description	Premium	Standard
MX-6			
88	All Eng. - 37.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
NAVAJO			
94	All Eng. - w/ Rear AC; 28.00 Oz. R-134a; 10.00 Oz. PAG-100	409502	801652
94	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
93 - 91	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
PROTEGE			
03 - 02	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
03 - 01	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
01 - 99	4 Cyl 1.6L Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
00 - 95	4 Cyl 1.8L Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
98 - 95	4 Cyl 1.5L Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
94	4 Cyl 1.8L Eng. - 28.00 Oz. R-12; 3.88-4.56 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 90	4 Cyl 1.8L Eng. - 28.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
PROTEGE5			
03	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
02	All Eng. - 5.00 Oz. PAG-46; 18.50 Oz. R-134a	409503	801651
Rotary Pickup			
77 - 76	2 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RX-2			
74 - 72	2 Cyl 1.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RX-3			
78 - 72	2 Cyl 1.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RX-4			
78 - 74	2 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RX-7			
95 - 94	All Eng. - 19.00 Oz. R-134a; 5.75 Oz. PAG-100	409502	801652
93	All Eng. - 5.00 Oz. Mineral Oil; 22.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - 29.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Denso Compressor; 29.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	2 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 79	2 Cyl 1.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
RX-8			
11 - 09	2 Cyl 1.3L Eng. - 15.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 04	All Eng. - 7.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
TRIBUTE			
11	4 Cyl 2.5L Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
11 - 09	6 Cyl 3.0L Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
10	4 Cyl 2.5L Eng. - Electric/Gas, 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
09	4 Cyl 2.5L Eng. - Electric/Gas, 38.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	409610	--
09	4 Cyl 2.5L Eng. - Gas, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
08	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
06 - 01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

MERCEDES-BENZ

Year	Description	Premium	Standard
190 SERIES			
93 - 89	All Eng. - 190E, 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 190D, 7.50 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	6 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 86	5 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 84	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
220 SERIES			
73 - 68	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
230 SERIES			
78 - 74	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68 - 65	6 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
240 SERIES			
83 - 76	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
260 SERIES			
89 - 87	6 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
280 SERIES			
81 - 77	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
300 SERIES			
18	All Eng. - 300, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93	All Eng. - 300CE, 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 300CE, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300D, 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 300D, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300E, 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 300E, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300SD, w/ R12; w/o Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300SE, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300SE, w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93	All Eng. - 300SL, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300SL, w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93	All Eng. - 300TE, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 300TE, w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93 - 92	All Eng. - 300SD, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
93 - 92	All Eng. - 300SD, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
92	6 Cyl 3.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92	6 Cyl 3.0L Eng. - w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
92 - 91	All Eng. - 300D, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 90	All Eng. - 300SL, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 89	All Eng. - 300CE, 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 300E, 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 300TE, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 89	All Eng. - 300SE, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 300SEL, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 300D, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 86	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 77	5 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
350 SERIES			
91	All Eng. - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 350SDL, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
380 SERIES			
85 - 81	8 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
400 SERIES			
93	All Eng. - 400E, 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 400SEL, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
93	All Eng. - 400SEL, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
92	All Eng. - 400E, w/ Rear AC; 44.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 400E, w/o Rear AC; 39.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 400SE, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
92	All Eng. - 400SE, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
420 SERIES			
91 - 89	All Eng. - 420SEL, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
450 SERIES			
80 - 73	8 Cyl 4.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
500 SERIES			
93	All Eng. - 500E, 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 500SEC, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
93	All Eng. - 500SEC, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 500SL, w/ R134a; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93 - 92	All Eng. - 500SEL, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
93 - 92	All Eng. - 500SEL, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
92	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
92	All Eng. - 500E, w/ Rear AC; 44.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 500E, w/o Rear AC; 39.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 500SL, w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 90	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
560 SERIES			
91 - 89	All Eng. - 560SEC, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 560SEL, 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 560SL, See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 86	8 Cyl 5.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
600 SERIES			
93	All Eng. - 600SEC, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
93	All Eng. - 600SEC, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - 600SL, w/o Rear AC; 33.50 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
93 - 92	All Eng. - 600SEL, w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
93 - 92	All Eng. - 600SEL, w/o Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
B200			
11	4 Cyl 2.0L Eng. - 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
B250			
16	4 Cyl 2.0L Eng. - B250, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
B250e			
16	All Eng. - Electric, B250e, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409123	801234
C160			
04	4 Cyl 1.8L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
C180			
14 - 12	4 Cyl 1.8L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
05 - 04	4 Cyl 1.8L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C200			
14 - 12	4 Cyl 1.8L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
05 - 04	4 Cyl 1.8L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C220 / C220d			
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C230			
11	6 Cyl 2.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	6 Cyl 2.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 2.5L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
05	6 Cyl 2.6L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
05 - 04	4 Cyl 1.8L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 95	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
C240			
06	6 Cyl 2.5L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
05 - 04	6 Cyl 2.6L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 95	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C250 / C250d			
14 - 12	4 Cyl 1.8L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 2.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	6 Cyl 2.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
C270			
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C280			
12 - 08	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.0L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
06	6 Cyl 3.5L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
00 - 94	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C300 / C300d			
17	4 Cyl 2.0L Eng. - Gas, C300, 20.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	4 Cyl 2.0L Eng. - C300, 2.80 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
14 - 13	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 08	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
C32 AMG			
04	6 Cyl 3.2L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
C320			
05 - 04	6 Cyl 3.2L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C350			
14 - 08	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.5L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
C350e			
17 - 16	4 Cyl 2.0L Eng. - Electric/Gas, C350e, 24.00 Oz. R-134a; 4.20 Oz. POE Oil	409610	--
C36 AMG			
97 - 95	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C43 AMG			
17	6 Cyl 3.0L Eng. - C43 AMG, 20.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
00 - 98	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
C450 AMG			
16	6 Cyl 3.0L Eng. - C450 AMG, 21.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
C55 AMG			
06	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05	8 Cyl 5.5L Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	409503	801651
C63 AMG / C63 AMG S			
17	8 Cyl 4.0L Eng. - C63 AMG, 20.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	8 Cyl 4.0L Eng. - C63 S AMG, 20.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	8 Cyl 4.0L Eng. - C63 AMG, 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
16	8 Cyl 4.0L Eng. - C63 S AMG, 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
14 - 12	8 Cyl 6.3L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13 - 10	8 Cyl 6.2L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 6.3L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	8 Cyl 6.3L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
09	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
C63 AMG / C63 AMG S			
08	8 Cyl 6.3L Eng. - 27.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
CL500			
14	8 Cyl 4.6L Eng. - 3.70 Oz. PAG-46; 37.60 Oz. R-134a	409503	801651
13	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12 - 11	8 Cyl 4.6L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	12 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
10	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 5.5L Eng. - 27.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
06	8 Cyl 5.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
05 - 01	All Eng. - w/ Rear AC; 33.50 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ Rear AC; 7.00 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 98	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
CL55 AMG			
06	8 Cyl 5.5L Eng. - 26.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
05 - 01	All Eng. - w/ Rear AC; 33.50 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00	All Eng. - w/ Rear AC; 7.00 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
CL550			
14	8 Cyl 4.6L Eng. - 3.70 Oz. PAG-46; 37.60 Oz. R-134a	409503	801651
13	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 4.6L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 5.5L Eng. - 27.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
06	8 Cyl 5.5L Eng. - 26.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CL600			
14	12 Cyl 5.5L Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13 - 10	12 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
09 - 08	12 Cyl 5.5L Eng. - 27.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07	12 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
06	12 Cyl 5.5L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 01	All Eng. - w/ Rear AC; 33.50 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ Rear AC; 7.00 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 98	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
CL63 AMG			
14	8 Cyl 5.5L Eng. - 4.00 Oz. PAG-46; 37.60 Oz. R-134a	409503	801651
13	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12 - 11	12 Cyl 6.0L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	12 Cyl 6.0L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
10	8 Cyl 6.3L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CL65 AMG			
14	12 Cyl 6.0L Eng. - 3.70 Oz. PAG-46; 37.60 Oz. R-134a	409503	801651
13 - 11	12 Cyl 6.0L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
10	12 Cyl 6.0L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
09 - 08	12 Cyl 6.0L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
06	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 03	All Eng. - w/ Rear AC; 33.50 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
CLA250			
17 - 16	4 Cyl 2.0L Eng. - CLA250, 23.52 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
CLA45 AMG			
17 - 16	4 Cyl 2.0L Eng. - CLA45 AMG, 23.52 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
CLK200			
04 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CLK230			
02 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CLK240			
04 - 02	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
CLK270			
03	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
CLK320			
05	6 Cyl 3.2L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
04 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CLK350			
09 - 08	6 Cyl 3.5L Eng. - 27.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07 - 06	6 Cyl 3.5L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
CLK430			
03 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CLK500			
09 - 07	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
06	8 Cyl 5.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
05	8 Cyl 5.0L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
04 - 02	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
CLK55 AMG			
06 - 05	8 Cyl 5.5L Eng. - 26.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
04 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CLK550			
09 - 07	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CLK63 AMG			
09 - 07	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CLS350			
12	8 Cyl 4.6L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CLS400			
17 - 16	6 Cyl 3.0L Eng. - CLS400, 21.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
CLS500			
14	8 Cyl 4.6L Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
13	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	8 Cyl 4.7L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 4.6L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 06	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
06	8 Cyl 5.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CLS55 AMG			
10	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 06	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CLS550			
17 - 16	8 Cyl 4.6L Eng. - CLS550, 21.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
CLS550			
14	8 Cyl 4.6L Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
13	8 Cyl 4.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	8 Cyl 4.7L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 4.6L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 07	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
CLS63 AMG / CLS63 AMG S			
17 - 16	8 Cyl 5.5L Eng. - CLS63 AMG, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	8 Cyl 5.5L Eng. - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
13 - 12	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 6.3L Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 07	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
E200			
13	4 Cyl 1.8L Eng. - 4.00 Oz. PAG-46; 22.40 Oz. R-134a	409503	801651
05 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
E220 / E220d			
05 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E230			
97 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E240			
05 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E250			
16	4 Cyl 2.1L Eng. - Diesel, E250, 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
13	4 Cyl 1.8L Eng. - 4.00 Oz. PAG-46; 22.40 Oz. R-134a	409503	801651
12	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
E270			
05 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E280			
11	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10	6 Cyl 3.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
E290			
99 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E300 / E300 Turbo Diesel			
17	4 Cyl 2.0L Eng. - E300, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.5L Eng. - 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
E300 / E300 Turbo Diesel			
11	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10	6 Cyl 3.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
99 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
E320 / E320 CDI			
11	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10	6 Cyl 3.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	6 Cyl 3.2L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
E350 / E350d			
16	6 Cyl 3.5L Eng. - E350, 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
14	6 Cyl 3.5L Eng. - 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 12	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
11 - 10	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	6 Cyl 3.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 04	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
E400			
17	6 Cyl 3.0L Eng. - E400, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - E400, 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
14	6 Cyl 3.5L Eng. - 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
E420			
99 - 96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
E43 AMG			
17	6 Cyl 3.0L Eng. - E43 AMG, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
E430			
03 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E50 AMG			
97	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E500			
14	8 Cyl 4.6L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
08 - 06	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06	8 Cyl 5.0L Eng. - 34.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 02	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
97	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
E55 AMG			
06	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
E550			
17	8 Cyl 4.6L Eng. - E550, 21.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	8 Cyl 4.6L Eng. - E550, 4.00 Oz. PAG-46; 21.60 Oz. R-134a	409503	801651
14	8 Cyl 4.6L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.6L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
08 - 07	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
E63 AMG / E63 AMG S			
13 - 12	8 Cyl 5.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10	8 Cyl 6.2L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10 - 09	8 Cyl 6.3L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
G500			
14	8 Cyl 5.5L Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13	12 Cyl 6.0L Eng. - 36.80 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13	8 Cyl 5.5L Eng. - 31.00 Oz. R-134a; 6.08 Oz. PAG-46, From 1/1/13	409503	801651
13	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 6.08 Oz. PAG-46, To 12/31/13	409503	801651
12	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
11	8 Cyl 5.4L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
10	8 Cyl 5.4L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
10	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
08	8 Cyl 5.0L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
07	8 Cyl 5.0L Eng. - 37.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06 - 02	8 Cyl 5.0L Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
G55 AMG			
14	8 Cyl 5.5L Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13	8 Cyl 5.5L Eng. - 31.00 Oz. R-134a; 6.08 Oz. PAG-46, From 1/1/13	409503	801651
13	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 6.08 Oz. PAG-46, To 12/31/13	409503	801651
12	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
11	8 Cyl 5.4L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
10	8 Cyl 5.4L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
10	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
08	8 Cyl 5.0L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
07	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06 - 03	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
G550 / G550 4x4			
17 - 16	8 Cyl 4.0L Eng. - G550, 36.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	8 Cyl 5.5L Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13	8 Cyl 5.5L Eng. - 31.00 Oz. R-134a; 6.08 Oz. PAG-46, From 1/1/13	409503	801651
13	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 6.08 Oz. PAG-46, To 12/31/13	409503	801651
12	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
11	8 Cyl 5.4L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
10	8 Cyl 5.4L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
10	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
09	8 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
G63 AMG			
17	8 Cyl 5.5L Eng. - G63 AMG, 36.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	8 Cyl 5.5L Eng. - G63 AMG, 4.70 Oz. PAG-46; 36.80 Oz. R-134a	409503	801651
14	8 Cyl 5.5L Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
13	8 Cyl 5.5L Eng. - 31.00 Oz. R-134a; 6.08 Oz. PAG-46, From 1/1/13	409503	801651
13	8 Cyl 5.5L Eng. - 35.00 Oz. R-134a; 6.08 Oz. PAG-46, To 12/31/13	409503	801651
G65 AMG			
17 - 16	8 Cyl 6.0L Eng. - G65 AMG, 36.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	12 Cyl 6.0L Eng. - 36.80 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
GL320 / GL320 BlueTec / GL320 CDI			
11	6 Cyl 3.0L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07	6 Cyl 3.0L Eng. - 43.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GL350			
14	6 Cyl 3.0L Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
11	6 Cyl 3.0L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
GL450			
13	8 Cyl 4.6L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13	8 Cyl 4.7L Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 4.6L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 4.6L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07	8 Cyl 4.6L Eng. - 43.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GL500			
13	8 Cyl 4.6L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13	8 Cyl 4.7L Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 5.5L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
GL550			
13	8 Cyl 4.6L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13	8 Cyl 4.7L Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 5.5L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
12 - 08	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
GL63 AMG			
13	8 Cyl 5.5L Eng. - w/o Rear AC; 37.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
GLA250			
17 - 16	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLA45 AMG			
17 - 15	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLC300 / GLC300e			
17 - 16	4 Cyl 2.0L Eng. - GLC300, 22.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLE300d			
16	4 Cyl 2.1L Eng. - Diesel, GLE300d, 37.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLE350			
17 - 16	6 Cyl 3.5L Eng. - GLE350, 37.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLE400			
16	6 Cyl 3.0L Eng. - GLE400, 37.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLE450 / GLE450 AMG			
16	6 Cyl 3.0L Eng. - GLE450 AMG, 37.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLE63 AMG / GLE63 AMG S			
16	8 Cyl 5.5L Eng. - GLE63 AMG, 37.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	8 Cyl 5.5L Eng. - GLE63 S AMG, 37.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
GLK300			
14	6 Cyl 3.5L Eng. - 43.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 11	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
GLK350			
14	6 Cyl 3.5L Eng. - 43.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 10	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
Metris			
17 - 16	4 Cyl 2.0L Eng. - 21.28 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
ML230			
00 - 98	All Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
ML270			
04	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
ML300			
11	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
ML320 / ML320 Bluetec			
11 - 08	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
03 - 01	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 98	All Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
ML350			
14	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.0L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.5L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
12	8 Cyl 4.7L Eng. - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
11 - 10	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 5.5L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
11 - 08	6 Cyl 3.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07 - 06	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 02	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
ML430			
02 - 01	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 98	All Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
ML450			
11 - 10	6 Cyl 3.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
ML500			
13 - 12	8 Cyl 4.6L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 4.6L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.7L Eng. - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
12	8 Cyl 5.5L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
12	8 Cyl 5.5L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
11 - 08	8 Cyl 5.5L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07 - 06	8 Cyl 5.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
05 - 01	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
ML55 AMG			
05 - 01	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
00 - 99	All Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
ML550			
13 - 12	8 Cyl 4.6L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 4.6L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
13 - 12	8 Cyl 4.7L Eng. - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
11 - 08	8 Cyl 5.5L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
ML63 AMG			
13 - 12	8 Cyl 5.5L Eng. - w/ Rear AC; 46.00 Oz. R-134a; 5.40 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 5.5L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
11 - 08	8 Cyl 6.3L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	8 Cyl 6.3L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
ML63 AMG			
10	8 Cyl 6.2L Eng. - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07	8 Cyl 6.3L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
R280			
12 - 08	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
11 - 08	6 Cyl 3.0L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
07	6 Cyl 3.0L Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	409503	801651
R300			
12 - 09	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
11 - 09	6 Cyl 3.0L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
R320 / R320 Bluetec / R320 CDI			
11 - 08	6 Cyl 3.0L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
07	6 Cyl 3.0L Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	409503	801651
R350			
13	6 Cyl 3.0L Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
12 - 08	6 Cyl 3.5L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
12 - 08	6 Cyl 3.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
11 - 10	6 Cyl 3.0L Eng. - w/ Rear AC; 43.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.5L Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	409503	801651
R500			
07 - 06	8 Cyl 5.0L Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	409503	801651
R63 AMG			
07	8 Cyl 6.3L Eng. - 43.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
S280			
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S300			
13	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
97	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
97	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S320			
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
04 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
00 - 94	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S350 / S350d			
13	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
13 - 12	12 Cyl 5.5L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 3.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12	12 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.5L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
12 - 11	6 Cyl 3.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - w/o Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
06	6 Cyl 3.7L Eng. - 37.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 02	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S400 / S400d / S400L			
13	6 Cyl 3.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
S400 / S400d / S400L			
13 - 11	6 Cyl 3.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.5L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
12 - 11	6 Cyl 3.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
10	6 Cyl 3.5L Eng. - w/o Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
00	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S420			
99 - 94	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
99 - 94	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S430			
06	8 Cyl 4.3L Eng. - 37.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
00 - 99	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 99	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S450			
11 - 10	8 Cyl 4.6L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.6L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
S500 / S500L			
13	8 Cyl 4.6L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	8 Cyl 4.6L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
13	8 Cyl 4.6L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
13	8 Cyl 5.5L Eng. - 42.00 Oz. R-134a; 3.72 Oz. PAG-46, w/ 7SEU17C	409503	801651
13	8 Cyl 5.5L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
12	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
11	12 Cyl 5.5L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
11	12 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 4.6L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 10	12 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
07 - 06	8 Cyl 5.5L Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
06	8 Cyl 5.0L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S55 AMG			
06	8 Cyl 5.5L Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
00	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S550 / S550 Maybach			
13 - 12	8 Cyl 4.6L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 12	8 Cyl 4.6L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
13 - 12	8 Cyl 4.6L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
S550 / S550 Maybach			
11	8 Cyl 4.6L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11 - 08	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
07	8 Cyl 5.5L Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
S550e			
17 - 16	6 Cyl 3.0L Eng. - Electric/Gas, S550e, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
S600 / S600 Maybach			
17 - 15	12 Cyl 6.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
13 - 12	12 Cyl 5.5L Eng. - w/o Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
12 - 11	12 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	12 Cyl 5.5L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
11 - 09	12 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
09 - 08	12 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
07	12 Cyl 5.5L Eng. - 3.72-5.41 Oz. PAG-46; 41.00 Oz. R-134a	409503	801651
06	12 Cyl 5.5L Eng. - 37.00 Oz. R-134a; 5.41 Oz. PAG-46	409503	801651
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 01	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
00 - 94	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S600L			
95	All Eng. - w/ Rear AC; 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
95	All Eng. - w/o Rear AC; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
S63 AMG / S63L AMG			
14	8 Cyl 5.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
13	8 Cyl 5.5L Eng. - 42.00 Oz. R-134a; 3.72 Oz. PAG-46, w/ 7SEU17C	409503	801651
13	8 Cyl 5.5L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
13	8 Cyl 6.2L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
12	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
12	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
12	8 Cyl 6.2L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 10	12 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
12 - 10	12 Cyl 6.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11	8 Cyl 5.5L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	8 Cyl 5.5L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
11 - 10	8 Cyl 6.2L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
10	8 Cyl 6.3L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10 - 08	8 Cyl 6.3L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
10 - 08	8 Cyl 6.3L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
S65 AMG / S65L AMG			
13	12 Cyl 6.0L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 09	12 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
13 - 08	12 Cyl 6.0L Eng. - w/o Rear AC; 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
07	12 Cyl 6.0L Eng. - 3.72-5.41 Oz. PAG-46; 41.00 Oz. R-134a	409503	801651
06	12 Cyl 6.0L Eng. - 3.72-5.41 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
05 - 04	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
04	All Eng. - w/ Rear AC; 6.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
SL320			
00 - 94	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SL350			
05 - 03	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
SL500			
14	8 Cyl 4.6L Eng. - 22.08 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
SL500			
13	8 Cyl 4.6L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13	8 Cyl 4.7L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
11	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
11 - 10	12 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
09	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
08	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
07 - 06	8 Cyl 5.5L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
06	8 Cyl 5.0L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
05 - 01	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 94	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SL55 AMG			
11	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
11	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
09	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
09	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
08	12 Cyl 5.5L Eng. - 33.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
08	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
08	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
07 - 06	8 Cyl 5.5L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
05 - 01	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SL550			
17 - 16	8 Cyl 4.6L Eng. - SL550, 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	8 Cyl 4.6L Eng. - 22.08 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	8 Cyl 4.6L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
13	8 Cyl 4.7L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
11	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
09	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
09	8 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
08	8 Cyl 5.5L Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
07	8 Cyl 5.5L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
SL60 AMG			
99 - 97	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SL600			
12	12 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	12 Cyl 5.5L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	12 Cyl 5.5L Eng. - 33.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07 - 06	12 Cyl 5.5L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
05 - 01	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00 - 94	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SL63 AMG			
17 - 16	8 Cyl 5.5L Eng. - SL63 AMG, 22.08 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	8 Cyl 5.5L Eng. - 20.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	8 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 6.2L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 11	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
12 - 09	8 Cyl 6.3L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
11	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
SL65 AMG			
19 - 15	12 Cyl 6.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
SL65 AMG			
14	12 Cyl 6.0L Eng. - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	409503	801651
13	12 Cyl 6.0L Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
13	12 Cyl 6.0L Eng. - w/ Armored Body; w/ Rear AC; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	12 Cyl 6.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 3.72 Oz. PAG-46	409503	801651
11	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
08	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46, w/ 7SEU16C	409503	801651
08	12 Cyl 6.0L Eng. - 33.00 Oz. R-134a; 4.74 Oz. PAG-46, w/ 7SEU17C	409503	801651
07 - 06	12 Cyl 6.0L Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
SLK200			
14	4 Cyl 1.8L Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.8L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 23.20 Oz. R-134a	409503	801651
04 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SLK230			
04 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SLK250			
14	4 Cyl 1.8L Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
13 - 12	4 Cyl 1.8L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
SLK280			
11 - 08	6 Cyl 3.0L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 08	6 Cyl 3.0L Eng. - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07 - 06	6 Cyl 3.0L Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
SLK300			
11 - 09	6 Cyl 3.0L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 09	6 Cyl 3.0L Eng. - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
SLK32 AMG			
04 - 02	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
SLK320			
04 - 01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
SLK350			
14	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
13	6 Cyl 3.5L Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 3.5L Eng. - 4.00 Oz. PAG-46; 23.20 Oz. R-134a	409503	801651
09 - 08	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.5L Eng. - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
06 - 05	6 Cyl 3.5L Eng. - 24.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
04	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
SLK55 AMG			
14	8 Cyl 5.5L Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	409503	801651
13 - 12	8 Cyl 5.5L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11 - 10	8 Cyl 5.4L Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
10 - 08	8 Cyl 5.5L Eng. - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
07	8 Cyl 5.5L Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	409503	801651
06 - 05	8 Cyl 5.5L Eng. - 24.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
04	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
SLS AMG			
13	8 Cyl 6.2L Eng. - 28.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12	8 Cyl 6.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
11	8 Cyl 6.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCEDES-BENZ

Year	Description	Premium	Standard
Sprinter			
14	4 Cyl 2.1L Eng. - Diesel, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
Sprinter 2500			
17 - 16	6 Cyl 3.0L Eng. - Diesel, Sprinter 2500, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
17 - 15	4 Cyl 2.1L Eng. - Diesel, Sprinter 2500, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
14	4 Cyl 2.1L Eng. - Diesel, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - Diesel, 35.00 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 6.40 Oz. PAG-46, Code HH9	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 35.00 Oz. R-134a; 6.40 Oz. PAG-46, Code H08	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 42.00 Oz. R-134a; 6.40 Oz. PAG-46, w/ Option Code HH7	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 5.40 Oz. PAG-46; 63.00 Oz. R-134a, w/ Option Code HK4	409503	801651
Sprinter 3500			
17 - 16	6 Cyl 3.0L Eng. - Diesel, Sprinter 3500, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
17 - 15	4 Cyl 2.1L Eng. - Diesel, Sprinter 3500, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
14	4 Cyl 2.1L Eng. - Diesel, See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - Diesel, 35.00 Oz. R-134a; 6.40 Oz. PAG-46	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 6.40 Oz. PAG-46, Code HH9	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 35.00 Oz. R-134a; 6.40 Oz. PAG-46, Code H08	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 42.00 Oz. R-134a; 6.40 Oz. PAG-46, w/ Option Code HH7	409503	801651
13 - 10	6 Cyl 3.0L Eng. - 5.40 Oz. PAG-46; 63.00 Oz. R-134a, w/ Option Code HK4	409503	801651

MERCURY

Year	Description	Premium	Standard
CAPRI			
94	All Eng. - 10.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
93 - 91	All Eng. - 10.00 Oz. Mineral Oil; 25.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 83	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 82	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
COLONY PARK			
91 - 85	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
COMET			
77 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
COUGAR			
02 - 00	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
99	All Eng. - 26.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
97 - 95	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 40.00 Oz. R-12, To 1/86	209500 ⁽¹⁾	--
86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil, From 1/86	209500 ⁽¹⁾	--
85 - 83	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 80	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 77	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	6 Cyl 3.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 70	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 73	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70	8 Cyl 6.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
GRAND MARQUIS			
11 - 09	8 Cyl 4.6L Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 97	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
94	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCURY

Year	Description	Premium	Standard
GRAND MARQUIS			
93	8 Cyl 4.6L Eng. - 36.00 Oz. R-134a; 7.00 Oz. Mineral Oil	409503	801651
93	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 13.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12, To 9/86	209500 ⁽¹⁾	--
87	All Eng. - 13.00 Oz. Mineral Oil; 52.00 Oz. R-12, From 9/86	209500 ⁽¹⁾	--
86	8 Cyl 5.8L Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 10.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 81	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 78	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LN7			
83 - 82	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LYNX			
87 - 85	4 Cyl 1.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 84	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 81	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MARAUDER			
04 - 03	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
MARINER			
11	6 Cyl 3.0L Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
11 - 10	4 Cyl 2.5L Eng. - Electric/Gas, 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
11 - 10	4 Cyl 2.5L Eng. - Gas, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
10	All Eng. - Excl. Hybrid, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
09 - 08	All Eng. - Electric/Gas, 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
09 - 08	All Eng. - Gas, 5.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
07 - 06	4 Cyl 2.3L Eng. - Gas, 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07 - 05	6 Cyl 3.0L Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05	4 Cyl 2.3L Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
MARQUIS			
84 - 83	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 81	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
82 - 79	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81 - 78	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
78 - 75	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MILAN			
11 - 10	4 Cyl 2.5L Eng. - Electric/Gas, 22.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	409610	--
11 - 09	6 Cyl 3.0L Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
09	4 Cyl 2.3L Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
MONARCH			
80	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 78	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80 - 78	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
75	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
75	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MONTEGO			
07 - 05	All Eng. - w/ Rear AC; 9.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
07 - 05	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
76 - 74	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
76 - 71	8 Cyl 5.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCURY

Year	Description	Premium	Standard
MONTEGO			
74 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MONTEREY			
07 - 04	All Eng. - w/ Rear AC; 12.00 Oz. PAG-46; 53.00 Oz. R-134a	409503	801651
07 - 04	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
MOUNTAINEER			
10	8 Cyl 4.6L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 47.00 Oz. R-134a	409503	801651
10	8 Cyl 4.6L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 4.0L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 47.00 Oz. R-134a	409503	801651
10 - 09	6 Cyl 4.0L Eng. - w/o Rear AC; 31.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
09	8 Cyl 4.6L Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 44.00 Oz. R-134a	409503	801651
09	8 Cyl 4.6L Eng. - w/o Rear AC; 27.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
08 - 06	All Eng. - w/ Rear AC; 16.00 Oz. PAG-46; 47.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - w/o Rear AC; 31.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - w/ Rear AC; 56.00 Oz. R-134a; 13.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - w/o Rear AC; 9.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
01 - 98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
97	All Eng. - 9.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
MYSTIQUE			
00 - 95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
SABLE			
09 - 08	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46, w/ Front AC	409503	801651
09 - 08	All Eng. - w/ Rear AC; 36.00 Oz. R-134a; 9.50 Oz. PAG-46	409503	801651
05 - 96	All Eng. - 34.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 92	6 Cyl 3.0L Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
92 - 91	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	209500 ⁽¹⁾	--
TOPAZ			
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 8.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 89	All Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	4 Cyl 2.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TRACER			
99	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
98	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
97	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93	All Eng. - 34.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 34.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 10.00 Oz. Mineral Oil; 31.00 Oz. R-12	209500 ⁽¹⁾	--
87	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VILLAGER			
02 - 00	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
02 - 99	All Eng. - w/ Rear AC; 52.00 Oz. R-134a; 11.00 Oz. PAG-100	409502	801652
99 - 98	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 10.00 Oz. PAG-100	409502	801652
98 - 94	All Eng. - w/ Rear AC; 52.00 Oz. R-134a; 10.00 Oz. PAG-100	409502	801652
97 - 94	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
93	All Eng. - w/ Rear AC; 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
ZEPHYR			
82 - 80	8 Cyl 4.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MERCURY

Year	Description	Premium	Standard
ZEPHYR			
79 - 78	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

MERKUR

Year	Description	Premium	Standard
SCORPIO			
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
XR4TI			
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

MINI

Year	Description	Premium	Standard
Cooper / JOHN COOPER WORKS			
15 - 14	4 Cyl 1.5L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 1.6L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
Cooper Countryman			
15 - 14	4 Cyl 1.5L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 1.6L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
Cooper Paceman			
15 - 14	4 Cyl 1.5L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 1.6L Eng. - 17.26 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

MITSUBISHI

Year	Description	Premium	Standard
3000GT			
99 - 94	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
93	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral Oil, From 10/92	209500 ⁽¹⁾	--
92	All Eng. - 34.00 Oz. R-12; 7.00 Oz. Mineral Oil, To 9/92	209500 ⁽¹⁾	--
91	All Eng. - 34.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--

CORDIA

88 - 84	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 84	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

DIAMANTE

04 - 00	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
99 - 97	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
96	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - Sedan, 28.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
95 - 94	All Eng. - Wagon, 28.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
93	All Eng. - Sedan, 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - Wagon, 28.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

ECLIPSE

12 - 09	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
12 - 09	6 Cyl 3.8L Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 00	All Eng. - 5.50 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
99 - 95	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
94 - 90	All Eng. - 33.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--

ENDEAVOR

11 - 10	6 Cyl 3.8L Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651

EXPO

95 - 94	All Eng. - 27.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
93 - 92	All Eng. - 30.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--

EXPO LRV

94	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
----	---	-----------------------	----

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MITSUBISHI

Year	Description	Premium	Standard
GALANT			
12 - 09	4 Cyl 2.4L Eng. - 4.70 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09	6 Cyl 3.8L Eng. - 4.70 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
05 - 00	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
99 - 97	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 24.00 Oz. R-134a; 8.75 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 33.00 Oz. R-12; 8.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LANCER			
17 - 14	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
17 - 14	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
13 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
13 - 09	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
08	All Eng. - 4.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
07 - 03	All Eng. - 18.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
02	All Eng. - 18.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
MIGHTY MAX			
96 - 94	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
93 - 90	All Eng. - 30.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 86	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 86	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MIRAGE			
18 - 17	4 Cyl 1.2L Eng. - 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18 - 17	4 Cyl 1.2L Eng. - Mirage G4, 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 1.2L Eng. - 18.40 Oz. R-134a; 2.00 Oz. PAG-46	409503	801651
02	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
01 - 97	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 36.00 Oz. R-12; 8.06 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MONTERO			
06 - 02	All Eng. - w/ Rear AC; 27.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06 - 02	All Eng. - w/o Rear AC; 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
01	All Eng. - w/ Rear AC; 5.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
01	All Eng. - w/o Rear AC; 23.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
00 - 94	All Eng. - 23.00 Oz. R-134a; 5.75 Oz. PAG-46	409503	801651
93 - 92	All Eng. - 28.00 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MONTERO SPORT			
04 - 97	All Eng. - 24.00 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
OUTLANDER			
18 - 14	4 Cyl 2.0L Eng. - Outlander Sport, 3.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
18 - 14	4 Cyl 2.4L Eng. - 18.40 Oz. R-134a; 3.80 Oz. PAG-46	409503	801651
18 - 14	4 Cyl 2.4L Eng. - Outlander Sport, 3.00 Oz. PAG-46; 19.20 Oz. R-134a	409503	801651
18 - 14	6 Cyl 3.0L Eng. - 18.40 Oz. R-134a; 3.80 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 08	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 08	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07 - 03	All Eng. - 19.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
PRECIS			
93 - 90	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 5.50 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

MITSUBISHI

Year	Description	Premium	Standard
RAIDER			
09	6 Cyl 3.7L Eng. - 20.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
08	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
SIGMA			
90	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
STARION			
89	All Eng. - 29.00 Oz. R-12; 8.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TREDIA			
88 - 85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VAN			
90 - 87	All Eng. - w/ Rear AC; 5.00 Oz. Mineral Oil; 52.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 87	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

NISSAN

Year	Description	Premium	Standard
200 SERIES			
98 - 95	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
88 - 87	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
240 SERIES			
98 - 95	All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
94	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 6.75 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
300 SERIES			
96 - 94	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 30.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 34.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 6.75 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
350Z			
09	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
08 - 07	All Eng. - 5.00 Oz. PAG-100; 19.50 Oz. R-134a	409502	801652
06 - 03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
370Z			
18 - 14	6 Cyl 3.7L Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
13 - 09	6 Cyl 3.7L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
720 PICKUP			
86	All Eng. - 38.00 Oz. R-12; 8.50 Oz. Mineral Oil, To 6/86	209500 ⁽¹⁾	--
85	All Eng. - 38.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
ALTIMA			
18 - 15	4 Cyl 2.5L Eng. - 19.36 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
18 - 15	6 Cyl 3.5L Eng. - 19.36 Oz. R-134a; 4.30 Oz. PAG-46	409503	801651
14	4 Cyl 2.5L Eng. - 5.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
14	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 19.36 Oz. R-134a	409503	801651
13 - 12	4 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
11 - 09	4 Cyl 2.5L Eng. - Electric/Gas, 18.00 Oz. R-134a; 4.20 Oz. Hybrid Oil	409610	--
11 - 09	4 Cyl 2.5L Eng. - Gas, 19.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
11 - 09	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
09 - 07	All Eng. - Electric/Gas, 18.00 Oz. R-134a; 4.20 Oz. Hybrid Oil	409610	--
08	All Eng. - Gas, 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

NISSAN

Year	Description	Premium	Standard
ALTIMA			
07	All Eng. - Gas, 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
06 - 02	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
01	All Eng. - 6.75 Oz. PAG-100; 22.00 Oz. R-134a	409502	801652
00 - 93	All Eng. - 6.75 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
93	4 Cyl 2.4L Eng. - 6.75 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
ARMADA			
15 - 14	8 Cyl 5.6L Eng. - 38.08 Oz. R-134a; 9.80 Oz. PAG-46	409503	801651
13 - 09	8 Cyl 5.6L Eng. - 38.00 Oz. R-134a; 9.80 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 38.00 Oz. R-134a; 9.80 Oz. PAG-46	409503	801651
AXXESS			
90	All Eng. - 6.75 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
CUBE			
14 - 09	4 Cyl 1.8L Eng. - 16.00 Oz. R-134a; 4.10 Oz. PAG-100	409502	801652
D21 PICKUP			
94	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
94	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93	4 Cyl 2.4L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
92 - 90	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
89 - 88	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 6.75 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil, From 6/86	209500 ⁽¹⁾	--
FRONTIER			
18 - 14	4 Cyl 2.5L Eng. - 6.00 Oz. PAG-100; 24.64 Oz. R-134a	409502	801652
18 - 14	6 Cyl 4.0L Eng. - 6.00 Oz. PAG-100; 24.64 Oz. R-134a	409502	801652
13 - 09	6 Cyl 4.0L Eng. - 6.00 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
12 - 11	4 Cyl 2.4L Eng. - 6.00 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
12 - 09	4 Cyl 2.5L Eng. - 6.00 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
08	All Eng. - 6.00 Oz. PAG-100; 26.50 Oz. R-134a	409502	801652
07 - 98	All Eng. - 6.75 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
JUKE			
17 - 14	4 Cyl 1.6L Eng. - 14.40 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 1.6L Eng. - 4.10 Oz. PAG-46; 14.00 Oz. R-134a	409503	801651
LEAF			
18 - 14	All Eng. - Electric, 15.04 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
13	All Eng. - HYBRID, w/o Heat Pump; 15.04 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
12 - 11	All Eng. - HYBRID, 15.04 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
MAXIMA			
18 - 16	6 Cyl 3.5L Eng. - 19.36 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.5L Eng. - 19.36 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
13 - 09	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
01 - 97	All Eng. - 23.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
96	All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
95	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
94 - 93	All Eng. - 33.50 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 6.75 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 86	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
MURANO			
18	6 Cyl 3.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
17 - 15	6 Cyl 3.5L Eng. - 3.40 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
16	4 Cyl 2.5L Eng. - Electric/Gas, 3.40 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

NISSAN

Year	Description	Premium	Standard
MURANO			
14	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
13 - 11	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10	All Eng. - 21.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
09	All Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46	409503	801651
08	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46	409503	801651
07 - 03	All Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46	409503	801651
NV1500			
13	6 Cyl 4.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
13	6 Cyl 4.0L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	6 Cyl 4.0L Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
NV200			
18 - 16	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 2.0L Eng. - 5.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
NV2500 / NV2500 HD			
13	6 Cyl 4.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
13	6 Cyl 4.0L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13	8 Cyl 5.6L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
13	8 Cyl 5.6L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	6 Cyl 4.0L Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	8 Cyl 5.6L Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
NV3500 / NV3500 HD			
13	6 Cyl 4.0L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
13	6 Cyl 4.0L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
13	8 Cyl 5.6L Eng. - w/ Rear AC; 42.00 Oz. R-134a; 7.80 Oz. PAG-46	409503	801651
13	8 Cyl 5.6L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	6 Cyl 4.0L Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12	8 Cyl 5.6L Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
PATHFINDER			
17 - 16	6 Cyl 3.5L Eng. - 29.92 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	6 Cyl 3.5L Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 09	6 Cyl 4.0L Eng. - w/ Rear AC; 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
12 - 09	6 Cyl 4.0L Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12 - 09	8 Cyl 5.6L Eng. - w/ Rear AC; 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
12 - 09	8 Cyl 5.6L Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
08	All Eng. - w/ Rear AC; 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08	All Eng. - w/o Rear AC; 6.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
07 - 06	All Eng. - w/ Rear AC; 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - w/o Rear AC; 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
05 - 02	All Eng. - 6.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
01 - 96	All Eng. - 23.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93	6 Cyl 3.0L Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 87	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
PICKUP			
97 - 94	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
PULSAR NX / NX			
93 - 91	All Eng. - 6.75 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 88	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 88	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
QUEST			
17 - 16	6 Cyl 3.5L Eng. - 31.68 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	6 Cyl 3.5L Eng. - 8.50 Oz. PAG-46; 31.68 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

NISSAN

Year	Description	Premium	Standard
QUEST			
13 - 11	6 Cyl 3.5L Eng. - 32.00 Oz. R-134a; 8.80 Oz. PAG-46	409503	801651
09	6 Cyl 3.5L Eng. - 32.00 Oz. R-134a; 7.44 Oz. PAG-46	409503	801651
08	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
05	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
04	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
02 - 01	All Eng. - w/ Rear AC; 54.00 Oz. R-134a; 11.00 Oz. PAG-100	409502	801652
02 - 94	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
00 - 94	All Eng. - w/ Rear AC; 52.00 Oz. R-134a; 11.00 Oz. PAG-100	409502	801652
93	All Eng. - 10.00 Oz. Mineral Oil; 56.00 Oz. R-12, w/ Front and Rear AC	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
ROGUE			
18 - 17	4 Cyl 2.0L Eng. - Electric/Gas, 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
18 - 17	4 Cyl 2.0L Eng. - ROGUE Sport, 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18 - 17	4 Cyl 2.5L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	4 Cyl 2.5L Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 09	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
SENTRA			
18 - 16	4 Cyl 1.6L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
18 - 16	4 Cyl 1.8L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 1.8L Eng. - 17.60 Oz. R-134a; 3.00 Oz. PAG-46	409503	801651
13	4 Cyl 1.8L Eng. - 5.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
12 - 09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
12 - 09	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06 - 00	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 94	All Eng. - 6.75 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
93 - 91	All Eng. - 6.75 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	All Eng. - 5.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 35.00 Oz. R-12; 5.10 Oz. Mineral Oil	209500 ⁽¹⁾	--
STANZA			
92 - 91	All Eng. - 30.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 6.75 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - Sedan / Coupe, 6.75 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - Wagon, 5.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TITAN			
15 - 14	8 Cyl 5.6L Eng. - 7.00 Oz. PAG-46; 24.96 Oz. R-134a	409503	801651
13 - 09	8 Cyl 5.6L Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
TITAN XD			
18 - 16	8 Cyl 5.0L Eng. - Diesel, 24.96 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
TSURU			
08 - 07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06 - 00	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
99 - 95	All Eng. - 6.75 Oz. PAG-100; 25.00 Oz. R-134a	409502	801652
VERSA			
18 - 14	4 Cyl 1.6L Eng. - 4.10 Oz. PAG-46; 14.08 Oz. R-134a	409503	801651
13 - 11	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	409502	801652
12	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

NISSAN

Year	Description	Premium	Standard
VERSA			
12 - 11	4 Cyl 1.8L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 1.8L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	409502	801652
11	4 Cyl 1.6L Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
10 - 07	All Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	409503	801651
10 - 07	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	409502	801652
X-TRAIL			
14	4 Cyl 2.5L Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409502	801652
XTERRA			
15 - 14	6 Cyl 4.0L Eng. - 6.00 Oz. PAG-46; 24.64 Oz. R-134a	409503	801651
13 - 09	6 Cyl 4.0L Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
08 - 07	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
06 - 00	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651

OLDSMOBILE

Year	Description	Premium	Standard
98 / 98 REGENCY			
98 - 96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 29.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 72	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
64 - 63	8 Cyl 6.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

ACHIEVA

98 - 95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 92	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

ALERO

04 - 02	All Eng. - 9.00 Oz. PAG-46; 22.00 Oz. R-134a	409501	801653
01 - 99	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653

AURORA

03	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
02 - 01	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
99 - 95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653

BRAVADA

04 - 02	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
04 - 02	All Eng. - w/o Rear AC; 29.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
01 - 99	All Eng. - w/ Denso Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
01 - 99	All Eng. - w/ OE Harrison Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-150	409501	801653
98 - 96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
98 - 96	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	6 Cyl 4.3L Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 8.00 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

CALAIS / CUTLASS CALAIS

91	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
90 - 87	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 7.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

OLDSMOBILE

Year	Description	Premium	Standard
CALAIS / CUTLASS CALAIS			
85	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CIERA / CUTLASS CIERA			
96 - 94	4 Cyl 2.2L Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
96 - 94	6 Cyl 3.1L Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
CUTLASS / CUTLASS SUPREME			
99 - 98	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96 - 94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 9.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 89	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 69	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CUTLASS CRUISER			
94	6 Cyl 3.1L Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG 150	409501	801653
90 - 87	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89	6 Cyl 3.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
89 - 87	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 87	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DELTA 88 CUSTOM CRUISER / CUSTOM CRUISER			
92 - 91	All Eng. - 6.00 Oz. Mineral Oil; 49.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
DELTA 88 SEDAN			
99 - 98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97 - 96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 92	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 90	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 46.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 6.00 Oz. Mineral Oil; 53.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 46.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67 - 65	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
66 - 65	8 Cyl 5.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
FIRENZA			
88 - 83	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 82	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
INTRIGUE			
02 - 98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

OLDSMOBILE

Year	Description	Premium	Standard
LSS			
99 - 96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
OMEGA			
84 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
74 - 73	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SILHOUETTE			
04 - 01	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 46.00 Oz. R-134a	409501	801653
00 - 98	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
97	6 Cyl 3.4L Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 46.00 Oz. R-134a	409501	801653
97	6 Cyl 3.4L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
96	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
95 - 94	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
95 - 94	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	6 Cyl 3.1L Eng. - w/ OE Harrison Compressor; w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.8L Eng. - w/ OE Harrison Compressor; w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	409503	801651
93	All Eng. - w/ Denso Compressor; w/o Rear AC; 42.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	409501	801653
93	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 42.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
92	All Eng. - w/ Rear AC; 11.00 Oz. Mineral Oil; 67.00 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/o Rear AC; 8.00 Oz. Mineral Oil; 51.00 Oz. R-12	209500 ⁽¹⁾	--
90	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

TORONADO

92 - 89	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	6 Cyl 3.8L Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	8 Cyl 5.0L Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	8 Cyl 5.7L Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
72 - 71	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

PEUGEOT

Year	Description	Premium	Standard
405			
91 - 89	All Eng. - 6.75 Oz. Mineral Oil; 53.00 Oz. R-12	209500 ⁽¹⁾	--
505			
91 - 89	All Eng. - 6.75 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--

PLYMOUTH

Year	Description	Premium	Standard
ACCLAIM			
95 - 94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
BREEZE			
00	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
97 - 96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CARAVELLE			
88 - 86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PLYMOUTH

Year	Description	Premium	Standard
CARAVELLE			
85	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
COLT			
94	4 Cyl 1.5L Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
94	4 Cyl 1.8L Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
94	4 Cyl 2.4L Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
93	4 Cyl 1.5L Eng. - 28.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
93	4 Cyl 1.8L Eng. - 28.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
92 - 85	4 Cyl 1.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
91 - 85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
90 - 89	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
90 - 89	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CONQUEST			
86 - 85	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
GRAN FURY			
89 - 80	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83 - 80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
HORIZON			
90 - 89	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 34.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 84	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 81	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
79 - 78	4 Cyl 1.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LASER			
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
NEON			
01 - 00	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
99	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
98 - 97	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
96 - 95	All Eng. - 29.00 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
PROWLER			
01	6 Cyl 3.5L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
00	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
99	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
RELIANT			
89	4 Cyl 2.2L Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	4 Cyl 2.5L Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	All Eng. - 7.25 Oz. Mineral Oil; 37.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 81	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 81	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SAPPORO			
83 - 81	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUNDANCE			
94	4 Cyl 2.2L Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
94	4 Cyl 2.5L Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
94	6 Cyl 3.0L Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
93 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PLYMOUTH

Year	Description	Premium	Standard
SUNDANCE			
90 - 89	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
TRAILDUSTER			
81	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
81	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TURISMO			
85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
83	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VOLARE			
80	6 Cyl 3.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
80	8 Cyl 5.9L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VOYAGER / GRAND VOYAGER			
00	All Eng. - w/ Rear AC; 46.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
00 - 96	All Eng. - w/o Rear AC; 5.00 Oz. PAG-46; 34.00 Oz. R-134a	409503	801651
99 - 96	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
95 - 93	All Eng. - w/ Rear AC; 50.00 Oz. R-134a; 7.40 Oz. PAG-46	409503	801651
95 - 93	All Eng. - w/o Rear AC; 36.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
93	4 Cyl 2.5L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	6 Cyl 3.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - w/o Rear AC; 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
91 - 89	All Eng. - w/ Rear AC; 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	209500 ⁽¹⁾	--
89	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	209500 ⁽¹⁾	--
88	All Eng. - w/o Rear AC; 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/o Rear AC; 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.2L Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.6L Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	4 Cyl 2.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	4 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

PONTIAC

Year	Description	Premium	Standard
6000			
91 - 88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - Excl. STE, 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - STE, 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
AZTEK			
05 - 01	All Eng. - 27.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
BONNEVILLE			
05 - 02	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
01 - 98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97 - 96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93 - 91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 8.00 Oz. Mineral Oil; 38.50 Oz. R-12	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PONTIAC

Year	Description	Premium	Standard
BONNEVILLE			
88 - 87	All Eng. - 8.00 Oz. Mineral Oil; 53.00 Oz. R-12	209500 ⁽¹⁾	--
86	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
71 - 68	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CATALINA			
73 - 70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
FIERO			
88 - 86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.5L Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 2.8L Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
FIREBIRD			
02 - 98	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97	6 Cyl 3.8L Eng. - w/ Denso Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97	6 Cyl 3.8L Eng. - w/ OE Harrison Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
97 - 96	8 Cyl 5.7L Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
97 - 96	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	6 Cyl 3.8L Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96	6 Cyl 3.8L Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95 - 93	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95 - 93	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	6 Cyl 3.4L Eng. - w/ OE Harrison Compressor; w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	8 Cyl 5.7L Eng. - w/ OE Harrison Compressor; w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 89	All Eng. - 6.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 87	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 87	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85 - 83	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 83	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 71	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 67	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
67	8 Cyl 5.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
G3			
10	4 Cyl 1.6L Eng. - 18.08 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
09	4 Cyl 1.6L Eng. - 17.00 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
G5			
10 - 07	All Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651
G6			
10 - 09	4 Cyl 2.4L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.5L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
09	6 Cyl 3.6L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PONTIAC

Year	Description	Premium	Standard
G6			
09	6 Cyl 3.9L Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
G8			
09	8 Cyl 6.2L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.6L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
09 - 08	8 Cyl 6.0L Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
GRAND AM			
05 - 02	4 Cyl 2.2L Eng. - 35.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05 - 02	6 Cyl 3.4L Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
01 - 99	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
98 - 95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 42.50 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 88	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.5L Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 3.0L Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
GRAND PRIX			
08 - 06	6 Cyl 3.8L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08 - 05	8 Cyl 5.3L Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
05	6 Cyl 3.8L Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
04	All Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
03 - 98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96 - 94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	6 Cyl 3.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
94	6 Cyl 3.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93 - 92	All Eng. - 9.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
91 - 88	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87 - 86	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 86	6 Cyl 4.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
85	6 Cyl 3.8L Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 72	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
GTO			
06 - 04	All Eng. - 29.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
J2000			
84 - 83	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
LEMANS			
93 - 88	All Eng. - 8.00 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
73 - 70	8 Cyl 7.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 68	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
69 - 68	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
MONTANA			
08 - 01	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
08 - 01	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 46.00 Oz. R-134a	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PONTIAC

Year	Description	Premium	Standard
MONTANA			
00 - 99	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
PARISIENNE			
86 - 85	All Eng. - 60.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
PHOENIX			
84 - 82	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
84 - 82	6 Cyl 2.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SAFARI			
89 - 87	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SOLSTICE			
09	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
09	4 Cyl 2.4L Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
08	All Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
07 - 06	All Eng. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
SUNBIRD			
94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
93 - 88	All Eng. - 8.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	4 Cyl 2.0L Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.8L Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
SUNFIRE			
05 - 03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
02	4 Cyl 2.2L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
02	4 Cyl 2.2L Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
02	4 Cyl 2.4L Eng. - 21.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
01 - 95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	409501	801653
TEMPEST			
70	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70 - 68	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
70 - 68	8 Cyl 6.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
68	8 Cyl 7.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
TORRENT			
09	6 Cyl 3.4L Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
09	6 Cyl 3.6L Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
TRANS SPORT			
98 - 97	All Eng. - w/ Rear AC; 11.00 Oz. PAG-150; 46.00 Oz. R-134a	409501	801653
98 - 97	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
96	6 Cyl 3.4L Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
96	6 Cyl 3.4L Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
95	All Eng. - w/ Denso Compressor; w/ Rear AC; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	409503	801651
95	All Eng. - w/ Denso Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
95	All Eng. - w/ OE Harrison Compressor; w/ Rear AC; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	409501	801653
95	All Eng. - w/ OE Harrison Compressor; w/o Rear AC; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	409501	801653
94	6 Cyl 3.1L Eng. - 36.00 Oz. R-134a, Front	409501	801653
94	6 Cyl 3.1L Eng. - 48.00 Oz. R-134a, Front and Rear	409503	801651
94	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409501	801653
94	6 Cyl 3.8L Eng. - w/ Denso Compressor; See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
93 - 92	6 Cyl 3.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93 - 90	6 Cyl 3.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VENTURA			
73 - 71	6 Cyl 4.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PONTIAC

Year	Description	Premium	Standard
VENTURA			
73 - 71	8 Cyl 5.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
73 - 71	8 Cyl 5.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
VIBE			
10 - 09	4 Cyl 1.8L Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 4.50 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
08 - 04	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
03	All Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

PORSCHE

Year	Description	Premium	Standard
911 SERIES			
16	6 Cyl 4.0L Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
16 - 14	6 Cyl 3.4L Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
16 - 14	6 Cyl 3.8L Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 08	6 Cyl 3.8L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12 - 08	6 Cyl 3.6L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07 - 05	All Eng. - AWD, 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07 - 05	All Eng. - RWD, 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - 31.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
98 - 93	All Eng. - 29.50 Oz. R-134a; 4.75 Oz. PAG-46	409503	801651
92 - 90	All Eng. - 33.00 Oz. R-12; 3.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	6 Cyl 3.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
924 SERIES			
88 - 87	All Eng. - 30.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
78	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
928 SERIES			
95 - 93	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	409503	801651
91 - 89	All Eng. - 33.50 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	8 Cyl 5.0L Eng. - 33.50 Oz. R-12; 9.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
944 SERIES			
91 - 89	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 2.5L Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
968 SERIES			
95 - 93	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
92	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
BOXSTER			
16	6 Cyl 3.8L Eng. - 5.60 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
16 - 15	6 Cyl 2.7L Eng. - 5.60 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
16 - 15	6 Cyl 3.4L Eng. - 5.60 Oz. PAG-46; See Under Hood Decal for Refrigerant Capacity	409503	801651
14	6 Cyl 2.7L Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
14	6 Cyl 3.4L Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
13	6 Cyl 2.7L Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	409503	801651
13 - 08	6 Cyl 3.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12 - 09	6 Cyl 2.9L Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	409503	801651
08	6 Cyl 2.7L Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
05 - 97	All Eng. - 30.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
CAYENNE			
17	6 Cyl 3.0L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
06	All Eng. - w/ Rear AC; 10.00 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
06	All Eng. - w/o Rear AC; 25.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
05 - 04	All Eng. - w/ Rear AC; 39.00 Oz. R-134a; 12.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

PORSCHE

Year	Description	Premium	Standard
CAYENNE			
05 - 04	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
CAYMAN			
14	6 Cyl 2.7L Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
14	6 Cyl 3.4L Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
14	6 Cyl 3.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
12 - 09	6 Cyl 2.9L Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	409503	801651
12 - 08	6 Cyl 3.4L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 07	6 Cyl 2.7L Eng. - 30.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07 - 06	6 Cyl 3.4L Eng. - 30.00 Oz. R-134a; 6.60 Oz. PAG-46	409503	801651
MACAN			
15	6 Cyl 3.0L Eng. - 3.70 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
15	6 Cyl 3.6L Eng. - 3.70 Oz. PAG-46; 20.00 Oz. R-134a	409503	801651
PANAMERA			
17	6 Cyl 2.9L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
16	6 Cyl 3.0L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
16 - 14	6 Cyl 3.0L Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	409503	801651
16 - 14	6 Cyl 3.6L Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	409503	801651
16 - 14	8 Cyl 4.8L Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	409503	801651
15	3.0L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
14	6 Cyl 3.0L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--

RAM

Year	Description	Premium	Standard
1500 SERIES			
17 - 14	6 Cyl 3.0L Eng. - Diesel, 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	6 Cyl 3.0L Eng. - Diesel, 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	6 Cyl 3.6L Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
17 - 14	8 Cyl 5.7L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	8 Cyl 5.7L Eng. - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
13	6 Cyl 3.6L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 4.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
2500 SERIES			
17 - 14	8 Cyl 5.7L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	8 Cyl 5.7L Eng. - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
17 - 14	8 Cyl 6.4L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	8 Cyl 6.4L Eng. - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
17 - 14	8 Cyl 6.7L Eng. - Diesel, 6.00 Oz. PAG-46; 22.08 Oz. R-134a	409503	801651
13 - 12	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 10	8 Cyl 4.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 10	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
11	6 Cyl 6.7L Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
10	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
3500 SERIES			
17 - 14	8 Cyl 5.7L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	8 Cyl 5.7L Eng. - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
17 - 14	8 Cyl 6.4L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	8 Cyl 6.4L Eng. - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
17 - 14	8 Cyl 6.7L Eng. - Diesel, 22.08 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651
13 - 12	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
11	6 Cyl 6.7L Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
4000 SERIES			
17 - 14	8 Cyl 5.7L Eng. - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	409123	801234
17 - 14	8 Cyl 5.7L Eng. - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

RAM

Year	Description	Premium	Standard
4000 SERIES			
13 - 12	6 Cyl 6.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.7L Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
11	6 Cyl 6.7L Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651

C/V			
15 - 14	6 Cyl 3.6L Eng. - 4.00 Oz. PAG-46; 28.96 Oz. R-134a; w/ Front AC	409503	801651
15 - 14	6 Cyl 3.6L Eng. - 5.00 Oz. PAG-46; 40.48 Oz. R-134a; w/ Front and Rear AC	409503	801651
13	6 Cyl 3.6L Eng. - w/o Rear AC; 29.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 3.6L Eng. - w/ Rear AC; 40.48 Oz. R-134a; 5.07 Oz. PAG-46	409503	801651
12	6 Cyl 3.6L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

DAKOTA			
11	6 Cyl 3.7L Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	8 Cyl 4.7L Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
11	6 Cyl 3.7L Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651

PROMASTER 1500			
17 - 14	6 Cyl 3.0L Eng. - Diesel, 6.00 Oz. PAG-46; 23.04 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 6.00 Oz. PAG-46; 23.04 Oz. R-134a	409503	801651

PROMASTER 2500			
17 - 14	6 Cyl 3.0L Eng. - Diesel, 6.00 Oz. PAG-46; 23.04 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 6.00 Oz. PAG-46; 23.04 Oz. R-134a	409503	801651

PROMASTER 3500			
17 - 14	6 Cyl 3.0L Eng. - Diesel, 6.00 Oz. PAG-46; 23.04 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - 6.00 Oz. PAG-46; 23.04 Oz. R-134a	409503	801651

PROMASTER CITY			
17 - 15	4 Cyl 2.4L Eng. - 14.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

RAM HD

Year	Description	Premium	Standard
4500 SERIES			
14	8 Cyl 6.4L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 6.7L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651

5500 SERIES			
14	8 Cyl 6.4L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
13 - 11	6 Cyl 6.7L Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651

RENAULT

Year	Description	Premium	Standard
ALLIANCE			
87	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	4 Cyl 1.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 85	4 Cyl 1.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

ENCORE			
86 - 85	4 Cyl 1.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
86 - 85	4 Cyl 1.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

SAAB

Year	Description	Premium	Standard
9-2			
06 - 05	4 Cyl 2.5L Eng. - 16.00 Oz. R-134a; 4.90 Oz. PAG-100	409502	801652
05	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; 4.90 Oz. PAG-100	409502	801652
9-3			
11 - 10	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 4.56 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
09	6 Cyl 2.8L Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
08 - 03	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
02 - 99	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

SAAB

Year	Description	Premium	Standard
9-5			
11	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
11	4 Cyl 2.0L Eng. - 24.00 Oz. R-134a; w/ Delphi Compressor; 5.00 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 2.8L Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
11 - 10	6 Cyl 2.8L Eng. - 24.00 Oz. R-134a; w/ Delphi Compressor; 5.00 Oz. PAG-46	409503	801651
09	4 Cyl 2.3L Eng. - 29.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
08 - 04	All Eng. - 29.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651
03 - 00	All Eng. - 31.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
99	All Eng. - 29.00 Oz. R-134a; 4.06 Oz. PAG-46	409503	801651

9-7			
09	6 Cyl 4.2L Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	8 Cyl 5.3L Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
09	8 Cyl 6.0L Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

900 SERIES			
98 - 97	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
98 - 97	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	4 Cyl 2.1L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 89	All Eng. - 35.00 Oz. R-12; 5.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

9000 SERIES			
98 - 94	4 Cyl 2.3L Eng. - 33.00 Oz. R-134a; 6.76 Oz. PAG-100	409502	801652
97 - 95	6 Cyl 3.0L Eng. - 33.00 Oz. R-134a; 6.76 Oz. PAG-100	409502	801652
93	4 Cyl 2.3L Eng. - 33.00 Oz. R-134a; 6.76 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/ Rear AC; 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - w/o Rear AC; 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
91 - 89	All Eng. - 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.0L Eng. - 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--

SATURN

Year	Description	Premium	Standard
ASTRA			
09 - 08	4 Cyl 1.8L Eng. - 14.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

AURA			
09	4 Cyl 2.4L Eng. - Electric/Gas, 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
09	6 Cyl 3.6L Eng. - Gas, 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - Electric/Gas, 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08 - 07	All Eng. - Gas, 18.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

ION			
07 - 03	All Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	409503	801651

L SERIES			
05 - 01	All Eng. - For OE Equivalent Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
05 - 01	All Eng. - For Premium Replacement Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651

LS SERIES			
01	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
01 - 00	All Eng. - For OE Equivalent Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
00	All Eng. - For Premium Replacement Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651

LW SERIES			
03 - 00	All Eng. - For OE Equivalent Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
03 - 00	All Eng. - For Premium Replacement Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651

OUTLOOK			
10 - 09	6 Cyl 3.6L Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	409503	801651

RELAY			
07	All Eng. - w/ Rear AC; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

SATURN

Year	Description	Premium	Standard
RELAY			
07	All Eng. - w/o Rear AC; 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 05	All Eng. - w/ Rear AC; 35.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
06 - 05	All Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
SC SERIES			
02 - 01	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
00	4 Cyl 1.9L Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
99 - 97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93 - 91	All Eng. - 6.75 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
SKY			
10	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
09	4 Cyl 2.0L Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
09	4 Cyl 2.4L Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
SL SERIES			
02 - 97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93 - 91	All Eng. - 6.75 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
SW SERIES			
01 - 97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
93	All Eng. - 6.75 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--
VUE			
10	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 20.16 Oz. R-134a	409503	801651
09	4 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
09 - 08	6 Cyl 3.5L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
09 - 08	6 Cyl 3.6L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
08	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
07	4 Cyl 2.2L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07	4 Cyl 2.4L Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07	6 Cyl 3.5L Eng. - w/ Rear AC; 8.00 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
07	6 Cyl 3.5L Eng. - w/o Rear AC; 27.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06	6 Cyl 3.5L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
06 - 02	4 Cyl 2.2L Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
05	6 Cyl 3.5L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409502	801652
04	6 Cyl 3.5L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
03 - 02	6 Cyl 3.0L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652

SCION

Year	Description	Premium	Standard
FR-S			
14	4 Cyl 2.0L Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
IQ			
14	4 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13	All Eng. - 3.40 Oz. PAG-46; 12.64 Oz. R-134a	409503	801651
TC			
14	4 Cyl 2.5L Eng. - 14.00 Oz. R-134a; 3.90 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.5L Eng. - 15.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
10	4 Cyl 2.4L Eng. - 15.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	4 Cyl 2.4L Eng. - 17.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08 - 05	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
XA			
06 - 04	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
XB			
14 - 09	4 Cyl 2.4L Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
08	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

SCION

Year	Description	Premium	Standard
XB			
06 - 04	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
XD			
14	4 Cyl 1.8L Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 1.8L Eng. - 14.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
10 - 08	4 Cyl 1.8L Eng. - 13.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

SMART

Year	Description	Premium	Standard
FORTWO			
18 - 16	3 Cyl 0.9L Eng. - PAG-100; 19.20 Oz. R-134a	409502	801652
18 - 14	All Eng. - Electric, See Under Hood Decal for Refrigerant and Lubricant Capacity	409123	801234
15 - 14	3 Cyl 1.0L Eng. - PAG-100; 19.20 Oz. R-134a	409502	801652
12 - 11	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
10 - 08	3 Cyl 1.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652

STERLING

Year	Description	Premium	Standard
827			
91 - 90	All Eng. - 5.00 Oz. Mineral Oil; 36.00 Oz. R-12	209500 ⁽¹⁾	--

SUBARU

Year	Description	Premium	Standard
BAJA			
06 - 03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
BRAT			
87 - 86	All Eng. - w/ Hitachi Compressor; 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 86	All Eng. - w/ Matsushita Compressor; 28.00 Oz. R-12; 5.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 1.8L Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
CROSTREK			
16	4 Cyl 2.0L Eng. - Electric/Gas, 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
FORESTER			
18 - 14	4 Cyl 2.0L Eng. - 16.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
18 - 14	4 Cyl 2.5L Eng. - 16.16 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
13 - 09	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
08	4 Cyl 2.5L Eng. - 23.00 Oz. R-134a; 3.50 Oz. PAG-100	409502	801652
07 - 02	All Eng. - 23.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
01 - 98	All Eng. - 23.00 Oz. R-134a; 5.25 Oz. PAG-100	409502	801652
IMPREZA			
18 - 14	4 Cyl 2.0L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
13 - 10	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
13 - 09	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
08	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 4.90 Oz. PAG-100	409502	801652
07	4 Cyl 2.5L Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
06 - 02	All Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
01 - 97	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
96 - 94	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-100	409502	801652
93	All Eng. - 6.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
IMPREZA OUTBACK			
11 - 09	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
08	4 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 4.90 Oz. PAG-100	409502	801652
07 - 02	4 Cyl 2.5L Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
01	4 Cyl 2.2L Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
00	All Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
99 - 97	4 Cyl 2.2L Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
96	4 Cyl 2.2L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
95	4 Cyl 1.8L Eng. - 24.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409501	801653

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

SUBARU

Year	Description	Premium	Standard
JUSTY			
94 - 87	3 Cyl 1.2L Eng. - 27.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
LEGACY			
18 - 17	4 Cyl 2.5L Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	6 Cyl 3.6L Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 15	4 Cyl 2.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
16 - 15	6 Cyl 3.6L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
14	4 Cyl 2.5L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
14	6 Cyl 3.6L Eng. - 16.80 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
13 - 10	6 Cyl 3.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
13 - 05	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
09 - 08	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409502	801652
04 - 01	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-100	409502	801652
00 - 99	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-100	409502	801652
98 - 94	All Eng. - 26.50 Oz. R-134a; 5.50 Oz. PAG-100	409502	801652
93 - 92	All Eng. - 24.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
93 - 90	All Eng. - 24.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ Calsonic Compressor	209500 ⁽¹⁾	--
91 - 90	All Eng. - 24.00 Oz. R-12; 5.00 Oz. Mineral Oil; w/ Diesel Kiki Compressor	209500 ⁽¹⁾	--
LEGACY OUTBACK			
99	4 Cyl 2.5L Eng. - 23.00 Oz. R-134a; 5.30 Oz. PAG-46	409503	801651
98 - 96	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-100	409502	801652
95	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
LOYALE			
94	4 Cyl 1.8L Eng. - 25.00 Oz. R-12; 4.72 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil, To 3/93	209500 ⁽¹⁾	--
93	All Eng. - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil, From 3/93	209500 ⁽¹⁾	--
92	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil, To 3/92	209500 ⁽¹⁾	--
92	All Eng. - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil, From 3/92	209500 ⁽¹⁾	--
91	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil, To 3/91	209500 ⁽¹⁾	--
91	All Eng. - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil, From 3/91	209500 ⁽¹⁾	--
90	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil, To 3/90	209500 ⁽¹⁾	--
90	All Eng. - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil, From 3/90	209500 ⁽¹⁾	--
OUTBACK			
18 - 17	4 Cyl 2.5L Eng. - 15.20 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18 - 17	6 Cyl 3.6L Eng. - 15.20 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
16	6 Cyl 3.6L Eng. - 13.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409123	801234
16 - 14	4 Cyl 2.5L Eng. - 13.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
15 - 14	6 Cyl 3.6L Eng. - 13.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409502	801652
13 - 10	4 Cyl 2.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 10	6 Cyl 3.6L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09 - 05	4 Cyl 2.5L Eng. - 14.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09 - 05	6 Cyl 3.0L Eng. - 14.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
04 - 01	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-100	409502	801652
00	4 Cyl 2.5L Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	409502	801652
SEDAN, COUPE, WAGON			
89	All Eng. - HL/GL/GL10, 30.00 Oz. R-12; 4.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - HL/GL/GL10, w/ Hitachi Compressor; 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
SVX			
97	6 Cyl 3.3L Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
96 - 93	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	409502	801652
92	All Eng. - 5.00 Oz. Mineral Oil; 23.00 Oz. R-12	209500 ⁽¹⁾	--
TRIBECA			
14	6 Cyl 3.6L Eng. - 20.96 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 08	6 Cyl 3.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
07 - 06	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

SUBARU

Year	Description	Premium	Standard
XT			
91 - 89	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

SUZUKI

Year	Description	Premium	Standard
AERIO			
07 - 02	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
EQUATOR			
12 - 10	4 Cyl 2.5L Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
12 - 10	6 Cyl 4.0L Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
09	4 Cyl 2.5L Eng. - 16.54 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
09	6 Cyl 4.0L Eng. - 16.54 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
ESTEEM			
02 - 96	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
95	4 Cyl 1.6L Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651

FORENZA

08	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07 - 04	All Eng. - 7.50 Oz. PAG-100; 22.00 Oz. R-134a	409502	801652

GRAND VITARA

13 - 11	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 20.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.2L Eng. - 20.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
08 - 06	6 Cyl 2.7L Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
05 - 04	6 Cyl 2.5L Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
03	All Eng. - w/ Rear AC; 28.00 Oz. R-134a; 12.00 Oz. PAG-46	409503	801651
03 - 01	All Eng. - w/o Rear AC; 4.00 Oz. PAG-46; 17.00 Oz. R-134a	409503	801651
02 - 01	All Eng. - w/ Rear AC; 28.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651

KIZASHI

13 - 12	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; 2.71-3.38 Oz. PAG-46	409503	801651
11	4 Cyl 2.4L Eng. - 3.40 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
10	4 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651

RENO

08 - 05	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
---------	--	--------	--------

SAMURAI

95 - 94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 5.00 Oz. Mineral Oil; 18.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	4 Cyl 1.3L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

SIDEKICK

98 - 94	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 5.00 Oz. Mineral Oil; 21.00 Oz. R-12	209500 ⁽¹⁾	--

SWIFT

01 - 94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
93 - 89	All Eng. - 5.00 Oz. Mineral Oil; 18.00 Oz. R-12	209500 ⁽¹⁾	--

SX4

13 - 12	4 Cyl 2.0L Eng. - 16.00 Oz. R-134a; 2.71-3.38 Oz. PAG-46	409503	801651
11	4 Cyl 2.0L Eng. - 3.40 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
10 - 08	4 Cyl 2.0L Eng. - 15.00 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
07	4 Cyl 2.0L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

VERONA

06 - 04	All Eng. - 8.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
---------	--	--------	--------

VITARA

04	6 Cyl 2.5L Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	409503	801651
03	4 Cyl 2.0L Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

SUZUKI

Year	Description	Premium	Standard
VITARA			
02 - 99	All Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
X-90			
98 - 96	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
XL-7			
09 - 08	6 Cyl 3.6L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
09 - 07	6 Cyl 3.6L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
07	6 Cyl 3.6L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
06 - 03	6 Cyl 2.7L Eng. - w/ Rear AC; 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
06 - 03	6 Cyl 2.7L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
02	6 Cyl 2.7L Eng. - w/ Rear AC; 26.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
02	6 Cyl 2.7L Eng. - w/o Rear AC; 21.00 Oz. R-134a; 3.38 Oz. PAG-46	409503	801651

TOYOTA

Year	Description	Premium	Standard
4RUNNER			
18 - 14	6 Cyl 4.0L Eng. - 19.36 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
13 - 12	6 Cyl 4.0L Eng. - 20.00 Oz. R-134a; 4.61 Oz. PAG-46	409503	801651
11	6 Cyl 4.0L Eng. - 20.00 Oz. R-134a; 3.51 Oz. PAG-46	409503	801651
10	4 Cyl 2.7L Eng. - 19.50 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
10	6 Cyl 4.0L Eng. - 19.50 Oz. R-134a; 6.80 Oz. PAG-46	409503	801651
09	6 Cyl 4.0L Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09	8 Cyl 4.7L Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
05 - 03	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
02 - 01	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
00 - 96	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
93 - 91	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 29.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	4 Cyl 2.4L Eng. - 20.80-27.20 Oz. R-12; 5.50-7.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	6 Cyl 3.0L Eng. - 20.80-27.20 Oz. R-12; 5.50-7.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	4 Cyl 2.4L Eng. - 20.80-27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	4 Cyl 2.4L Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	209500 ⁽¹⁾	--

AVALON

18 - 17	4 Cyl 2.5L Eng. - Electric/Gas, 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
18 - 17	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 14	4 Cyl 2.5L Eng. - Electric/Gas, 17.60 Oz. R-134a; 7.00 Oz. POE Oil	409610	--
16 - 14	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
13	4 Cyl 2.5L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
13 - 09	6 Cyl 3.5L Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
08 - 05	All Eng. - 4.50 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
04 - 01	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 95	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

C-HR

18	4 Cyl 2.0L Eng. - 14.40 Oz. R-1234yf; See Under Hood Decal for Lubricant Capacity	409123	801234
18	4 Cyl 2.0L Eng. - PAG-46; 16.80 Oz. R-134a	409503	801651

CAMRY

17	4 Cyl 2.5L Eng. - 15.52 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	6 Cyl 3.5L Eng. - 15.52 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 14	4 Cyl 2.5L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
16 - 15	4 Cyl 2.5L Eng. - 7.00 Oz. PAG-46; 15.52 Oz. R-134a	409503	801651
15	6 Cyl 3.5L Eng. - 7.00 Oz. PAG-46; 15.52 Oz. R-134a	409503	801651
14	4 Cyl 2.5L Eng. - 18.72 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.5L Eng. - 7.00 Oz. PAG-46; 18.72 Oz. R-134a	409503	801651
13	4 Cyl 2.5L Eng. - Gas, 19.00 Oz. R-134a; 3.88 Oz. PAG-46	409503	801651
13	6 Cyl 3.5L Eng. - Gas, 19.00 Oz. R-134a; 3.88 Oz. PAG-46	409503	801651
12	4 Cyl 2.5L Eng. - Gas, 19.00 Oz. R-134a; 6.10-6.90 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

TOYOTA

Year	Description	Premium	Standard
CAMRY			
12	6 Cyl 3.5L Eng. - Gas, 19.00 Oz. R-134a; 6.10-6.90 Oz. PAG-46	409503	801651
11 - 10	4 Cyl 2.4L Eng. - HYBRID, 4.50 Oz. Hybrid Oil; 17.00-20.00 Oz. R-134a	409610	--
11 - 10	4 Cyl 2.5L Eng. - Gas, 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
11 - 09	6 Cyl 3.5L Eng. - Gas, 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
09	4 Cyl 2.4L Eng. - Gas, 19.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
09 - 07	All Eng. - Electric/Gas, 4.50 Oz. Hybrid Oil; 17.00-20.00 Oz. R-134a	409610	--
08 - 07	All Eng. - Gas, 18.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
06 - 04	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
03 - 02	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
01	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
00 - 97	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
96 - 94	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651
93	All Eng. - 33.50 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 7.25 Oz. Mineral Oil; 35.00 Oz. R-12	209500 ⁽¹⁾	--
91	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 7.50 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 87	All Eng. - 8.75 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
84	4 Cyl 1.8L Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
84	4 Cyl 2.0L Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
83	4 Cyl 2.0L Eng. - 27.20 Oz. R-12; 5.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
CELICA			
05 - 00	All Eng. - 7.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
99 - 94	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 7.00 Oz. Mineral Oil; 25.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	All Eng. - 8.75 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
86	4 Cyl 2.0L Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
COROLLA			
18 - 14	4 Cyl 1.8L Eng. - 15.52 Oz. R-134a; 2.40 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 1.8L Eng. - 16.00 Oz. R-134a; 3.89 Oz. PAG-46	409503	801651
13 - 11	4 Cyl 2.4L Eng. - 14.50 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 1.8L Eng. - 16.00 Oz. R-134a; 3.51 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.4L Eng. - 16.00 Oz. R-134a; 3.51 Oz. PAG-46	409503	801651
08	4 Cyl 1.8L Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
07 - 05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
04 - 03	All Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
02 - 01	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
98 - 96	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 7.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
93	All Eng. - 7.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
92 - 91	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 7.50 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
87	All Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 8.75 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
85	All Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
84 - 83	4 Cyl 1.6L Eng. - 5.50 Oz. Mineral Oil; 27.20 Oz. R-12	209500 ⁽¹⁾	--
CRESSIDA			
92 - 89	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	6 Cyl 2.8L Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
85	6 Cyl 2.8L Eng. - 8.75 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
84	6 Cyl 2.8L Eng. - 27.20 Oz. R-12; 5.20 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

TOYOTA

Year	Description	Premium	Standard
CRESSIDA			
83	6 Cyl 2.8L Eng. - 27.20 Oz. R-12; 7.30-8.30 Oz. Mineral Oil	209500 ⁽¹⁾	--
82	6 Cyl 2.8L Eng. - 27.20 Oz. R-12; 5.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
ECHO			
05 - 00	All Eng. - 16.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
FJ CRUISER			
18	6 Cyl 4.0L Eng. - 16.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
14	6 Cyl 4.0L Eng. - 4.50 Oz. PAG-46; 21.12 Oz. R-134a	409503	801651
13 - 11	6 Cyl 4.0L Eng. - 4.50 Oz. PAG-46; 20.11-22.20 Oz. R-134a	409503	801651
10 - 09	6 Cyl 4.0L Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
08 - 07	6 Cyl 4.0L Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
HIGHLANDER			
13 - 11	4 Cyl 2.7L Eng. - Gas, w/ Rear AC; 4.73 Oz. PAG-46; 25.40-28.90 Oz. R-134a	409503	801651
13 - 11	4 Cyl 2.7L Eng. - Gas, w/o Rear AC; 19.40-22.90 Oz. R-134a; 3.38 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.5L Eng. - Gas, w/ Rear AC; 4.73 Oz. PAG-46; 25.40-28.90 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.5L Eng. - Gas, w/o Rear AC; 19.40-22.90 Oz. R-134a; 3.38 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.7L Eng. - Gas, w/ Rear AC; 25.40-28.90 Oz. R-134a; 7.70 Oz. PAG-46	409503	801651
10 - 09	4 Cyl 2.7L Eng. - Gas, w/o Rear AC; 4.50 Oz. PAG-46; 19.40-22.90 Oz. R-134a	409503	801651
10 - 08	6 Cyl 3.3L Eng. - HYBRID, w/ Rear AC; 27.00 Oz. R-134a; 4.20-4.80 Oz. Hybrid Oil	409610	--
10 - 08	6 Cyl 3.3L Eng. - HYBRID, w/o Rear AC; 21.00 Oz. R-134a; 4.20-4.80 Oz. Hybrid Oil	409610	--
10 - 08	6 Cyl 3.5L Eng. - Gas, w/ Rear AC; 25.40-28.90 Oz. R-134a; 7.70 Oz. PAG-46	409503	801651
10 - 08	6 Cyl 3.5L Eng. - Gas, w/o Rear AC; 4.50 Oz. PAG-46; 19.40-22.90 Oz. R-134a	409503	801651
07	All Eng. - Electric/Gas, 19.40-22.90 Oz. R-134a; 4.00 Oz. Hybrid Oil	409610	--
07 - 06	All Eng. - Gas, 23.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
06	All Eng. - Electric/Gas, 19.40-22.90 Oz. R-134a; 4.80 Oz. Hybrid Oil	409610	--
05	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
04 - 01	All Eng. - 24.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
LAND CRUISER			
13	8 Cyl 5.7L Eng. - 33.50 Oz. R-134a; 4.75 Oz. PAG-46, w/o Cool Box	409503	801651
13	8 Cyl 5.7L Eng. - 35.00 Oz. R-134a; 4.75 Oz. PAG-46, w/ Cool Box	409503	801651
11 - 10	8 Cyl 5.7L Eng. - 33.50 Oz. R-134a; 4.75 Oz. PAG-46, w/o Cool Box	409503	801651
11 - 10	8 Cyl 5.7L Eng. - 35.00 Oz. R-134a; 4.75 Oz. PAG-46, w/ Cool Box	409503	801651
09	8 Cyl 5.7L Eng. - 33.50 Oz. R-134a; 4.75 Oz. PAG-46, w/ Cool Box	409503	801651
09	8 Cyl 5.7L Eng. - 35.00 Oz. R-134a; 4.75 Oz. PAG-46, w/o Cool Box	409503	801651
08	8 Cyl 5.7L Eng. - 33.50 Oz. R-134a; 4.75 Oz. PAG-46, w/o Cool Box	409503	801651
08	8 Cyl 5.7L Eng. - 35.00 Oz. R-134a; 4.75 Oz. PAG-46, w/ Cool Box	409503	801651
07	8 Cyl 4.7L Eng. - 4.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
06 - 01	All Eng. - 24.00 Oz. R-134a; w/o Rear AC; See Under Hood Decal for Lubricant Capacity	409503	801651
06 - 01	All Eng. - w/ Rear AC; 38.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
00 - 98	All Eng. - w/ Rear AC; 39.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
00 - 98	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651
97 - 94	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	6 Cyl 4.2L Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
84 - 83	6 Cyl 4.2L Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
MATRIX			
13 - 09	4 Cyl 1.8L Eng. - 4.50 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
13 - 09	4 Cyl 2.4L Eng. - 4.50 Oz. PAG-46; 15.00 Oz. R-134a	409503	801651
08 - 05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
04 - 03	All Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
MR2			
05 - 04	All Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
03 - 02	All Eng. - 15.17+/-1.06 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
01 - 00	All Eng. - 18.00 Oz. R-134a; 6.90 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 25.50 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

TOYOTA

Year	Description	Premium	Standard
MR2			
93	All Eng. - 30.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	209500 ⁽¹⁾	--
89	All Eng. - 29.00 Oz. R-12; 8.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.6L Eng. - 25.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
MR2 SPYDER			
88 - 85	4 Cyl 1.6L Eng. - 25.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
PASEO			
98 - 96	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
93	4 Cyl 1.5L Eng. - 26.45 Oz. R-134a; 5.45-8.70 Oz. Mineral Oil	409503	801651
93	All Eng. - 7.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
92	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
PICKUP - STANDARD			
95	All Eng. - 20.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	All Eng. - 26.40 Oz. R-134a; 7.00 Oz. PAG-46	209500 ⁽¹⁾	--
94	All Eng. - 7.00 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
93	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	All Eng. - 7.50 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
86 - 85	All Eng. - 7.50 Oz. Mineral Oil; 26.00 Oz. R-12	209500 ⁽¹⁾	--
84	4 Cyl 2.4L Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
PREVIA			
97 - 94	All Eng. - w/ Rear AC; 7.00 Oz. PAG-46; 41.00 Oz. R-134a	409503	801651
97 - 94	All Eng. - w/o Rear AC; 32.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - w/ Rear AC; 42.50 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
93	All Eng. - w/o Rear AC; 33.50 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/ Rear AC; 44.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 91	All Eng. - w/o Rear AC; 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
Prius / Prius AWD-e			
18 - 16	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15 - 14	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; 4.50 Oz. Hybrid Oil	409610	--
13 - 10	4 Cyl 1.8L Eng. - HYBRID, 16.50 Oz. R-134a; 4.40-4.90 Oz. Hybrid Oil	409610	--
09 - 04	4 Cyl 1.5L Eng. - HYBRID, 17.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	409610	--
03 - 01	4 Cyl 1.5L Eng. - HYBRID, 19.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
Prius C			
18 - 16	4 Cyl 1.5L Eng. - Electric/Gas, 16.48 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15 - 14	4 Cyl 1.5L Eng. - Electric/Gas, 16.48 Oz. R-134a; 4.50 Oz. POE Oil	409610	--
Prius Plug-In			
15 - 14	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; 4.50 Oz. Hybrid Oil	409610	--
13 - 12	4 Cyl 1.8L Eng. - HYBRID, 16.50 Oz. R-134a; 4.40-4.90 Oz. Hybrid Oil	409610	--
Prius Prime			
18 - 17	4 Cyl 1.8L Eng. - Electric/Gas, 16.48 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
18 - 17	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
Prius V			
18 - 16	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
17 - 16	4 Cyl 1.8L Eng. - Electric/Gas, 16.48 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409610	--
15 - 14	4 Cyl 1.8L Eng. - Electric/Gas, 16.48 Oz. R-134a; 4.50 Oz. POE Oil	409610	--
15 - 14	4 Cyl 1.8L Eng. - Electric/Gas, 16.64 Oz. R-134a; 4.50 Oz. Hybrid Oil	409610	--
13 - 12	4 Cyl 1.8L Eng. - HYBRID, 16.50 Oz. R-134a; 4.40-4.90 Oz. Hybrid Oil	409610	--
RAV 4			
18 - 16	4 Cyl 2.5L Eng. - Electric/Gas, 15.84 Oz. R-134a; 2.40 Oz. POE Oil	409610	--
14	All Eng. - Electric, 15.84 Oz. R-134a; 2.40 Oz. POE Oil	409610	--
13	4 Cyl 2.5L Eng. - 16.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
12	4 Cyl 2.5L Eng. - 16.00 Oz. R-134a; 4.35-4.86 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

TOYOTA

Year	Description	Premium	Standard
RAV 4			
12	6 Cyl 3.5L Eng. - 16.00 Oz. R-134a; 4.35-4.86 Oz. PAG-46	409503	801651
11 - 09	4 Cyl 2.5L Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
11 - 09	6 Cyl 3.5L Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
06 - 04	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
03 - 01	All Eng. - Gas, 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
00 - 98	All Eng. - Gas, 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
97 - 96	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651

SEQUOIA

18 - 14	8 Cyl 5.7L Eng. - 7.00 Oz. PAG-46; 31.36 Oz. R-134a	409503	801651
13 - 11	8 Cyl 5.7L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
12 - 11	8 Cyl 4.6L Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
10	8 Cyl 4.6L Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	409503	801651
10 - 08	8 Cyl 5.7L Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.7L Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	409503	801651
07	8 Cyl 4.7L Eng. - 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06 - 01	All Eng. - w/ Rear AC; 39.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
06 - 01	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

SIENNA

18 - 17	6 Cyl 3.5L Eng. - 27.52 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16 - 14	6 Cyl 3.5L Eng. - 7.00 Oz. PAG-46; 27.52 Oz. R-134a	409503	801651
13 - 12	6 Cyl 3.5L Eng. - 29.00 Oz. R-134a; 5.31 Oz. PAG-46	409503	801651
12	4 Cyl 2.7L Eng. - 29.00 Oz. R-134a; 5.31 Oz. PAG-46	409503	801651
11	4 Cyl 2.7L Eng. - 5.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
11	6 Cyl 3.5L Eng. - 5.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
10 - 07	All Eng. - 5.50 Oz. PAG-46; 28.50 Oz. R-134a	409503	801651
06 - 05	All Eng. - 4.50 Oz. PAG-46; 28.50 Oz. R-134a	409503	801651
04 - 01	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	409503	801651
00 - 98	All Eng. - 28.00 Oz. R-134a; 7.25 Oz. PAG-46	409503	801651

SOLARA

08	4 Cyl 2.4L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
08	6 Cyl 3.3L Eng. - 21.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
07 - 04	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
03 - 01	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	409503	801651

SUPRA

98 - 96	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
95 - 94	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
93	6 Cyl 3.0L Eng. - 25.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
92 - 89	All Eng. - 7.00 Oz. Mineral Oil; 27.00 Oz. R-12	209500 ⁽¹⁾	--
88	6 Cyl 3.0L Eng. - 20.80-27.20 Oz. R-12; 5.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
87	All Eng. - 26.00 Oz. R-12; 8.80 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	6 Cyl 3.0L Eng. - 20.80-27.20 Oz. R-12; 5.20 Oz. Mineral Oil	209500 ⁽¹⁾	--
80 - 79	6 Cyl 2.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

T100

98 - 93	All Eng. - 23.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
---------	--	--------	--------

TACOMA

18 - 16	4 Cyl 2.7L Eng. - 18.40 Oz. R-1234yf; 5.60 Oz. PAG Oil	409123	801234
18 - 16	6 Cyl 3.5L Eng. - 18.40 Oz. R-1234yf; 5.60 Oz. PAG Oil	409123	801234
18 - 16	6 Cyl 3.5L Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
18 - 14	4 Cyl 2.7L Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 4.0L Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	409503	801651
13	4 Cyl 2.7L Eng. - 22.00 Oz. R-134a; 5.61 Oz. PAG-46	409503	801651
13	6 Cyl 4.0L Eng. - 22.00 Oz. R-134a; 5.61 Oz. PAG-46	409503	801651
12 - 09	4 Cyl 2.7L Eng. - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
12 - 09	6 Cyl 4.0L Eng. - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

TOYOTA

Year	Description	Premium	Standard
------	-------------	---------	----------

TACOMA

08 - 05	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
04 - 01	All Eng. - 23.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
00 - 97	All Eng. - 21.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
96 - 95	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

TERCEL

98	All Eng. - 7.00 Oz. PAG-46; 16.00 Oz. R-134a	409503	801651
97 - 95	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
94	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
93	All Eng. - 7.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
92	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 7.00 Oz. Mineral Oil; 26.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 87	All Eng. - 27.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
86 - 85	All Eng. - 26.00 Oz. R-12; 8.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	4 Cyl 1.5L Eng. - 26.40 Oz. R-12; 4.10 Oz. Mineral Oil	209500 ⁽¹⁾	--

TUNDRA

18 - 14	8 Cyl 4.6L Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	409503	801651
18 - 14	8 Cyl 5.7L Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	409503	801651
14	6 Cyl 4.0L Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	409503	801651
13 - 10	8 Cyl 4.6L Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 08	6 Cyl 4.0L Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
13 - 08	8 Cyl 5.7L Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.7L Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07 - 06	All Eng. - 2 Door, 23.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 4 Door, 21.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 2 Door, 27.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
05 - 04	All Eng. - 4 Door, 20.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651
03 - 00	All Eng. - 22.00 Oz. R-134a; 7.75 Oz. PAG-46	409503	801651

VAN / VAN WAGON

89 - 86	All Eng. - w/ Rear AC; 6.00 Oz. Mineral Oil; 50.00 Oz. R-12	209500 ⁽¹⁾	--
89 - 86	All Eng. - w/o Rear AC; 5.00 Oz. Mineral Oil; 25.00 Oz. R-12	209500 ⁽¹⁾	--
85 - 84	4 Cyl 2.0L Eng. - 25.00 Oz. R-12; 5.20-6.20 Oz. Mineral Oil, w/ Front AC	209500 ⁽¹⁾	--
85 - 84	4 Cyl 2.0L Eng. - 5.20-6.20 Oz. Mineral Oil; 50.00 Oz. R-12, w/ Front AC	209500 ⁽¹⁾	--

VENZA

16 - 10	4 Cyl 2.7L Eng. - 19.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 2.7L Eng. - 17.60 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
15 - 14	6 Cyl 3.5L Eng. - 17.60 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
14 - 10	6 Cyl 3.5L Eng. - 19.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	4 Cyl 2.7L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	6 Cyl 3.5L Eng. - 18.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651

YARIS

18 - 14	4 Cyl 1.5L Eng. - 12.64 Oz. R-134a; 3.50 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 1.5L Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	409503	801651
09	4 Cyl 1.5L Eng. - 3.00 Oz. PAG-46; 13.00 Oz. R-134a	409503	801651
08 - 07	All Eng. - 3.00 Oz. PAG-46; 13.00 Oz. R-134a	409503	801651

VOLKSWAGEN

Year	Description	Premium	Standard
------	-------------	---------	----------

BETLE

13	4 Cyl 2.0L Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	409503	801651
13	4 Cyl 2.0L Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
13	5 Cyl 2.5L Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	409503	801651
13	5 Cyl 2.5L Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
12	4 Cyl 2.0L Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
12	5 Cyl 2.5L Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
10	5 Cyl 2.5L Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651
09	5 Cyl 2.5L Eng. - 25.00 Oz. R-134a; 4.60 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLKSWAGEN

Year	Description	Premium	Standard
BEETLE			
08 - 01	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
00 - 98	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
CABRIO			
02 - 01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
00 - 95	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
CABRIOLET			
93 - 86	All Eng. - 32.00 Oz. R-12; 4.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
CORRADO			
94 - 93	All Eng. - 35.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
93 - 90	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
EOS			
16	4 Cyl 2.0L Eng. - 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 10	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.50-4.50 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 4.40-5.00 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
08 - 07	All Eng. - 4.50 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
EUROVAN			
03 - 02	All Eng. - w/o Rear AC; 4.50 Oz. PAG-100; 40.00 Oz. R-134a	409502	801652
03 - 99	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
01 - 99	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 4.50 Oz. PAG-100	409502	801652
97 - 93	All Eng. - w/ Rear AC; 48.00 Oz. R-134a; 8.00 Oz. PAG-100	409502	801652
97 - 93	All Eng. - w/o Rear AC; 33.50 Oz. R-134a; 4.50 Oz. PAG-100	409502	801652
FOX			
93 - 89	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	All Eng. - 40.00 Oz. R-12; See Under Hood Decal for Lubricant Capacity	209500 ⁽¹⁾	--
87	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
GOLF / GTI			
17	4 Cyl 1.8L Eng. - Golf Alltrack, 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	4 Cyl 1.8L Eng. - Golf Sportwagen, 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 15	4 Cyl 1.8L Eng. - GOLF, 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 15	4 Cyl 2.0L Eng. - GOLF R, 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - Diesel, GOLF, 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 12	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
13 - 12	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	409503	801651
13 - 10	4 Cyl 2.0L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
13 - 10	5 Cyl 2.5L Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
12 - 10	5 Cyl 2.5L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	409503	801651
12 - 10	5 Cyl 2.5L Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	409503	801651
11	4 Cyl 2.0L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
11	5 Cyl 2.5L Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
08 - 07	4 Cyl 2.0L Eng. - 26.00 Oz. R-134a; 3.71 Oz. PAG-46	409503	801651
06 - 05	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
98 - 93	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
93	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
92 - 89	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
87 - 86	4 Cyl 1.8L Eng. - 4.50 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
85	4 Cyl 1.8L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLKSWAGEN

Year	Description	Premium	Standard
JETTA			
17 - 16	4 Cyl 1.4L Eng. - 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	4 Cyl 1.8L Eng. - 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 16	4 Cyl 2.0L Eng. - 18.40 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	4 Cyl 1.4L Eng. - Electric/Gas, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
15	4 Cyl 1.4L Eng. - Electric/Gas, 18.40 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
15	4 Cyl 1.8L Eng. - 18.40 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
15	4 Cyl 2.0L Eng. - 18.40 Oz. R-134a; 2.50 Oz. PAG-46	409503	801651
14	4 Cyl 1.4L Eng. - Electric/Gas, 3.70 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
14	4 Cyl 1.8L Eng. - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
14	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
14	5 Cyl 2.5L Eng. - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	409503	801651
13 - 10	4 Cyl 2.0L Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
13 - 10	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	409503	801651
09	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
09	5 Cyl 2.5L Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	409503	801651
08 - 06	All Eng. - 4.00 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
05	All Eng. - Sedan, 4.00 Oz. PAG-46; 19.50 Oz. R-134a	409503	801651
05	All Eng. - Wagon, 28.00 Oz. R-134a; 5.00 Oz. PAG-46	409503	801651
04 - 01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
00 - 99	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
98 - 93	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	409503	801651
93	4 Cyl 2.0L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 89	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.6L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
88 - 85	4 Cyl 1.8L Eng. - 4.50 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
PASSAT / CC			
17 - 16	4 Cyl 2.0L Eng. - CC, 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17 - 14	4 Cyl 1.8L Eng. - PASSAT, 3.70 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
17 - 14	6 Cyl 3.6L Eng. - PASSAT, 3.70 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
16	6 Cyl 3.6L Eng. - CC, 19.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15 - 14	4 Cyl 2.0L Eng. - Diesel, PASSAT, 3.70 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
14	5 Cyl 2.5L Eng. - PASSAT, 3.70 Oz. PAG-46; 20.32 Oz. R-134a	409503	801651
13 - 12	5 Cyl 2.5L Eng. - 20.00 Oz. R-134a; 3.40-4.10 Oz. PAG-46	409503	801651
13 - 09	4 Cyl 2.0L Eng. - 20.00 Oz. R-134a; 3.40-4.50 Oz. PAG-46	409503	801651
13 - 09	6 Cyl 3.6L Eng. - 20.00 Oz. R-134a; 3.40-4.50 Oz. PAG-46	409503	801651
08 - 05	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
04	All Eng. - 20.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
03 - 98	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	409503	801651
97 - 95	All Eng. - 4.00 Oz. PAG-46; 33.00 Oz. R-134a	409503	801651
94 - 93	All Eng. - 4.00 Oz. PAG-46; 40.00 Oz. R-134a	409503	801651
93	6 Cyl 2.8L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
92 - 90	All Eng. - 4.00 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
PHAETON			
06 - 04	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
R32			
08	6 Cyl 3.2L Eng. - 18.00 Oz. R-134a; 6.30 Oz. PAG-46	409503	801651
RABBIT			
09	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 6.10 Oz. PAG-46	409503	801651
08 - 06	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	409503	801651
ROUTAN			
12 - 11	6 Cyl 3.6L Eng. - w/ Rear AC; 40.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.6L Eng. - w/o Rear AC; 28.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
10 - 09	All Eng. - w/ Rear AC; 40.00 Oz. R-134a; 5.10 Oz. PAG-46	409503	801651
10 - 09	All Eng. - w/o Rear AC; 28.00 Oz. R-134a; 4.10 Oz. PAG-46	409503	801651
SCIROCCO			
89	All Eng. - 4.75 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLKSWAGEN

Year	Description	Premium	Standard
SCIROCCO			
88 - 85	4 Cyl 1.8L Eng. - 4.75 Oz. Mineral Oil; 40.00 Oz. R-12	209500 ⁽¹⁾	--
Tiguan			
17 - 16	4 Cyl 2.0L Eng. - 23.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 09	4 Cyl 2.0L Eng. - 3.70 Oz. PAG-46; 23.00 Oz. R-134a	409503	801651
13 - 09	4 Cyl 2.0L Eng. - w/ Denso Compressor; 23.00 Oz. R-134a; 4.70 Oz. PAG-46	409503	801651
Tiguan Limited			
17	4 Cyl 2.0L Eng. - 23.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
TOUAREG			
15 - 14	6 Cyl 3.0L Eng. - Electric/Gas, 30.40 Oz. R-134a; 4.70 Oz. PAG-46; w/ one evaporator	409503	801651
13	6 Cyl 3.0L Eng. - w/ Rear AC; 39.00 Oz. R-134a; 4.40-5.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.0L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 4.40-5.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.6L Eng. - w/ Rear AC; 39.00 Oz. R-134a; 4.40-5.00 Oz. PAG-46	409503	801651
13	6 Cyl 3.6L Eng. - w/o Rear AC; 32.00 Oz. R-134a; 4.40-5.00 Oz. PAG-46	409503	801651
12	6 Cyl 3.6L Eng. - w/ Rear AC; 39.00 Oz. R-134a; 4.60 Oz. To 5.30 Oz. PAG-46	409503	801651
12	6 Cyl 3.6L Eng. - w/o Rear AC; 27.00 Oz. R-134a; 4.60 Oz. To 5.30 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.0L Eng. - HYBRID, See Under Hood Decal for Refrigerant and Lubricant Capacity	409610	--
12 - 11	6 Cyl 3.0L Eng. - w/ Rear AC; 39.00 Oz. R-134a; 6.70 Oz. PAG-46	409503	801651
12 - 11	6 Cyl 3.0L Eng. - w/o Rear AC; 30.00 Oz. R-134a; 6.70 Oz. PAG-46	409503	801651
11	6 Cyl 3.6L Eng. - w/ Rear AC; 4.70 Oz. PAG-46; 37.00 Oz. R-134a	409503	801651
11 - 10	6 Cyl 3.6L Eng. - w/o Rear AC; 4.90 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
10	6 Cyl 3.6L Eng. - w/ Rear AC; 37.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.0L Eng. - w/ Denso Compressor; w/ Rear AC; 37.00-38.00 Oz. R-134a; 6.70 Oz. PAG-46	409503	801651
10 - 09	6 Cyl 3.0L Eng. - w/ Denso Compressor; w/o Rear AC; 24-26.00 Oz. R-134a; 4.73 Oz. PAG-46	409503	801651
09	6 Cyl 3.6L Eng. - 4.90 Oz. PAG-46; 25.00 Oz. R-134a, Dual Zone	409503	801651
09	6 Cyl 3.6L Eng. - 8.50 Oz. PAG-46; 37.00 Oz. R-134a, w/ 4 Zone	409503	801651
09	8 Cyl 4.2L Eng. - 4.90 Oz. PAG-46; 25.00 Oz. R-134a, Dual Zone	409503	801651
09	8 Cyl 4.2L Eng. - 8.50 Oz. PAG-46; 37.00 Oz. R-134a, w/ 4 Zone	409503	801651
08 - 04	All Eng. - w/ Rear AC; 39.00 Oz. R-134a; 10.00 Oz. PAG-46	409503	801651
08 - 04	All Eng. - w/o Rear AC; 26.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
VANAGON			
91 - 89	All Eng. - 8.00 Oz. Mineral Oil; 51.00 Oz. R-12	209500 ⁽¹⁾	--
88 - 86	4 Cyl 2.1L Eng. - 8.00 Oz. Mineral Oil; 51.00 Oz. R-12	209500 ⁽¹⁾	--
85	4 Cyl 1.9L Eng. - 8.00 Oz. Mineral Oil; 51.00 Oz. R-12	209500 ⁽¹⁾	--

VOLVO

Year	Description	Premium	Standard
240 SERIES			
93	All Eng. - 7.50 Oz. PAG-46; 26.50 Oz. R-134a	409503	801651
92 - 91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 87	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	All Eng. - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	209500 ⁽¹⁾	--
86	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	209500 ⁽¹⁾	--
85	4 Cyl 2.1L Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.3L Eng. - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	209500 ⁽¹⁾	--
260 SERIES			
79 - 76	6 Cyl 2.7L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
740 SERIES			
92	All Eng. - 4.50 Oz. Mineral Oil; 40.00 Oz. R-12; w/ SD5 Compressor	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 10.00 Oz. Mineral Oil; 41.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD5 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD7 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLVO

Year	Description	Premium	Standard
740 SERIES			
90 - 89	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	209500 ⁽¹⁾	--
88 - 87	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
86	4 Cyl 2.3L Eng. - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	209500 ⁽¹⁾	--
86	4 Cyl 2.3L Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	209500 ⁽¹⁾	--
86 - 85	6 Cyl 2.4L Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	4 Cyl 2.3L Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
760 SERIES			
90 - 89	All Eng. - 10.00 Oz. Mineral Oil; 41.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD5 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD7 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	209500 ⁽¹⁾	--
88	4 Cyl 2.3L Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
88 - 85	6 Cyl 2.8L Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
87 - 85	4 Cyl 2.3L Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
85	6 Cyl 2.4L Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
84	6 Cyl 2.4L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
780 SERIES			
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 10.00 Oz. Mineral Oil; 41.50 Oz. R-12	209500 ⁽¹⁾	--
90 - 89	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD5 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD7 Compressor	209500 ⁽¹⁾	--
90 - 89	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
90 - 89	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	209500 ⁽¹⁾	--
88 - 87	6 Cyl 2.8L Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
850 SERIES			
97 - 96	All Eng. - 32.00 Oz. R-134a; 5.50 Oz. PAG-46	409503	801651
95 - 93	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
940 SERIES			
95	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
95 - 93	All Eng. - 33.50 Oz. R-134a; 4.50 Oz. PAG-100; w/ SD5 Compressor	409502	801652
95 - 93	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-100; w/ SD7 Compressor	409502	801652
94	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-46	409503	801651
93	4 Cyl 2.3L Eng. - w/ R12; See Under Hood Decal for Refrigerant and Lubricant Capacity	209500 ⁽¹⁾	--
93	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100	409502	801652
92	All Eng. - 4.50 Oz. Mineral Oil; 40.00 Oz. R-12; w/ SD5 Compressor	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	209500 ⁽¹⁾	--
960 SERIES			
97 - 96	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-100; w/ SD7 Compressor	409502	801652
95 - 93	All Eng. - 32.00 Oz. R-134a; 4.50 Oz. PAG-100; w/ SD5 Compressor	409502	801652
95 - 93	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
95 - 93	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100; w/ SD7 Compressor	409502	801652
92	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	209500 ⁽¹⁾	--
92	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	209500 ⁽¹⁾	--
92	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	209500 ⁽¹⁾	--
C30			
13 - 08	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
12 - 11	4 Cyl 1.6L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
10	5 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651

⁽¹⁾When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLVO

Year	Description	Premium	Standard
C70			
13 - 08	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
07 - 06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
04 - 02	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
01 - 98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
S40			
11 - 09	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 6.09 Oz. PAG-46	409503	801651
10 - 07	5 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
08 - 07	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
06 - 05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-100	409502	801652
04 - 01	All Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
00	All Eng. - 31.00 Oz. R-134a; 6.00 Oz. PAG-100	409502	801652
S60			
19	4 Cyl 2.0L Eng. - 25.00 Oz. R-134a; 4.40 Oz. PAG-46	409503	801651
18 - 16	4 Cyl 2.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	5 Cyl 2.5L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	5 Cyl 2.5L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14 - 12	5 Cyl 2.5L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14 - 12	6 Cyl 3.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
11	6 Cyl 3.0L Eng. - 35.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09	5 Cyl 2.5L Eng. - 27.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
09 - 07	5 Cyl 2.4L Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
08 - 07	5 Cyl 2.5L Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
06 - 01	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
S70			
00 - 98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
S80			
16	4 Cyl 2.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.2L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13	4 Cyl 2.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 08	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 08	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
12	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
10	8 Cyl 4.4L Eng. - 3.70 Oz. PAG-46; 28.00 Oz. R-134a	409503	801651
09 - 08	8 Cyl 4.4L Eng. - 2.40 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
07	6 Cyl 3.2L Eng. - 21.86 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
07	8 Cyl 4.4L Eng. - 24.69 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
06 - 00	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
99	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
S90			
19 - 18	4 Cyl 2.0L Eng. - 23.00 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	4 Cyl 2.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
98	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
98 - 97	6 Cyl 2.9L Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
97	6 Cyl 2.9L Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
V40			
04 - 00	All Eng. - 32.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
V50			
11 - 08	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
10 - 08	5 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	409503	801651
07	5 Cyl 2.4L Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLVO

Year	Description	Premium	Standard
V50			
07	5 Cyl 2.5L Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
06 - 05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	409503	801651
V70			
10 - 08	6 Cyl 3.2L Eng. - 3.70 Oz. PAG-46; 22.00 Oz. R-134a	409503	801651
07	5 Cyl 2.4L Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
07	5 Cyl 2.5L Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
06 - 98	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	409503	801651
V90			
17	4 Cyl 2.0L Eng. - 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
17	4 Cyl 2.0L Eng. - V90 Cross Country, 24.64 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
98	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
97	6 Cyl 2.9L Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	409502	801652
XC60			
17 - 16	4 Cyl 2.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	5 Cyl 2.5L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	6 Cyl 3.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	4 Cyl 2.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	5 Cyl 2.5L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.2L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.2L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 10	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 10	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
12	4 Cyl 2.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
XC70			
16	4 Cyl 2.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
16	4 Cyl 2.5L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.0L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
15	6 Cyl 3.2L Eng. - 25.60 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.0L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
14	6 Cyl 3.2L Eng. - 27.20 Oz. R-134a; See Under Hood Decal for Lubricant Capacity	409503	801651
13 - 09	6 Cyl 3.0L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
13 - 09	6 Cyl 3.2L Eng. - See Under Hood Decal for Refrigerant and Lubricant Capacity	409503	801651
08	6 Cyl 3.2L Eng. - 3.70 Oz. PAG-46; 45.00 Oz. R-134a	409503	801651
07	5 Cyl 2.5L Eng. - 46.00 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
06 - 03	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651
XC90			
14	6 Cyl 3.2L Eng. - 35.00 Oz. R-134a; 6.70 Oz. PAG-46	409503	801651
13	6 Cyl 3.2L Eng. - w/ Rear AC; 35.00 Oz. R-134a; 6.70 Oz. PAG-46	409503	801651
13	6 Cyl 3.2L Eng. - w/o Rear AC; 6.70 Oz. PAG-46; 25.00 Oz. R-134a	409503	801651
12 - 11	6 Cyl 3.2L Eng. - 22.00 Oz. R-134a; 6.08 Oz. PAG-46, w/ Front AC	409503	801651
12 - 11	6 Cyl 3.2L Eng. - 35.00 Oz. R-134a; 6.08 Oz. PAG-46, w/ Dual AC	409503	801651
11	8 Cyl 4.4L Eng. - 24.00 Oz. R-134a; 6.08 Oz. PAG-46, w/o Dual AC	409503	801651
11	8 Cyl 4.4L Eng. - 36.00 Oz. R-134a; 6.08 Oz. PAG-46, w/ Dual AC	409503	801651
10 - 09	6 Cyl 3.2L Eng. - 25.00 Oz. R-134a; 4.40 Oz. PAG-46, w/ Front AC	409503	801651
10 - 09	6 Cyl 3.2L Eng. - 35.00 Oz. R-134a; 4.40 Oz. PAG-46, w/ Dual AC	409503	801651
10 - 09	8 Cyl 4.4L Eng. - 25.00 Oz. R-134a; 4.40 Oz. PAG-46, w/o Dual AC	409503	801651
10 - 09	8 Cyl 4.4L Eng. - 37.00 Oz. R-134a; 4.40 Oz. PAG-46, w/ Dual AC	409503	801651
08	6 Cyl 3.2L Eng. - 35.00 Oz. R-134a; 6.10 Oz. PAG-46, w/ Front AC	409503	801651
08	6 Cyl 3.2L Eng. - 46.00 Oz. R-134a; 6.10 Oz. PAG-46, w/ Dual AC	409503	801651
08	8 Cyl 4.4L Eng. - 35.00 Oz. R-134a; 6.10 Oz. PAG-46, w/o Dual AC	409503	801651
08	8 Cyl 4.4L Eng. - 46.00 Oz. R-134a; 6.10 Oz. PAG-46, w/ Dual AC	409503	801651
07	6 Cyl 3.2L Eng. - 32.20 Oz. R-134a; 6.08 Oz. PAG-46, w/ Front AC	409503	801651
07	6 Cyl 3.2L Eng. - 32.90 Oz. R-134a; 6.08 Oz. PAG-46, w/ Dual AC	409503	801651
07	8 Cyl 4.4L Eng. - 32.20 Oz. R-134a; 6.08 Oz. PAG-46	409503	801651
06 - 03	All Eng. - w/ Rear AC; 7.00 Oz. PAG-46; 46.00 Oz. R-134a	409503	801651

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that the A/C system has been properly cleaned, and a new Accumulator/Filter Drier has been installed. Specs are for total system capacities. Always refer to the under-hood decal as the primary source for refrigerant and lubricant information

VOLVO

Year	Description	Premium	Standard
XC90			
06 - 03	All Eng. - w/o Rear AC; 35.00 Oz. R-134a; 6.00 Oz. PAG-46	409503	801651

YUGO

Year	Description	Premium	Standard
GV			
91 - 89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--
GVX			
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	209500 ⁽¹⁾	--

⁽¹⁾When retrofitting to R134a PAG Oil must be used.